


Equity^{NP}



2016臺 PRICE BOOK




TABLE OF CONTENTS

GENERAL INFORMATION 4
Panels
Power
Raceway4
Environmental Impact
Storage4
Legacy Customers
<i>,</i>
SUSTAINABLE DESIGN
NP's Green Manufacturing Process5
NP's Green Shipping Initiatives
TERMS AND CONDITIONS6
Ordering
Pricing6
Taxes6
Lead Time
Storage Fee6
Shipping6
Accessorial Charges6
Freight Damage7
Returns
Warranty Claims
Customer's Own Material
Delay/force Majeure
Compliance with Law7
Warranty
General Information
Key Alike Program
GSA Contract Overview
GSA Contract Details
Wall Mounting Suggestions
Wall Mounting Details
FINISHES 14
Fabrics
Laminates 14
Edge Bands
Paints
Plexiglass
Glass
Designer Glass
CUSTOM FINISHES PROGRAM
customer's community
Customer's Own Laminates
Custom RAL Paint Finishes
LEGACY FINISHES
Legacy – Laminates 17
Legacy – Edge Bands 17
Legacy – Painted & Plastics 17

PANELS	18
Features	
Construction	
Surface Materials	18
Fabric Panels	
Fabric Panels	21
Insert Panels	22
Insert Panels	23
Sliding Doors	24
Sliding Doors	25
Post Assemblies	26
Post Assemblies	27
End Kits	
Wall Starter/Wall Mounted Channel	29
Posts (Multi-Height)	30
Connectors/Shrouds	31
STACK-ON PANELS	32
Components	
Stack-on Panel Connectors	
Specifying Stack-on	
Stack-on Diagram	
Stack-on Configurations	
Stack-on Configurations	
Fabric with slots	
Fabric with slots	37
Fabric without slots	38
Fabric without slots	39
Insert with slots	40
Insert with slots	41
Insert without slots	42
Insert without slots	43
Stack-on Posts	44
Panel Accessories	
Add-on Screens	46
Slat Rail	
Slat Rail Accessories	47

ELECTRICAL	. 48
How to Order	. 48
Infeeds	. 50
Technical Data	. 51
Ceiling Infeeds	. 52
Base Infeeds	. 53
Components	. 54
Knock-out Replacement Cover	. 54
Jumper	. 55
Charge Spot (Wireless Charger)	
Desktop Data & Power	. 57
•	

	_
WORKSURFACES58	Q
Features	
Wiring & Cabling	8
Edge Detail	8
Surface Materials	
General Info 60	
Support Information	
Grain Direction	2
Grain Direction 63	3
Straights	4
Straights 65	5
	_
Corners 66	
Extended Corners	
Corner Peninsulas	8
Peninsulas. 69	9
Half Round & Linking	0
Blended Double Corner 7	
135° Curved Corner	-
Supports	2
Personal Drawer	2
Supports 73	3
Panel Supported Height Adjustable 74	
120° layout Comparison	_
120° Planning	5
120° Planning	7
120°	8
120°	
Transition Tops 80	
iransition rops	J
CACCADE WARKSUDEACEC	
CASCADE WORKSURFACES	1
	-
Cascade Edge	1
Cascade Edge 8' Straights 82	1
Cascade Edge 8 Straights 8 Corners & Extended Corners 8	1 2 3
Cascade Edge 8' Straights 82	1 2 3
Cascade Edge 8 Straights 8 Corners & Extended Corners 8	1 2 3 4
Cascade Edge8Straights8Corners & Extended Corners8Corner Peninsulas8Waves8	1 2 3 4
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 84 Waves 8 Rounds 86	1 2 3 4 5
Cascade Edge8Straights8Corners & Extended Corners8Corner Peninsulas8Waves8	1 2 3 4 5
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8	1 2 3 4 5 6 7
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 84 Waves 8 Rounds 86	1 2 3 4 5 6 7
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8	1 2 3 4 5 6 7
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 84 Waves 8 Rounds 86 Accessories 8 COUNTER CAPS 86 Straights 86	1 2 3 4 5 6 7
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8	1 2 3 4 5 6 7
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8	1 2 3 4 5 6 7 8 8
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 84 Waves 8 Rounds 86 Accessories 8 COUNTER CAPS 86 Straights 86	1 2 3 4 5 6 7 8 8
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 84 Waves 8 Rounds 86 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8	1 2 3 4 5 6 7 8 8 9
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 90 Shelves 90	1 1 2 3 4 5 6 7 8 8 9
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9	1 1 2 3 4 5 6 7 8 8 9
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 90 Shelves 90 Overheads 9 Tackboards 9	1 1 2 3 4 5 6 7 8 8 9
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9	1 1 2 3 4 5 6 7 8 8 9 0 1 2
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 90 Shelves 90 Overheads 9 Tackboards 9 Wall Mounted Channel 94	1 1 2 3 4 5 6 7 8 8 9 0 1 2 4
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 94 Task Lights 9	1 1 2 3 4 5 6 7 8 8 9 0 1 2 4
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 9 Task Lights 9	1 1 2 3 4 5 6 7 8 8 9
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 94 Task Lights 9	1 1 2 3 4 5 6 7 8 8 9
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 9 Task Lights 9	1 1 2 3 4 5 6 7 8 8 9 0 1 2 4 5 6 7
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 9 Task Lights 9 TABLES 9 Features 9	1 1 2 3 4 5 6 7 8 8 9 0 1 2 4 5 6 6
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 9 Task Lights 9 TABLES 9 Features 9 Construction 9	1 2 3 4 5 6 7 8 8 9 0 1 2 4 5 6 6
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 9 Task Lights 9 TABLES 9 Features 9 Construction 9 Surface Materials 9	1 1 2 3 4 5 6 7 8 8 9 0 1 2 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 9 Task Lights 9 TABLES 9 Features 9 Construction 9 Surface Materials 9 Round & Squares 9	1 1 2 3 4 5 6 7 8 8 9 0 1 2 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 9 Task Lights 9 TABLES 9 Features 9 Construction 9 Surface Materials 9	1 2 3 4 5 6 7 8 8 9 0 1 2 4 5 6 6 6 6 6 6 6 6 6 8 8 9 9 0 1 7
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 9 Task Lights 9 TABLES 9 Features 9 Construction 9 Surface Materials 9 Round & Squares 9	1 2 3 4 5 6 7 8 8 9 0 1 2 4 5 6 6 6 6 8 9
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 94 Task Lights 9 TABLES 96 Features 9 Construction 9 Surface Materials 9 Round & Squares 9 Rectangle & Ovals 9 Legs & Bases 100	1 1 2 3 4 5 6 7 8 8 9 0 1 2 4 5 6 6 6 6 6 6 6 7 6 6 6 6 6 7 6 7 6 7 6
Cascade Edge 8 Straights 8 Corners & Extended Corners 8 Corner Peninsulas 8 Waves 8 Rounds 8 Accessories 8 COUNTER CAPS 8 Straights 8 Corners 8 PANEL SUPPORTED STORAGE 9 Shelves 9 Overheads 9 Tackboards 9 Wall Mounted Channel 9 Task Lights 9 TABLES 9 Features 9 Construction 9 Surface Materials 9 Round & Squares 9 Rectangle & Ovals 9	1 1 2 3 4 5 6 7 8 8 9 0 1 2 4 5 6 6 6 6 6 6 6 7 6 6 6 6 6 7 6 7 6 7 6

STORAGE	
Accessories Availability	
PEDESTALS Features. Construction Surface Materials Pedestals. Pedestals.	106 106 106 108
LATERALS Features Construction Surface Materials Laterals Lateral – BF Lateral – 6B, BBF & BBFF Lateral – Common Tops Lateral – Cushions	110 110 110 112 113 114 115
TOWERS Features Construction Surface Materials 24" Wide 24" Wide – Side Access 15" Wide 15" Wide – Side Access	116 116 116 118 119 120
CREDENZAS Features Construction Surface Materials Credenzas Accessories Credenza – Drawers Credenza – Shelves Credenza – Common Tops	122 122 122 124 124 125 125
CABINETS Features Construction Surface Materials Cabinets Cabinets	126 126 126 128
LOCKERS Features. Construction Surface Materials Lockers. Lockers – Double Lockers – Quad Lockers – Cubby	130 130 130 132 133 133
BOOKCASES Features Construction Surface Materials Bookcases Bookcases	134 134 134 136

WORKPLACE ACCESSORIES	138
Keyboard Trays	140
Keyboard Arms	140
Easy Combos	141
Monitor Arms	
Monitor Arm Attachments	142
CPU Holders	142
StandUp	143
StandUp A1	143
StandUp X1	
Forearm Supports	143
Anti-Fatigue Floor Mats	143
Tablet Holder	143
GRADED IN FABRICS	144
GRADED IN FABRICS	
	144
Carnegie	144 145
Carnegie	144 145 145
Carnegie C.F. Stinson Designtex	144 145 145
Carnegie C.F. Stinson Designtex KnollTextiles	144 145 145 145 145
Carnegie C.F. Stinson Designtex KnollTextiles. Guilford of Maine	144 145 145 145 146
Carnegie C.F. Stinson Designtex KnollTextiles Guilford of Maine Luna	144 145 145 145 145 146
Carnegie C.F. Stinson Designtex KnollTextiles Guilford of Maine Luna Maharam	144 145 145 145 146 146

General Information

PANELS

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

FABRIC PANELS

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

INSERT PANELS

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate or as an open frame for complete accessibility through the panel.

STACK-ON PANELS

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and are also load bearing.

PANEL CONNECTORS

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

POWER

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

RACEWAY

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

CABLE CAPACITY

ELECTRICAL	WITH		WITH	lout
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

ENVIRONMENTAL IMPACT

Equity takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

STORAGE

All storage components come standard locking.

Master key and key alike are available upon request.

LEGACY CUSTOMERS

Neutral Posture offers legacy products for existing Equity which was ordered before February of 2016. Please contact Sales Support to obtain a copy of the price book which includes these legacy products.

For any code compliance testing data, please contact your Sales Support Representative.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
- LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health Administration (OSHA)
- · ISO 9001:2008

GREEN MANUFACTURING PROCESS

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. The company has also established a 100% solid waste diversion goal for its manufacturing process and is very close to reaching it. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

PLASTIC

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 & #7 plastics and can be recycled in many areas.

STEEL & ALUMINUM

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

GREEN SHIPPING INITIATIVES

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used chairs and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainable design, visit Neutral Posture.com/sustainability

TERMS AND CONDITIONS

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

ORDERING

All orders must be in writing; faxed, e-mailed or mailed. The product pattern number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to: Neutral Posture, Inc. 3904 N Texas Avenue Bryan, TX 77803 979.778.0502 (Option 2) 800.446.3746 979.778.0408 FAX E-mail: oe@neutralposture.com

When an order is received, it is assigned a scheduled ship date. That date is shown on the customer's acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellations, customer will be liable for reasonable cancellation charges established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

A minimum of 3% of net expedite fee will be charged for orders requiring less than standard lead times.

PRICES

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

TAXES

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

LEAD TIME

Please contact Sales Support for current lead time at customerservice@neutralposture.com or 979.778.0502.

STORAGE FEE

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

SHIPPING

Most NP products include free shipping. All standard discount orders are F.O.B destination delivered by parcel or prepaid freight to commercial shipping points located within the forty-eight (48) contiguous United States, District of Columbia and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland. NP will designate the shipping mode and carrier based on geographical location and best service defined by our Logistics Department.

For orders shipping outside the forty-eight (48) contiguous United States, District of Columbia and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland, customer pays shipping from port of embarkation to destination and order will be shipped "best way". Customer will incur additional charges if they choose to specify a freight carrier.

Even though free shipping does apply to most domestic orders, in some cases accessorial charges may apply for specialized freight services beyond normal pick up, transport, and delivery such as limited access, high security, re-consignment and unusual wait times. Consignee will be responsible for paying accessorial charges relating to their orders. The following list includes, but is not limited to, accessorial charges that will apply to domestic orders. Please contact Sales Support at customerservice@neutralposture.com for a quote.

Accessorial Charges (Net)

Inside Delivery/Pick Up Lift Gate Required **Limited Access Delivery** Notification/CBD Residential Delivery Ship Fully Assembled **Pre-delivery Notification** Re-delivery/Return Trip

TERMS AND CONDITIONS

FREIGHT DAMAGE

Upon receipt of shipment, check delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise your notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

RETURNS

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

WARRANTY CLAIMS

Neutral Posture reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the forty-eight (48) contiguous states, the District of Columbia and Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland, with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

CUSTOMER'S OWN MATERIAL

A customer who requests a fabric or other surface material not standard to NP's line of products (COM), must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Sales Support. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

DELAY/FORCE MAJEURE

Neutral Posture shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Neutral Posture may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

COMPLIANCE WITH LAW

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

Selling Policy

WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its option, the affected part or parts.

PRODUCT AND PERIOD OF WARRANTY

Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage, modesty/privacy screens

10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, desktop and storage accessories (unless otherwise specified)

5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift

3 Years

Electric height adjustable bases (including motor), fabric

1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

GENERAL INFORMATION

CERTIFICATION

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at the discretion of NP.

WOMEN'S BUSINESS ENTERPRISE (WBE)

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 1 certified. For more information, contact Sales Support at customerservice@neutralposture.com.

GENERAL INFORMATION

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

SERVICE PARTS

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$18
NAKC	Change Key	\$18
NKM	Master Key	\$18

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify keyalike for a cluster of 10 workstations.

STEP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/kevs	N/C	N/C

STEP 4

Then enter the pattern number "NSPEC__" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

GSA Contract Overview

GSA CONTRACT

We have had a contract with GSA for over 20 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of 0UTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the Small Business Administration.

WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration (SBA) has issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB similar to those in place for 8a, SDV and HUB Zones businesses.

As a WOSB, woman owned office furniture manufacturer, we have a Packaged Office contract that includes many great manufacturing partners. We are also willing to team with other manufacturers to help support strong GSA Dealers and meet the needs of our customers. As a WOSB, NP is perfectly positioned with a strong Packaged Office contract and partners to capture this business.

For more information please visit NeutralPosture.com/WOSB

GSA OVERVIEW

GSA Contract# GS-27F-0014Y

Schedule 71 - Furniture

	- 1 1 - 60
SIN 71-1	Packaged Office
SIN 71-205	Chairs-Dining Room, Desk, Side, Period Style and Bar Stools
SIN 711-1	Furniture Systems and Workstation Clusters
SIN 711-11	Tables and Accessories
SIN 711-18	Multipurpose Seating
SIN 711-19	Stacking Chairs and Dollies
SIN 711-2	Worksurfaces, Workstations, Computer
	Furniture and Accessories
SIN 711-3	Filing and Storage Cabinets, Shelves, Mobile
	Carts, Dollies, Racks & Accessories
SIN 711-91	Project Management (Furniture Related)
SIN 711-94	Office Design/Layout Services
SIN 711-95	Installation services

NAICS CODES

337214	Office Furniture (except wood) Manufacturing
337211	Wood Office Furniture Manufacturing
337127	Institutional Furniture Manufacturing
423210	Furniture Merchant Wholesalers

NP products may be found on GSA Advantage and AF Advantage.

GSA Contract Details

1a. Special Item Numbers Awarded SIN 711-1 **Furniture Systems and Workstation Clusters** SIN 711-11 Tables and Accessories SIN 711-18 Multipurpose Seating SIN 711-19 Stacking Chairs and Dollies SIN 711-95 Installation Services Worksurfaces, Workstations, Computer SIN 711-2 **Furniture and Accessories** SIN 711-3 Filing and Storage Cabinets, Shelves, Mobile Carts, Dollies, Racks & Accessories SIN 711-91 Project Management (Furniture Related) SIN 711-94 Office Design/Layout Services Packaged Office SIN 71-1 SIN 71-205 Chairs-Dining Room, Desk, Side, Period Style and Bar Stools 1b. Lowest Priced Item

SIN 71-1	Call Corporate Office
SIN 71-205	ONGO\$336.00
SIN 711-1	EP3P29 Single Post\$32.55
SIN 711-11	Call Corporate Office
SIN 711-18	NCUGG1 Urethane\$151.20
SIN 711-19	NSID115 Grade C\$336.00
SIN 711-2	Call Corporate Office
SIN 711-3	SPTRY Pencil Tray \$5.95
SIN 711-95	Not Applicable

1c. Installation Rate — SIN 711-1, 711-3, 711-11

\$51.50 per hour (non-union inclusive IFF) \$106.25 per hour (union inclusive of IFF)

Project Management Fee — SIN 711-91

Senior Project Manager \$75 per hour (inclusive IFF) Project Manager \$55.58 per hour (inclusive IFF) **Project Coordinator** \$50 per hour (inclusive IFF)

Design/Layout Fee - SIN 711-94

\$65 per hour (inclusive IFF)

\$85 per hour CADD service (inclusive IFF)

Maximum Order

SIN 71-1\$5,000,000
SIN 71–205. \$1,000,000
SIN 711–1\$500,000
SIN 711–11
SIN 711–18
SIN 711–19
SIN 711–2\$200,000
SIN 711–3\$500,000
SIN 711–91\$150,000
SIN 711–94
SIN 711–95\$150,000

Minimum Order

All SINs\$50

Geographic Coverage

CONUS & OCONUS

5. Point of Production

3904 N. Texas Avenue, Bryan, Brazos County, Texas, USA

6. Discount from List Price

Seating/Workplace Accessories

SIN 711-2, 711-18, 711-19, 711-205 — Discount 58%

Systems

SIN 711-1, 711-3, 711-11 — Discount 65%

Quantity Discounts

No discount tiers have been negotiated.

Prompt Payment Terms

Net 30 Days

Government Purchase Cards Accepted

Visa/Master Card

10. Foreign Item

None

11a. Time of Delivery

5 - 90 days after receipt of order

11b. Expedited Delivery

Expedited delivery available. Contact NP Sales Support.

11c. Overnight and 2-day Delivery

Available with an upcharge. Contact NP Sales Support.

F.O.B. Points

Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico, the Virgin Islands and U.S. Government installations overseas.

13. Ordering Address

Neutral Posture, Inc. attn: Order Entry/ * or dealer 3904 N. Texas Avenue Bryan, TX 77803 979.778.0502 800.446.3746 fax 979.778.0408 oe@neutralposture.com

* Authorized Dealers should be cited on order

14. Payment Address:

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

Warranty Provision:

Neutral Posture's commercial warranty applies.

Export Packing Charges:

Contact NP Sales Support for quote

Terms and Conditions of Government Purchase Card:

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

Terms and Conditions Of Rental, Maintenance, and Repair:

Not applicable

Terms and Conditions of Installation:

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

Terms and Conditions of Repair Parts:

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

20a. Terms and Conditions for Any Other Services:

GSA has accepted all of our standard terms and conditions as noted on page 6-7.

21. List of Service and Distribution Points:

Not applicable

List of Dealers:

Please contact NP, or visit NeutralPosture.com for the name of your nearest authorized Dealer.

23. Preventive Maintenance:

Not offered or applicable

Environmental Attributes:

Not applicable

Other Information:

Tax Identification Number (TIN): 74-2983577 DUNS: 61-0339723 Cage Code: 0UTL8 CEC: 61134982 SIC/NAICS: 2522/337214

CCR: 26.

NP is registered in System For Award Management (SAM) and Central Contractor Registration (CCR) database.

NOTE: It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

Wall Mounting

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

New Construction

Existing Construction

		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture supplied wall cleat with	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%e" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1½" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Finishes

FABRICS		LAMINATES EDGE BANDS				
A			L1			
Aerial	Victor	F1206	Casual Linen	SS-CLN	Asian Sand	EB-ASD
Candid	Guilford of Maine	F3007	Grey Mesh	SP-GRM	Astro Strandz	EB-AST
Cross Check	Mayer	F299	Linen	SS-LN	Beige	EB-BEI
Dune	Victor	F4505	Mangalore Mango	SW-MGM	Biltmore Cherry	EB-BCH
Forte	Mayer	F298	Mission Maple	SW-MNM	Casual Linen	EB-CLN
Infinity	Momentum	F0914A	Nickle Ev	SS-NEV	Cosmic Strandz	EB-CST
Marathon	Momentum	F0914B	Organic Cotton	SS-OC	Custom Laminate	EB-COL
Millennium	Momentum	F0914C	Soft Gold Mesh	SP-SGM	Empire Mahogany	EB-EMH
Netiquette	Victor	F1241	Sterling Ash	SW-STA	Fashion Grey	EB-FGR
Odyssey	Momentum	F0914D			Fired Steel	EB-FIS
Off the Grid	Victor	F1233	L2		Forged Steel	EB-FOR
Pact	Momentum	F0911	Asian Sand	PW-ASD	Grey	EB-GRY
Quadrille	Victor	F4701	Astro Strandz	PP-AST	Grey Mesh	EB-GRM
Quasar	Victor	F4226	Biltmore Cherry	PW-BCH	Khaki Brown	EB-BRN
Quattro	Mayer	F300	Cosmic Strandz	PP-CST	Linen	EB-LN
Sprite	Guilford of Maine	F2671	Empire Mahogany	PW-EMH	Mangalore Mango	EB-MGM
Strata	Mayer	F164	Fired Steel	PP-FIS	Mission Maple	EB-MNM
_			Forged Steel	PP-FOS	Nickle Ev	EB-NEV
В			Shaker Cherry	PW-SCH	Organic Cotton	EB-OC
Cape Cod	Guilford of Maine	F3073	Silver Alchemy	PW-SAL	Pepperdust	EB-PPR
Dashing	Victor	F1204	Studio Teak	PW-STK	Platinum	EB-PLT
Grasscloth	Mayer	F137	Vapor Strandz	PP-VST	Sand	EB-SND
Luminary	Mayer	F100			Shadow	EB-SHD
Metallation	Guilford of Maine	F5118			Shaker Cherry	EB-SCH
Metro	Guilford of Maine	F3077			Silver Alchemy	EB-SAL
Rattan	Guilford of Maine	F3087			Slate Grey	EB-SGR
Reverb	Mayer	F421			Soft Gold Mesh	EB-SGM
Tradition	Momentum	F0914E			Sterling Ash	EB-STA
Tweed	Guilford of Maine	F2737			Studio Teak	EB-STK
Verse	Momentum	F0910			Vapor Strandz	EB-VST
D					Virtual Design Laminate	EB-VL
Echo	Mayer	F388				

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

PAINTS	
P1	
Cream	201
Designer Beige	202
Grey	203
Jet Black	204
Sky White	200
P2	
Brass	303
Champagne	301
Copper	304
Platinum	302

PLEXIGLASS			
Clear	CL		
Ice	IC		
Smoked	SM		
Translucent	TR		
NOT AVAILABLE ON INSERT PANELS			
Frost	LF		

GLASS	
Clear	CL
Bronzed	BR
Frosted	FR
Smoked	SM

DESIGNER GLASS

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

Custom Finishes Program

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

CUSTOMER'S OWN FABRICS

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any suppliers in the industry. Please contact your sales representative or Sales Support for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

CUSTOMER'S OWN LAMINATES

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for their premium laminates and L3 for their custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact your sales representative or Sales Support for more information.

We can also grade-in any laminate from any other supplier. Please contact your sales representative or Sales Support for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

CUSTOM RAL PAINT FINISHES

Whether it is an 8 person or 150 person project, use any RAL powder coat colors on your metal products. If you have any questions, please contact your sales representative or Sales Support for more information.

HOW TO PRICE

For Each Order

Setup fee per RAL color \$1,100 (NET) Each item using an RAL color P3 Pricing

Legacy finishes are only available for existing customers to match existing installs

LEGACY – LAMINATES		LEGACY – EDGE BANDS	LEGACY – EDGE BANDS		LEGACY – PAINTS & PLASTICS	
				P1		
Jet Black	111	Jet Black	111	Jet Black	111	
Folkstone Grey (was LA)	114	Dark Grey (was Y3)	113	Brown	112	
Soft Grey (was M42)	117	Folkstone Grey (was LA)	114	Dark Grey (was Y3)	113	
Bright White	118	Medium Grey (was Y2)	115	Folkstone Grey (was LA)	114	
Pumice (was LF)	119	Soft Grey (was E)	117	Med. Grey (was Y2)	115	
Micro Grey	121	Bright White	118	Sandstone	116	
Brushed Sand	122	Pumice (was LF)	119	Soft Grey (was E)	117	
Brushed Grey	123	Medium Cherry	124	Dark Neutral	D	
Medium Cherry	124	Natural Maple	125	Taupe	R	
Natural Maple	125	Natural Cherry	126			
Natural Cherry	126	Walnut	127	<u>P2</u>		
Walnut	127	Fog	128	Beige Mist Metallic	611	
Fog	128	Dark Neutral	D	Medium Metallic Grey	612	
Micro Sand	129	Snow	В	Beige Metallic	Н	
Caramel Maple	MC	Taupe	R	Light Tan Metallic	W	
Clear Maple	CM	Sand	SD	D2		
Deep Mahogany	MP58	Caramel Maple	MC	<u>P3</u>		
Grey Granite	M95	Clear Maple	CM	Bright White	118	
Light Grey	M1	Warm Cherry	WM	Silver	613	
Light Oak	MP70					
Markerboard	CP276					
Pearwood	PA			NOTE: EP1 and EP2 panels and	components	
Rose Granite	M96			are not available in the followi	•	
Sand	SD			Bright White	118	
Med. Grey (Slate)	M89			Brown	110	
Snow	В			Jet Black	112	
Taupe	M80			JEL DIACK	111	
Warm Cherry	WM					
White Essence	ES7					
Winter Grey Matrix	MR6					

Panels

General Info

Step 1 – Model

	Тор Сар	Panel Type	W	н	Raceway
EP Equity Panel	3 Beveled N Flat	FA Fabric Panel	36	29	K with knockouts N without knockouts
EP	: •• :	FA	36	29	К

Sten	2 -	Surface	Finish
Steb		Surface	LIIIIN

Step 3 – Trim Finish

Fabric	Paint
F298 Forte	301 Champagne
F298	301
1270	301

С	Е	Λ٦	ш	ш	E	C
г	E.	A٦	ΙL	JΓ	١c	
-	_		_	-		_

HEIGHTS

29" H

41" H

49" H 54" H

61" H

66" H

81" H

WIDTHS

12" W

18" W

24" W

30" W 36" W

42" W

48" W

60" W

THICKNESS

1 1/2"

TOP CAP





3 – Beveled

N – Flat

RACEWAY

(K) with knockouts (N) without knockouts

PANEL RATINGS

NRC	.75
STC	15

CONSTRUCTION

FABRIC PANEL FRAME

Galvaneal roll formed steel frame

FABRIC PANEL CORE

Mineral wool

Fiberglass backer

INSERT PANEL FRAME

Extruded aluminum

INSERT PANEL CORE

1/4" Laminate

1/4" Plexiglass

Open Frame

TOP CAP, SLOTTED STANDARD

Cold rolled roll formed steel

TOP CAP CLIP

Spring steel

RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled roll formed steel

RACEWAY STANCHIONS

Pressed & folded steel

PANEL HOOKS

Steel

POSTS

Steel tube

POST CONNECTORS

Diecast aluminum

SHROUDS

Pressed & folded steel

SURFACE MATERIALS

ALL PANELS

Trim – Paint

FABRIC PANELS (FA)

Fabric

INSERT PANELS

ΡI	exi	αl	ลร	s (P	G)
	CVI	y:	uJ	۷ ر		٠,

Clear	CL
Ice	IC
Smoked	SM
Translucent	TR

Glass (GL)

Clear	CL
Frosted	FR
Bronzed	BR
Smoked	SM

Designer Glass (DG)

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

Laminate (LM)

Laminate


Open Frame (OF)


Paint

POSTS, CONNECTORS & SHROUDS

Paint

PANELS





29 " l	H		PAINT								
W	MODEL#	А	В	C	D	E	F	G	Н	P2	Р3
12"	EP(3/N)FA1229(K/N)	\$430	\$460	\$500	\$550	\$610	\$680	\$760	\$850	+ \$25	+ \$50
18"	EP(3/N)FA1829(K/N)	\$480	\$510	\$550	\$600	\$660	\$730	\$810	\$900	+ \$25	+ \$50
24"	EP(3/N)FA2429(K/N)	\$530	\$560	\$600	\$650	\$710	\$780	\$860	\$950	+ \$25	+ \$50
30"	EP(3/N)FA3029(K/N)	\$580	\$610	\$650	\$700	\$760	\$830	\$910	\$1,000	+ \$25	+ \$50
36"	EP(3/N)FA3629(K/N)	\$650	\$710	\$790	\$890	\$1,010	\$1,150	\$1,310	\$1,490	+ \$25	+ \$50
42"	EP(3/N)FA4229(K/N)	\$690	\$750	\$830	\$930	\$1,050	\$1,190	\$1,350	\$1,530	+ \$25	+ \$50
48"	EP(3/N)FA4829(K/N)	\$730	\$790	\$870	\$970	\$1,090	\$1,230	\$1,390	\$1,570	+ \$25	+ \$50
60"	EP(3/N)FA6029(K/N)	\$770	\$830	\$910	\$1,010	\$1,130	\$1,270	\$1,430	\$1,610	+ \$25	+ \$50

41" H

12"	EP(3/N)FA1241(K/N)	\$480	\$520	\$570	\$630	\$710	\$800	\$910	\$1,040	+ \$25	+ \$50
18"	EP(3/N)FA1841(K/N)	\$530	\$570	\$620	\$680	\$760	\$850	\$960	\$1,090	+ \$25	+ \$50
24"	EP(3/N)FA2441(K/N)	\$580	\$620	\$670	\$730	\$810	\$900	\$1,010	\$1,140	+ \$25	+ \$50
30"	EP(3/N)FA3041(K/N)	\$630	\$670	\$720	\$780	\$860	\$950	\$1,060	\$1,190	+ \$25	+ \$50
36"	EP(3/N)FA3641(K/N)	\$700	\$780	\$880	\$1,000	\$1,160	\$1,350	\$1,590	\$1,880	+ \$25	+ \$50
42"	EP(3/N)FA4241(K/N)	\$750	\$830	\$930	\$1,050	\$1,210	\$1,400	\$1,640	\$1,930	+ \$25	+ \$50
48"	EP(3/N)FA4841(K/N)	\$800	\$880	\$980	\$1,100	\$1,260	\$1,450	\$1,690	\$1,980	+ \$25	+ \$50
60"	EP(3/N)FA6041(K/N)	\$850	\$930	\$1,030	\$1,150	\$1,310	\$1,500	\$1,740	\$2,030	+ \$25	+ \$50

49" H

12"	EP(3/N)FA1249(K/N)	\$540	\$580	\$630	\$690	\$770	\$870	\$990	\$1,140	+ \$25	+ \$50
18"	EP(3/N)FA1849(K/N)	\$590	\$630	\$680	\$740	\$820	\$920	\$1,040	\$1,190	+ \$25	+ \$50
24"	EP(3/N)FA2449(K/N)	\$640	\$680	\$730	\$790	\$870	\$970	\$1,090	\$1,240	+ \$25	+ \$50
30"	EP(3/N)FA3049(K/N)	\$690	\$730	\$780	\$840	\$920	\$1,020	\$1,140	\$1,290	+ \$25	+ \$50
36"	EP(3/N)FA3649(K/N)	\$760	\$840	\$940	\$1,060	\$1,230	\$1,440	\$1,710	\$2,030	+ \$25	+ \$50
42"	EP(3/N)FA4249(K/N)	\$810	\$890	\$990	\$1,110	\$1,280	\$1,490	\$1,760	\$2,080	+ \$25	+ \$50
48"	EP(3/N)FA4849(K/N)	\$860	\$940	\$1,040	\$1,160	\$1,330	\$1,540	\$1,810	\$2,130	+ \$25	+ \$50
60"	EP(3/N)FA6049(K/N)	\$930	\$1,010	\$1,110	\$1,230	\$1,400	\$1,610	\$1,880	\$2,200	+ \$25	+ \$50

Specify

- 1. Model#
- 2. Surface finish
- 3. Trim finish

Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the most expensive panel fabric.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider.

Assembly

Included

- Panel
- Top cap
- Metal raceway covers

Ordered Separately

- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 – Beveled

N – Flat







E 411 1		•	•••••••••••••••••••••••••••••••••••••••	· · · · · · · · · · · · · · · · · · ·	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	······ ·	•••••••••••••••••••••••••••••••••••••••		
54"	H	FABRIC									PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3	
12"	EP(3/N)FA1254(K/N)	\$590	\$630	\$680	\$750	\$850	\$960	\$1,090	\$1,250	+ \$25	+ \$50	
18"	EP(3/N)FA1854(K/N)	\$640	\$680	\$730	\$800	\$900	\$1,010	\$1,140	\$1,300	+ \$25	+ \$50	
24"	EP(3/N)FA2454(K/N)	\$690	\$730	\$780	\$850	\$950	\$1,060	\$1,190	\$1,350	+ \$25	+ \$50	
30"	EP(3/N)FA3054(K/N)	\$740	\$780	\$830	\$900	\$1,000	\$1,110	\$1,240	\$1,400	+ \$25	+ \$50	
36"	EP(3/N)FA3654(K/N)	\$820	\$910	\$1,010	\$1,150	\$1,360	\$1,590	\$1,860	\$2,190	+ \$25	+ \$50	
42"	EP(3/N)FA4254(K/N)	\$870	\$960	\$1,060	\$1,200	\$1,410	\$1,640	\$1,910	\$2,240	+ \$25	+ \$50	
48"	EP(3/N)FA4854(K/N)	\$920	\$1,010	\$1,110	\$1,250	\$1,460	\$1,690	\$1,960	\$2,290	+ \$25	+ \$50	
60"	EP(3/N)FA6054(K/N)	\$990	\$1,080	\$1,180	\$1,320	\$1,530	\$1,760	\$2,030	\$2,360	+ \$25	+ \$50	

61" H

•	••										
12"	EP(3/N)FA1261(K/N)	\$640	\$690	\$750	\$830	\$940	\$1,060	\$1,200	\$1,370	+ \$25	+ \$50
18"	EP(3/N)FA1861(K/N)	\$690	\$740	\$800	\$880	\$990	\$1,110	\$1,250	\$1,420	+ \$25	+ \$50
24"	EP(3/N)FA2461(K/N)	\$740	\$790	\$850	\$930	\$1,040	\$1,160	\$1,300	\$1,470	+ \$25	+ \$50
30"	EP(3/N)FA3061(K/N)	\$790	\$840	\$900	\$980	\$1,090	\$1,210	\$1,350	\$1,520	+ \$25	+ \$50
36"	EP(3/N)FA3661(K/N)	\$860	\$960	\$1,080	\$1,240	\$1,470	\$1,720	\$2,000	\$2,340	+ \$25	+ \$50
42"	EP(3/N)FA4261(K/N)	\$910	\$1,010	\$1,130	\$1,290	\$1,520	\$1,770	\$2,050	\$2,390	+ \$25	+ \$50
48"	EP(3/N)FA4861(K/N)	\$960	\$1,060	\$1,180	\$1,340	\$1,570	\$1,820	\$2,100	\$2,440	+ \$25	+ \$50
60"	EP(3/N)FA6061(K/N)	\$1,050	\$1,150	\$1,270	\$1,430	\$1,660	\$1,910	\$2,190	\$2,530	+ \$25	+ \$50


66" H

12"	EP(3/N)FA1266(K/N)	\$660	\$710	\$770	\$850	\$970	\$1,100	\$1,250	\$1,430	+ \$25	+ \$50
18"	EP(3/N)FA1866(K/N)	\$710	\$760	\$820	\$900	\$1,020	\$1,150	\$1,300	\$1,480	+ \$25	+ \$50
24"	EP(3/N)FA2466(K/N)	\$760	\$810	\$870	\$950	\$1,070	\$1,200	\$1,350	\$1,530	+ \$25	+ \$50
30"	EP(3/N)FA3066(K/N)	\$810	\$860	\$920	\$1,000	\$1,120	\$1,250	\$1,400	\$1,580	+ \$25	+ \$50
36"	EP(3/N)FA3666(K/N)	\$890	\$1,000	\$1,130	\$1,290	\$1,540	\$1,820	\$2,140	\$2,530	+ \$25	+ \$50
42"	EP(3/N)FA4266(K/N)	\$940	\$1,050	\$1,180	\$1,340	\$1,590	\$1,870	\$2,190	\$2,580	+ \$25	+ \$50
48"	EP(3/N)FA4866(K/N)	\$990	\$1,100	\$1,230	\$1,390	\$1,640	\$1,920	\$2,240	\$2,630	+ \$25	+ \$50
60"	EP(3/N)FA6066(K/N)	\$1,080	\$1,190	\$1,320	\$1,480	\$1,730	\$2,010	\$2,330	\$2,720	+ \$25	+ \$50

81" H

12"	EP(3/N)FA1281(K/N)	\$710	\$770	\$830	\$920	\$1,070	\$1,240	\$1,430	\$1,650	+ \$25	+ \$50
18"	EP(3/N)FA1881(K/N)	\$760	\$820	\$880	\$970	\$1,120	\$1,290	\$1,480	\$1,700	+ \$25	+ \$50
24"	EP(3/N)FA2481(K/N)	\$810	\$870	\$930	\$1,020	\$1,170	\$1,340	\$1,530	\$1,750	+ \$25	+ \$50
30"	EP(3/N)FA3081(K/N)	\$860	\$920	\$980	\$1,070	\$1,220	\$1,390	\$1,580	\$1,800	+ \$25	+ \$50
36"	EP(3/N)FA3681(K/N)	\$1,040	\$1,160	\$1,280	\$1,470	\$1,800	\$2,170	\$2,580	\$3,040	+ \$25	+ \$50
42"	EP(3/N)FA4281(K/N)	\$1,160	\$1,280	\$1,400	\$1,590	\$1,920	\$2,290	\$2,700	\$3,160	+ \$25	+ \$50
48"	EP(3/N)FA4881(K/N)	\$1,250	\$1,370	\$1,490	\$1,680	\$2,010	\$2,380	\$2,790	\$3,250	+ \$25	+ \$50
60"	EP(3/N)FA6081(K/N)	\$1,340	\$1,460	\$1,580	\$1,770	\$2,100	\$2,470	\$2,880	\$3,340	+ \$25	+ \$50

	Тор Сар	Panel Type	w	н	Raceway
EP Equity panel	3 Beveled N Flat	FA Fabric panel	36	29	K With knockouts N Without knockouts
EP	N	FA	36	29	К



29" H			GLASS INSERT			LAMINATE INSERT			PAINT	
W	MODEL#	0F	DG	GL	PG	L1	L2	L3	P2	Р3
12"	EP(3/N)()1229(K/N)	\$697	\$1,097	\$937	\$847	\$897	\$987	\$1,076	+ \$25	+ \$50
18"	EP(3/N)()1829(K/N)	\$707	\$1,197	\$967	\$867	\$947	\$1,042	\$1,136	+ \$25	+ \$50
24"	EP(3/N)()2429(K/N)	\$717	\$1,297	\$997	\$887	\$977	\$1,075	\$1,172	+ \$25	+ \$50
30"	EP(3/N)()3029(K/N)	\$737	\$1,397	\$1,037	\$917	\$1,007	\$1,108	\$1,208	+ \$25	+ \$50
36"	EP(3/N)()3629(K/N)	\$757	\$1,487	\$1,087	\$957	\$1,057	\$1,163	\$1,268	+ \$25	+ \$50
42"	EP(3/N)()4229(K/N)	\$777	\$1,587	\$1,137	\$1,007	\$1,107	\$1,218	\$1,328	+ \$25	+ \$50
48"	EP(3/N)()4829(K/N)	\$797	\$1,697	\$1,197	\$1,067	\$1,167	\$1,284	\$1,400	+ \$25	+ \$50
60"	EP(3/N)()6029(K/N)	\$837	\$1,867	\$1,267	\$1,137	\$1,237	\$1,361	\$1,484	+ \$25	+ \$50

11	ш	Ш
4 I		П

12"	EP(3/N)()1241(K/N)	\$737	\$1,237	\$1,057	\$947	\$947	\$1,042	\$1,136	+ \$25	+ \$50
18"	EP(3/N)()1841(K/N)	\$747	\$1,327	\$1,077	\$967	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
24"	EP(3/N)()2441(K/N)	\$757	\$1,437	\$1,117	\$997	\$1,087	\$1,196	\$1,304	+ \$25	+ \$50
30"	EP(3/N)()3041(K/N)	\$777	\$1,567	\$1,167	\$1,037	\$1,137	\$1,251	\$1,364	+ \$25	+ \$50
36"	EP(3/N)()3641(K/N)	\$797	\$1,667	\$1,217	\$1,087	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
42"	EP(3/N)()4241(K/N)	\$817	\$1,777	\$1,277	\$1,147	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
48"	EP(3/N)()4841(K/N)	\$837	\$1,957	\$1,357	\$1,217	\$1,327	\$1,460	\$1,592	+ \$25	+ \$50
60"	EP(3/N)()6041(K/N)	\$877	\$2,247	\$1,447	\$1,297	\$1,417	\$1,559	\$1,700	+ \$25	+ \$50

49" H

.,										
12"	EP(3/N)()1249(K/N)	\$747	\$1,257	\$1,077	\$967	\$997	\$1,097	\$1,196	+ \$25	+ \$50
18"	EP(3/N)()1849(K/N)	\$757	\$1,357	\$1,107	\$997	\$1,077	\$1,185	\$1,292	+ \$25	+ \$50
24"	EP(3/N)()2449(K/N)	\$767	\$1,477	\$1,157	\$1,037	\$1,127	\$1,240	\$1,352	+ \$25	+ \$50
30"	EP(3/N)()3049(K/N)	\$787	\$1,637	\$1,217	\$1,087	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
36"	EP(3/N)()3649(K/N)	\$807	\$1,797	\$1,277	\$1,147	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
42"	EP(3/N)()4249(K/N)	\$827	\$1,967	\$1,347	\$1,217	\$1,317	\$1,449	\$1,580	+ \$25	+ \$50
48"	EP(3/N)()4849(K/N)	\$847	\$2,147	\$1,427	\$1,297	\$1,397	\$1,537	\$1,676	+ \$25	+ \$50
60"	EP(3/N)()6049(K/N)	\$887	\$2,377	\$1,557	\$1,407	\$1,527	\$1,680	\$1,832	+ \$25	+ \$50

Specify

- 1. Model#
- 2. Insert type
- 3. Insert color
- 4. Paint trim color

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider.

Plexiglass Finishes

CL ..Clear **IC** . . . lce

SM..Smoked

 ${\bf TR}$. . Translucent

Glass Finishes

CL . . Clear **BR** . . Bronzed

FR . . Frosted

SM..Smoked

Application Notes

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, or as an open frame for complete accessibility through the panel.

Assembly

Included

- Panel
- Top cap
- Metal raceway covers

Ordered Separately

- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 - Beveled

N – Flat







48"

60"

EP(3/N)()4881(K/N)

EP(3/N)()6081(K/N)

54" H				LASS INSERT		IΔ	MINATE INSE	RT	PAINT	
W	MODEL#	OF	DG	GL	PG	L1	L2	L3	P2	 P3
12"	EP(3/N)()1254(K/N)	\$777	\$1,267	\$1,087	\$977	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
18"	EP(3/N)()1854(K/N)	\$777	\$1,207	\$1,007	\$1,017	\$1,047	\$1,132	\$1,316	+ \$25	+ \$50
24"	EP(3/N)()2454(K/N)	\$787 \$797	\$1,507	\$1,127	\$1,017	\$1,057	\$1,207	\$1,388	+ \$25	+ \$50
30"	EP(3/N)()3054(K/N)	\$817	\$1,677	\$1,157	\$1,127	\$1,137	\$1,350	\$1,472	+ \$25	+ \$50
36"	EP(3/N)()3654(K/N)	\$837	\$1,847	\$1,327	\$1,197	\$1,297	\$1,427	\$1,556	+ \$25	+ \$50
42"	EP(3/N)()4254(K/N)	\$857	\$2,027	\$1,407	\$1,277	\$1,377	\$1,515	\$1,652	+ \$25	+ \$50
48"	EP(3/N)()4854(K/N)	\$877	\$2,227	\$1,507	\$1,367	\$1,477	\$1,625	\$1,772	+ \$25	+ \$50
60"	EP(3/N)()6054(K/N)	\$917	\$2,447	\$1,627	\$1,477		\$1,757	\$1,916	+ \$25	+ \$50
00	21 (5/11)()555 1(11/11)	7217	72,117	\$1,027	¥1/1//	71,557	71,757	71,510	, , , , , ,	1 750
61" H										
12"	EP(3/N)()1261(K/N)	\$787	\$1,307	\$1,107	\$987	\$1,067	\$1,174	\$1,280	+ \$25	+ \$50
18"	EP(3/N)()1861(K/N)	\$797	\$1,407	\$1,157	\$1,037	\$1,117	\$1,229	\$1,340	+ \$25	+ \$50
24"	EP(3/N)()2461(K/N)	\$807	\$1,557	\$1,227	\$1,097	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
30"	EP(3/N)()3061(K/N)	\$827	\$1,737	\$1,307	\$1,167	\$1,267	\$1,394	\$1,520	+ \$25	+ \$50
36"	EP(3/N)()3661(K/N)	\$847	\$1,917	\$1,387	\$1,247	\$1,347	\$1,482	\$1,616	+ \$25	+ \$50
42"	EP(3/N)()4261(K/N)	\$867	\$2,117	\$1,487	\$1,337	\$1,447	\$1,592	\$1,736	+ \$25	+ \$50
48"	EP(3/N)()4861(K/N)	\$887	\$2,327	\$1,597	\$1,437	\$1,557	\$1,713	\$1,868	+ \$25	+ \$50
60"	EP(3/N)()6061(K/N)	\$937	\$2,657	\$1,717	\$1,547	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50
		,			•			•		
66" H										
12"	EP(3/N)()1266(K/N)	\$797	\$1,317	\$1,117	\$997	\$1,077	\$1,185	\$1,292	+ \$25	+ \$50
18"	EP(3/N)()1866(K/N)	\$807	\$1,447	\$1,177	\$1,057	\$1,137	\$1,251	\$1,364	+ \$25	+ \$50
24"	EP(3/N)()2466(K/N)	\$817	\$1,607	\$1,257	\$1,127	\$1,217	\$1,339	\$1,460	+ \$25	+ \$50
30"	EP(3/N)()3066(K/N)	\$837	\$1,797	\$1,347	\$1,207	\$1,307	\$1,438	\$1,568	+ \$25	+ \$50
36"	EP(3/N)()3666(K/N)	\$857	\$1,987	\$1,437	\$1,297	\$1,397	\$1,537	\$1,676	+ \$25	+ \$50
42"	EP(3/N)()4266(K/N)	\$877	\$2,197	\$1,547	\$1,397	\$1,507	\$1,658	\$1,808	+ \$25	+ \$50
48"	EP(3/N)()4866(K/N)	\$897	\$2,417	\$1,667	\$1,507	\$1,627	\$1,790	\$1,952	+ \$25	+ \$50
60"	EP(3/N)()6066(K/N)	\$947	\$2,737	\$1,787	\$1,627	\$1,747	\$1,922	\$2,096	+ \$25	+ \$50
81" H										
12"	EP(3/N)()1281(K/N)	\$857	\$1,547	\$1,327	\$1,187	\$1,287	\$1,416	\$1,544	+ \$25	+ \$50
18"	EP(3/N)()1881(K/N)	\$867	\$1,727	\$1,427	\$1,287	\$1,387	\$1,526	\$1,664	+ \$25	+ \$50
24"	EP(3/N)()2481(K/N)	\$877	\$1,927	\$1,527	\$1,387	\$1,487	\$1,636	\$1,784	+ \$25	+ \$50
30"	EP(3/N)()3081(K/N)	\$897	\$2,127	\$1,627	\$1,487	\$1,587	\$1,746	\$1,904	+ \$25	+ \$50
36"	EP(3/N)()3681(K/N)	\$917	\$2,327	\$1,727	\$1,587	\$1,687	\$1,856	\$2,024	+ \$25	+ \$50
42"	EP(3/N)()4281(K/N)	\$937	\$2,527	\$1,827	\$1,687	\$1,787	\$1,966	\$2,144	+ \$25	+ \$50
	ED/2/11/1/2004/14/20	405-			44.00=		40.005	40.005		

	Top Cap	Panel Type	W	Н	Raceway
EP Equity panel	3 Beveled	OF Open frame	36	29	K With knockouts
	N Flat	DG Designer glass insert	:	:	N Without knockouts
:	:	GL Glass insert			•
:		PG Plexiglass insert	:	:	•
:		LM Laminate insert		:	
:			:		•
EP	N	PG	36	29	K
<u> </u>			30	23	i N

\$1,947

\$2,097

\$1,807

\$1,957 \$2,057

\$1,907

\$2,098

\$2,263

\$2,288

\$2,468

+ \$25

+ \$50


+ \$50

\$957

\$1,027 \$3,347

\$2,747

Sliding Doors



49" H			INSERT TYPE		LAMINATE INSERT			PAINT		
OPENING	ACTUAL OPENING	MODEL#	CR	PC	PG	LM 1	LM 2	LM 3	P2	Р3
36"	34.5"	EDR()3649(L/R)B48	\$2,207	\$2,907	\$1,577	\$1,507	\$1,658	\$1,808	+ \$25	+ \$50
36"	34.5"	EDR()3649(L/R)B60	\$2,207	\$2,907	\$1,577	\$1,507	\$1,658	\$1,808	+ \$25	+ \$50
42"	40.5"	EDR()4249(L/R)B48	\$2,407	\$3,207	\$1,657	\$1,557	\$1,713	\$1,868	+ \$25	+ \$50
42"	40.5"	EDR()4249(L/R)B60	\$2,407	\$3,207	\$1,657	\$1,557	\$1,713	\$1,868	+ \$25	+ \$50

54" H


36"	34.5"	EDR()3654(L/R)B48	\$2,407	\$3,207	\$1,657	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50
36"	34.5"	EDR()3654(L/R)B60	\$2,407	\$3,207	\$1,657	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50
42"	40.5"	EDR()4254(L/R)B48	\$2,607	\$3,507	\$1,727	\$1,727	\$1,900	\$2,072	+ \$25	+ \$50
42"	40.5"	EDR()4254(L/R)B60	\$2,407	\$3,207	\$1,657	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50

61" H

•										
36"	34.5"	EDR()3661(L/R)B48	\$2,707	\$3,607	\$1,727	\$1,757	\$1,933	\$2,108	+ \$25	+ \$50
36"	34.5"	EDR()3661(L/R)B60	\$2,707	\$3,607	\$1,727	\$1,757	\$1,933	\$2,108	+ \$25	+ \$50
42"	40.5"	EDR()4261(L/R)B48	\$3,007	\$4,007	\$1,807	\$1,807	\$1,988	\$2,168	+ \$25	+ \$50
42"	40.5"	EDR()4261(L/R)B60	\$3,007	\$4,007	\$1,807	\$1,807	\$1,988	\$2,168	+ \$25	+ \$50

Specify	Plexiglass Finishes	Insert Type	Assembly
1. Model #	IC lce	CR Corian	Included
2. Insert type	SMSmoked	PC Polycarbonate	• Door
3. Insert color	TR Translucent	PG Plexiglass	 Hardware
4. Paint trim color	LF Frost	LM Laminate	 Modified trim for anchor panel

Sliding Doors



66" H				INSERT TYPE		LA	MINATE INSE	RT	PAII	NT
OPENING	ACTUAL OPENING	MODEL#	CR	PC	PG	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR()3666(L/R)B48	\$2,907	\$3,807	\$1,827	\$1,877	\$2,065	\$2,252	+ \$25	+ \$50
36"	34.5"	EDR()3666(L/R)B60	\$2,907	\$3,807	\$1,827	\$1,877	\$2,065	\$2,252	+ \$25	+ \$50
42"	40.5"	EDR()4266(L/R)B48	\$3,207	\$4,207	\$1,877	\$1,957	\$2,153	\$2,348	+ \$25	+ \$50
42"	40.5"	EDR()4266(L/R)B60	\$3,207	\$4,207	\$1,877	\$1,957	\$2,153	\$2,348	+ \$25	+ \$50
81" H										
36"	34.5"	EDR()3681(L/R)B48	\$3,307	\$4,507	\$1,877	\$2,157	\$2,373	\$2,588	+ \$25	+ \$50
36"	34.5"	EDR()3681(L/R)B60	\$3,307	\$4,507	\$1,877	\$2,157	\$2,373	\$2,588	+ \$25	+ \$50
42"	40.5"	EDR()4281(L/R)B48	\$3,707	\$5,007	\$1,977	\$2,227	\$2,450	\$2,672	+ \$25	+ \$50
42"	40.5"	EDR()4281(L/R)B60	\$3,707	\$5.007	\$1,977	\$2,227	\$2,450	\$2,672	+ \$25	+ \$50

	Insert Type	w	н	Door Open	Door Handle	Anchor Panel Width
EDR Equity door	CR Corian	36	61	L	B Bar	48
	PC Polycarbonate		:	R		60
	PG Plexiglass		:			
	LM Laminate					
					_ :	!
EDR	LM	36	61	L	В	48

Post Assemblies



		····	· · · · · · · · · · · · · · ·	••••••••••••••••••••••••••••••••••••••	
Stra	ight			PAINT	
Н	MODEL#		P1	P2	Р3
29"	EP(3/N)P29S		\$148	\$155	\$162
41"	EP(3/N)P41S		\$150	\$157	\$164
49"	EP(3/N)P49S		\$152	\$159	\$166
54"	EP(3/N)P54S		\$154	\$161	\$168
61"	EP(3/N)P61S		\$156	\$163	\$170
66"	EP(3/N)P66S		\$158	\$165	\$172
81"	EP(3/N)P81S		\$175	\$182	\$189



2-wa	ay L		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29L	\$148	\$155	\$162
41"	EP(3/N)P41L	\$150	\$157	\$164
49"	EP(3/N)P49L	\$153	\$160	\$167
54"	EP(3/N)P54L	\$157	\$164	\$171
61"	EP(3/N)P61L	\$165	\$172	\$179
66"	EP(3/N)P66L	\$172	\$179	\$186
81"	EP(3/N)P81L	\$185	\$192	\$199



2-way 120

	-,			
29"	EP(3/N)P29120	\$159	\$166	\$173
41"	EP(3/N)P41120	\$167	\$174	\$181
49"	EP(3/N)P49120	\$171	\$178	\$185
54"	EP(3/N)P54120	\$175	\$182	\$189
61"	EP(3/N)P61120	\$183	\$190	\$197
66"	EP(3/N)P66120	\$190	\$197	\$204
81"	EP(3/N)P81120	\$202	\$209	\$216

•	n	Δ	c	1	T	
•	۲	•	۰		٠,	

- 1. Model#
- 2. Paint trim color

Application Notes

Used to connect panels of the same height

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Assembly

Included

- Single height postPanel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled

N – Flat







		· · · · · · · · · · · · · · · · · · ·	. .	
3-wa	ay T		PAINT	
Н	MODEL#	P1	P2	Р3
29"	EP(3/N)P29T	\$148	\$155	\$162
41"	EP(3/N)P41T	\$150	\$157	\$164
49"	EP(3/N)P49T	\$152	\$159	\$166
54"	EP(3/N)P54T	\$154	\$161	\$168
61"	EP(3/N)P61T	\$157	\$164	\$171
66"	EP(3/N)P66T	\$164	\$171	\$178
81"	EP(3/N)P81T	\$176	\$183	\$190



			•••••	••••••
4-w	ay X		PAINT	
Н	MODEL#	P1	P2	Р3
29"	EP(3/N)P29X	\$148	\$155	\$162
41"	EP(3/N)P41X	\$150	\$157	\$164
49"	EP(3/N)P49X	\$152	\$159	\$166
54"	EP(3/N)P54X	\$154	\$161	\$168
61"	EP(3/N)P61X	\$156	\$163	\$170
66"	EP(3/N)P66X	\$158	\$165	\$172
81"	EP(3/N)P81X	\$171	\$178	\$185



3-way 120

J W	19 120			
29"	EP(3/N)P29Y	\$179	\$188	\$197
41"	EP(3/N)P41Y	\$181	\$190	\$199
49"	EP(3/N)P49Y	\$183	\$192	\$201
54"	EP(3/N)P54Y	\$185	\$194	\$203
61"	EP(3/N)P61Y	\$187	\$196	\$205
66"	EP(3/N)P66Y	\$193	\$202	\$211
81"	EP(3/N)P81Y	\$206	\$215	\$224



Carpet Gripper

DESCRIPTION	MODEL#	BLACK ONLY
12 Pack	EP1CG12	\$38

	Тор Сар		н		Connection Type
EP Equity panel	3 Beveled	P Post	29	120	2-way 120
	N Flat			Е	End w/post
<u>:</u>				ETK	Postless end
				L	2-way L
				Т	3-way T
				S	Straight
				Χ	4-way
				Υ	3-way 120
EP	N	Р	29	S	



nd	w/Post		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29E	\$159	\$166	\$173
41"	EP(3/N)P41E	\$164	\$171	\$178
49"	EP(3/N)P49E	\$168	\$175	\$182
54"	EP(3/N)P54E	\$171	\$178	\$185
61"	EP(3/N)P61E	\$180	\$187	\$194
66"	EP(3/N)P66E	\$186	\$193	\$200
81"	EP(3/N)P81E	\$199	\$206	\$213



Post	less End		PAINT	
Н	MODEL #	P1	P2	P3
29"	EP(3/N)ETK29	\$157	\$160	\$163
41"	EP(3/N)ETK41	\$159	\$162	\$165
49"	EP(3/N)ETK49	\$161	\$164	\$167
54"	EP(3/N)ETK54	\$163	\$166	\$169
61"	EP(3/N)ETK61	\$165	\$168	\$171
66"	EP(3/N)ETK66	\$167	\$170	\$173
81"	EP(3/N)ETK81	\$176	\$179	\$182

End w/Post

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

Postless End

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately %" beyond the panel end.

Assembly

Included

- Single height post
- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled





Assembly

Included

- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled

N – Flat





Wall Starter/Wall Mounted Channel

						•••••		
	Panel \	Wall St	arter		PAINT			
1	W	D	Н	H (Actual)	MODEL #	P1	P2	Р3
	1 ½"	1/2"	29"	23"	EP(3/N)PWS29	\$44	\$45	\$47
	1 ½"	1/2"	41"	35"	EP(3/N)PWS41	\$44	\$45	\$47
	1 ½"	1/2"	49"	43"	EP(3/N)PWS49	\$48	\$50	\$55
	1 ½"	1/2"	54"	49"	EP(3/N)PWS54	\$50	\$55	\$59
	1 ½"	1/2"	61"	55"	EP(3/N)PWS61	\$50	\$55	\$59
	1 ½"	1/2"	66"	60"	EP(3/N)PWS66	\$52	\$56	\$62
	1 ½"	1/2"	81"	75"	EP(3/N)PWS81	\$59	\$63	\$69

Wall Mounted Channel

mail ivi	Trail Modifica Chainer						
2 %"	3/4"	29"	23"	EP3WMC29	\$112	\$116	\$122
2 1/8"	3/4"	41"	35"	EP3WMC41	\$112	\$116	\$122
2 1/8"	3/4"	49"	43"	EP3WMC49	\$114	\$120	\$128
2 %"	3/4"	54"	49"	EP3WMC54	\$116	\$122	\$129
2 %"	3/4"	61"	55"	EP3WMC61	\$130	\$135	\$145
2 %"	3/4"	66"	60"	EP3WMC66	\$133	\$144	\$148
2 1/8"	3/4"	81"	75"	EP3WMC81	\$162	\$168	\$178
2 %"	3/4"	120"	120"	EP3WMC120	\$249	\$262	\$276

Panel Wall Starter

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

N – Flat

Top Cap Styles

3 - Beveled

Assembly Included

- Panel top & bottom hook
- Panel connector

Not Included

• Fasteners to attach to wall

Ordered Separately

- Post
- Shrouds

Wall Mounted Channel

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Included

- Extruded aluminum channel
- Insert which snaps

Assembly

Posts (Multi-Height)

Single He		PAINT		
Н	MODEL#	P1	P2	Р3
29"	EP3P29	\$93	\$96	\$99
41"	EP3P41	\$94	\$97	\$100
49"	EP3P49	\$96	\$99	\$102
54"	EP3P54	\$99	\$102	\$105
61"	EP3P61	\$105	\$108	\$111
66"	EP3P66	\$107	\$110	\$113
81"	EP3P81	\$117	\$120	\$123

Dual Height

29"/41"	EP3DP2941	\$155	\$165	\$175
29"/49"	EP3DP2949	\$165	\$175	\$185
29"/54"	EP3DP2954	\$165	\$175	\$185
29"/61"	EP3DP2961	\$175	\$185	\$195
29"/66"	EP3DP2966	\$175	\$185	\$195
29"/81"	EP3DP2981	\$195	\$205	\$215
41"/49"	EP3DP4149	\$165	\$175	\$185
41"/54"	EP3DP4154	\$165	\$175	\$185
41"/61"	EP3DP4161	\$175	\$185	\$195
41"/66"	EP3DP4166	\$175	\$185	\$195
41"/81"	EP3DP4181	\$195	\$205	\$215
49"/54"	EP3DP4954	\$165	\$175	\$185
49"/61"	EP3DP4961	\$175	\$185	\$195
49"/66"	EP3DP4966	\$175	\$185	\$195
49"/81"	EP3DP4981	\$195	\$205	\$215
54"/61"	EP3DP5461	\$175	\$185	\$195
54"/66"	EP3DP5466	\$175	\$185	\$195
54"/81"	EP3DP5481	\$195	\$205	\$215
61"/66"	EP3DP6166	\$175	\$185	\$195
61"/81"	EP3DP6181	\$195	\$205	\$215
66"/81"	EP3DP6681	\$195	\$205	\$215

		:	······			
Triple Heig		PAINT				
Н	MODEL#	P1	P2	Р3		
29"/41"/49"	EP3TP294149	\$195	\$205	\$215		
29"/41"/54"	EP3TP294154	\$195	\$205	\$215		
29"/41"/61"	EP3TP294161	\$200	\$210	\$220		
29"/41"/66"	EP3TP294166	\$200	\$210	\$220		
29"/41"/81"	EP3TP294181	\$230	\$240	\$250		
29"/49"/54"	EP3TP294954	\$195	\$205	\$215		
29"/49"/61"	EP3TP294961	\$200	\$210	\$220		
29"/49"/66"	EP3TP294966	\$200	\$210	\$220		
29"/49"/81"	EP3TP294981	\$230	\$240	\$250		
29"/54"/61"	EP3TP295461	\$200	\$210	\$220		
29"/54"/66"	EP3TP295466	\$200	\$210	\$220		
29"/54"/81"	EP3TP295481	\$230	\$240	\$250		
29"/61"/66"	EP3TP296166	\$200	\$210	\$220		
29"/61"/81"	EP3TP296181	\$230	\$240	\$250		
29"/66"/81"	EP3TP296681	\$230	\$240	\$250		
41"/49"/54"	EP3TP414954	\$195	\$205	\$215		
41"/49"/61"	EP3TP414961	\$200	\$210	\$220		
41"/49"/66"	EP3TP414966	\$200	\$210	\$220		
41"/49"/81"	EP3TP414981	\$230	\$240	\$250		
41"/54"/61"	EP3TP415461	\$200	\$210	\$220		
41"/54"/66"	EP3TP415466	\$200	\$210	\$220		
41"/54"/81"	EP3TP415481	\$230	\$240	\$250		
41"/61"/66"	EP3TP416166	\$200	\$210	\$220		
41"/61"/81"	EP3TP416181	\$230	\$240	\$250		
41"/66"/81"	EP3TP416681	\$230	\$240	\$250		
49"/54"/61"	EP3TP495461	\$200	\$210	\$220		
49"/54"/66"	EP3TP495466	\$200	\$210	\$220		
49"/54"/81"	EP3TP495481	\$230	\$240	\$250		
49"/61"/66"	EP3TP496166	\$200	\$210	\$220		
49"/61"/81"	EP3TP496181	\$230	\$240	\$250		
49"/66"/81"	EP3TP496681	\$230	\$240	\$250		
54"/61"/66"	EP3TP546166	\$200	\$210	\$220		
54"/61"/81"	EP3TP546181	\$230	\$240	\$250		
54"/66"/81"	EP3TP546681	\$230	\$240	\$250		
61"/66"/81"	EP3TP616681	\$230	\$240	\$250		

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

Dual Height Posts

Used where 2 monolithic panels of 2 different heights intersect.

Triple Height PostsUsed where 3 monolithic panels of 3 different heights intersect.

Assembly

Included

• Muti-height post

Ordered Separately

- Panel Connectors
- Metal shrouds

Connectors/Shrouds

		,		
Connectors		PAINT		
DESCRIPTION	MODEL#	P1	P2	Р3
Straight	EP(3/N)PCS	\$37	\$40	\$43
2-way L	EP(3/N)PCL	\$37	\$40	\$43
2-way 120	EP3PC120	\$37	\$40	\$43
2-way adjustable angle	EPNPCA	\$47	\$50	\$53
3-way T	EP(3/N)PCT	\$47	\$50	\$53
3-way Y 120	EP(3/N)PCY	\$47	\$50	\$53
4-way X	EP(3/N)PCX	\$47	\$50	\$53
End with post	EP(3/N)PCEP	\$37	\$40	\$43
Multi-height filler	EP(3/N)PCMF	\$37	\$40	\$43
Trim filler	EPNCTF	\$37	\$40	\$43

Metal Shrouds		PAINT			
DESCRIPTION	MODEL#	P1	P2	P3	
Straight	EP3SS	\$27	\$30	\$34	
L outside	EP3SL	\$37	\$40	\$44	
120 outside	EP3SO120	\$37	\$40	\$44	
120 inside	EP3SI120	\$37	\$40	\$44	
End w/post	EP3SEP	\$47	\$50	\$54	









2-way adjustable angle























L outside





120 outside




End w/post

-	
Sno	city
Jhe	CITY

1. Model # 2. Paint trim color **Top Cap Styles**

3 – Beveled





COMPONENTS

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per lineal inch.

STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


STACK-ON PANEL CONNECTORS

STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.


EXTENDED STACK-ON POST

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.





SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and Stack-on Panel MUST have flat (N) profile.




Stack-On Configurations Using Standard Stack-on Posts








BEVELED TOP CAPS






























Stack-On Configurations Using Standard Stack-on Posts







BEVELED TOP CAPS


FLAT TOP CAPS
























12"	H	FABRIC								PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1212	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	EP1SF1812	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	EP1SF3012	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP1SF4212	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP1SF4812	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40

1	3"	Н	

12"	EP1SF1213	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	EP1SF1813	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	EP1SF3013	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
60"	EP1SF6013	\$560	\$600	\$650	\$710	\$780	\$870	\$970	\$1,090	+ \$20	+ \$40

15" H

	••										
12"	EP1SF1215	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415	\$480	\$500	\$530	\$570	\$615	\$665	\$720	\$780	+ \$20	+ \$40
30"	EP1SF3015	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	EP1SF3615	\$520	\$560	\$610	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40

Specify

- 1. Model#
- 2. Panel fabric
- 3. Paint trim color

Assembly					
Included	Ordered Separately				
 Stack-on panel 	 Stack-on posts 				


• Stack-on panel • Flat top cap (N) • Panel connectors at

attached to the bottom	
of stack-on panel	

Not	Inc	lud	ed
-----	-----	-----	----

• Top cap (use top cap from base panel)

	Insert Type	W	Н
EP1S Stack-on panel	F Fabric	36	15
	•		
EP1S	F	36	15



17 " l	H	FABRIC								PAINT	
W	MODEL#	А	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1217	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	EP1SF3017	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40
60"	EP1SF6017	\$600	\$650	\$710	\$780	\$870	\$980	\$1,100	\$1,230	+ \$20	+ \$40

20" H

12"	EP1SF1220	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
18"	EP1SF1820	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP1SF4220	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP1SF4820	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40

Specify	

- 1. Model#
- 2. Panel fabric
- 3. Paint trim color

Assembly	
Included	Ordered Separately
 Stack-on panel 	 Stack-on posts
• Flat top cap (N)	 Panel connectors

• Stack-on panel • Flat top cap (N)

attached to the bottom	
of stack-on panel	


Not Included

• Top cap (use top cap from base panel)

	Insert Type	W	Н
EP1S Stack-on Panel	F Fabric	36	20
		:	
		:	:
EP1S	F	36	20
1	<u>.</u>		

Stack-on Panels

Fabric without slots



2" I	H				FABR	c				PAINT	
W	MODEL#	А	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1212N	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	EP1SF1812N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	EP1SF3012N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612N	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP1SF4212N	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP1SF4812N	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012N	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40
	•										

12"	EP1SF1213N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	EP1SF1813N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	EP1SF3013N	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613N	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213N	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813N	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
60"	EP1SF6013N	\$560	\$600	\$650	\$710	\$780	\$870	\$970	\$1,090	+ \$20	+ \$40

15" H

12"	EP1SF1215N	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815N	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415N	\$480	\$500	\$530	\$570	\$615	\$665	\$720	\$780	+ \$20	+ \$40
30"	EP1SF3015N	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	EP1SF3615N	\$520	\$560	\$610	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215N	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815N	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015N	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40

17" H

12" EP1SF1217N \$460 \$490 \$530 \$575 \$625 \$680 \$740 \$805 + \$20 18" EP1SF1817N \$480 \$510 \$550 \$595 \$645 \$700 \$760 \$825 + \$20 24" EP1SF2417N \$500 \$530 \$570 \$615 \$665 \$720 \$780 \$845 + \$20											•	17
24" EP1SF2417N \$500 \$530 \$570 \$615 \$665 \$720 \$780 \$845 +\$20	+ \$40	+ \$20	\$805	\$740	\$680	\$625	\$575	\$530	\$490	\$460	EP1SF1217N	12"
	+ \$40	+ \$20	\$825	\$760	\$700	\$645	\$595	\$550	\$510	\$480	EP1SF1817N	18"
	+ \$40	+ \$20	\$845	\$780	\$720	\$665	\$615	\$570	\$530	\$500	EP1SF2417N	24"
30" EP15F3017N	+ \$40	+ \$20	\$1,150	\$1,020	\$900	\$790	\$700	\$630	\$570	\$520	EP1SF3017N	30"
36" EP1SF3617N \$540 \$590 \$650 \$720 \$810 \$920 \$1,040 \$1,170 +\$20	+ \$40	+ \$20	\$1,170	\$1,040	\$920	\$810	\$720	\$650	\$590	\$540	EP1SF3617N	36"
42" EP1SF4217N \$560 \$610 \$670 \$740 \$830 \$940 \$1,060 \$1,190 +\$20	+ \$40	+ \$20	\$1,190	\$1,060	\$940	\$830	\$740	\$670	\$610	\$560	EP1SF4217N	42"
48" EP15F4817N \$580 \$630 \$690 \$760 \$850 \$960 \$1,080 \$1,210 +\$20	+ \$40	+ \$20	\$1,210	\$1,080	\$960	\$850	\$760	\$690	\$630	\$580	EP1SF4817N	48"
60" EP1SF6017N \$600 \$650 \$710 \$780 \$870 \$980 \$1,100 \$1,230 +\$20	+ \$40	+ \$20	\$1,230	\$1,100	\$980	\$870	\$780	\$710	\$650	\$600	EP1SF6017N	60"

Specify

- 1. Model#
- 2. Panel fabric
- 3. Paint trim color

Assembly

Included


- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors




20"	н		•••••••••••••	••••••••••••	FABF		······································	•••••••••••••••••••••••••••••••••••••••		PAIN	т
W	MODEL#	A	В	C	D	iic E	F	G	Н	P2	P3
12"	EP1SF1220N	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
		;							- :		
18"	EP1SF1820N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420N	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020N	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620N	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP1SF4220N	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP1SF4820N	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020N	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40
25"	Н		,	,							
12"	EP1SF1225N	\$500	\$530	\$570	\$615	\$675	\$745	\$825	\$915	+ \$20	+ \$40
18"	EP1SF1825N	\$520	\$550	\$590	\$635	\$695	\$765	\$845	\$935	+ \$20	+ \$40
24"	EP1SF2425N	\$540	\$570	\$610	\$655	\$715	\$785	\$865	\$955	+ \$20	+ \$40
30"	EP1SF3025N	\$560	\$610	\$670	\$750	\$880	\$1,030	\$1,190	\$1,360	+ \$20	+ \$40
36"	EP1SF3625N	\$580	\$630	\$690	\$770	\$900	\$1,050	\$1,210	\$1,380	+ \$20	+ \$40
42"	EP1SF4225N	\$600	\$650	\$710	\$790	\$920	\$1,070	\$1,230	\$1,400	+ \$20	+ \$40
48"	EP1SF4825N	\$630	\$680	\$740	\$820	\$950	\$1,100	\$1,260	\$1,430	+ \$20	+ \$40
60"	EP1SF6025N	\$670	\$720	\$780	\$860	\$990	\$1,140	\$1,300	\$1,470	+ \$20	+ \$40
32"	Н										
12"	EP1SF1232N	\$520	\$550	\$590	\$635	\$695	\$785	\$885	\$995	+ \$20	+ \$40
18"	EP1SF1832N	\$540	\$570	\$610	\$655	\$715	\$805	\$905	\$1,015	+ \$20	+ \$40
24"	EP1SF2432N	\$560	\$590	\$630	\$675	\$735	\$825	\$925	\$1,035	+ \$20	+ \$40
30"	EP1SF3032N	\$580	\$630	\$690	\$780	\$930	\$1,100	\$1,290	\$1,510	+ \$20	+ \$40
36"	EP1SF3632N	\$600	\$650	\$710	\$800	\$950	\$1,120	\$1,310	\$1,530	+ \$20	+ \$40
42"	EP1SF4232N	\$620	\$670	\$730	\$820	\$970	\$1,140	\$1,330	\$1,550	+ \$20	+ \$40
48"	EP1SF4832N	\$650	\$700	\$760	\$850	\$1,000	\$1,170	\$1,360	\$1,580	+ \$20	+ \$40
60"	EP1SF6032N	\$680	\$730	\$790	\$880	\$1,030	\$1,200	\$1,390	\$1,610	+ \$20	+ \$40
37"	Н										
12"	EP1SF1237N	\$540	\$580	\$630	\$690	\$770	\$860	\$960	\$1,070	+ \$20	+ \$40
18"	EP1SF1837N	\$560	\$600	\$650	\$710	\$790	\$880	\$980	\$1,090	+ \$20	+ \$40
24"	EP1SF2437N	\$580	\$620	\$670	\$730	\$810	\$900	\$1,000	\$1,110	+ \$20	+ \$40
30"	EP1SF3037N	\$600	\$670	\$750	\$840	\$1,000	\$1,170	\$1,370	\$1,620	+ \$20	+ \$40
36"	EP1SF3637N	\$620	\$690	\$770	\$860	\$1,020	\$1,190	\$1,390	\$1,640	+ \$20	+ \$40
42"	EP1SF4237N	\$640	\$710	\$790	\$880	\$1,040	\$1,210	\$1,410	\$1,660	+ \$20	+ \$40
48"	EP1SF4837N	\$670	\$740	\$820	\$910	\$1,070	\$1,240	\$1,440	\$1,690	+ \$20	+ \$40
60"	EP1SF6037N	\$700	\$770	\$850	\$940	\$1,100	\$1,270	\$1,470	\$1,720	+ \$20	+ \$40

	Insert Type	W	Н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
		:	:	
	_ :	:	:	:
EP1S	F	36	37	N

Stack-on Panels

Insert with slots



12" H		(GLASS INSERT		LAN	IINATE INSEI	RT	PAII	NT.
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	Р3
12"	EP2S()1212	\$927	\$707	\$647	\$677	\$745	\$812	+ \$20	+ \$40
18"	EP2S()1812	\$957	\$737	\$667	\$697	\$767	\$836	+ \$20	+ \$40
24"	EP2S()2412	\$1,002	\$782	\$697	\$732	\$805	\$878	+ \$20	+ \$40
30"	EP2S()3012	\$1,052	\$812	\$717	\$752	\$827	\$902	+ \$20	+ \$40
36"	EP2S()3612	\$1,107	\$847	\$737	\$777	\$855	\$932	+ \$20	+ \$40
42"	EP2S()4212	\$1,157	\$877	\$757	\$797	\$877	\$956	+ \$20	+ \$40
48"	EP2S()4812	\$1,197	\$917	\$777	\$827	\$910	\$992	+ \$20	+ \$40
60"	EP2S()6012	\$1,327	\$977	\$797	\$877	\$965	\$1,052	+ \$20	+ \$40

00	(, 00	. 4.75.	-, 42	4.2.	: 40,,	4,00	4.,052		. 4.0
13" H									
12"	EP2S()1213	\$90	57 \$747	\$687	\$717	\$789	\$860	+ \$20	+ \$40
18"	EP2S()1813	\$99	97 \$777	\$707	\$737	\$811	\$884	+ \$20	+ \$40
24"	EP2S()2413	\$1,0	52 \$812	\$727	\$762	\$838	\$914	+ \$20	+ \$40
30"	EP2S()3013	\$1,10)2 \$842	\$747	\$782	\$860	\$938	+ \$20	+ \$40
36"	EP2S()3613	\$1,1	57 \$877	\$767	\$807	\$888	\$968	+ \$20	+ \$40
42"	EP2S()4213	\$1,20)7 \$907	\$787	\$827	\$910	\$992	+ \$20	+ \$40
48"	EP2S()4813	\$1,28	37 \$947	\$807	\$857	\$943	\$1,028	+ \$20	+ \$40
60"	EP2S()6013	\$1,39	97 \$997	\$817	\$897	\$987	\$1,076	+ \$20	+ \$40
15"									
					•			•	

15"									
12"	EP2S()1215	\$987	\$767	\$707	\$737	\$811	\$884	+ \$20	+ \$40
18"	EP2S()1815	\$1,017	\$797	\$727	\$757	\$833	\$908	+ \$20	+ \$40
24"	EP2S()2415	\$1,072	\$832	\$747	\$782	\$860	\$938	+ \$20	+ \$40
30"	EP2S()3015	\$1,122	\$862	\$767	\$802	\$882	\$962	+ \$20	+ \$40
36"	EP2S()3615	\$1,177	\$897	\$787	\$827	\$910	\$992	+ \$20	+ \$40
42"	EP2S()4215	\$1,227	\$927	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
48"	EP2S()4815	\$1,297	\$957	\$817	\$867	\$954	\$1,040	+ \$20	+ \$40
60"	EP2S()6015	\$1,417	\$1,017	\$837	\$917	\$1,009	\$1,100	+ \$20	+ \$40

_				
3	n	ec	71	v
_	г	٠.	•	,

- 1. Model#
- 2. Insert color
- 3. Paint trim color

Plexiglass Finishes

CL . . Clear **IC** . . . lce

SM..Smoked

TR . . Translucent

Glass Finishes

CL . . Clear **BR** . . Bronzed **FR** . . Frosted

SM..Smoked

Assembly

Included


- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors



		· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • •		· · · · · · · · · · · · · · · · · · ·			• • • • • • • • • • • • • • • • • • • •	
17" H		G	LASS INSERT		LAN	NINATE INSE	RT	PAII	NT
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	Р3
12"	EP2S()1217	\$1,007	\$787	\$727	\$747	\$822	\$896	+ \$20	+ \$40
18"	EP2S()1817	\$1,057	\$817	\$747	\$777	\$855	\$932	+ \$20	+ \$40
24"	EP2S()2417	\$1,112	\$852	\$767	\$802	\$882	\$962	+ \$20	+ \$40
30"	EP2S()3017	\$1,162	\$882	\$787	\$822	\$904	\$986	+ \$20	+ \$40
36"	EP2S()3617	\$1,217	\$917	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
42"	EP2S()4217	\$1,277	\$937	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
48"	EP2S()4817	\$1,357	\$977	\$837	\$887	\$976	\$1,064	+ \$20	+ \$40
60"	EP2S()6017	\$1,477	\$1,037	\$857	\$937	\$1,031	\$1,124	+ \$20	+ \$40


12"	EP2S()1220	\$1,067	\$807	\$747	\$777	\$855	\$932	+ \$20	+ \$40
18"	EP2S()1820	\$1,097	\$837	\$767	\$797	\$877	\$956	+ \$20	+ \$40
24"	EP2S()2420	\$1,152	\$872	\$787	\$822	\$904	\$986	+ \$20	+ \$40
30"	EP2S()3020	\$1,182	\$902	\$807	\$842	\$926	\$1,010	+ \$20	+ \$40
36"	EP2S()3620	\$1,267	\$927	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
42"	EP2S()4220	\$1,337	\$957	\$837	\$877	\$965	\$1,052	+ \$20	+ \$40
48"	EP2S()4820	\$1,417	\$997	\$857	\$907	\$998	\$1,088	+ \$20	+ \$40
60"	EP2S()6020	\$1,537	\$1,057	\$877	\$957	\$1,053	\$1,148	+ \$20	+ \$40

Plexiglass Finishes
IC lce
SM Smoked
TR Translucent
LF Frost

		Insert Type	W	Н
EP2S Sta	ck-on panel	OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	15
EP2S		PG	36	15

Stack-on Panels

Insert without slots



12" H		(GLASS INSERT		LAM	INATE INSEI	RT	PAII	NT
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	Р3
12"	EP2S()1212N	\$927	\$707	\$647	\$677	\$745	\$812	+ \$20	+ \$40
18"	EP2S()1812N	\$957	\$737	\$667	\$697	\$767	\$836	+ \$20	+ \$40
24"	EP2S()2412N	\$1,002	\$782	\$697	\$732	\$805	\$878	+ \$20	+ \$40
30"	EP2S()3012N	\$1,052	\$812	\$717	\$752	\$827	\$902	+ \$20	+ \$40
36"	EP2S()3612N	\$1,107	\$847	\$737	\$777	\$855	\$932	+ \$20	+ \$40
42"	EP2S()4212N	\$1,157	\$877	\$757	\$797	\$877	\$956	+ \$20	+ \$40
48"	EP2S()4812N	\$1,197	\$917	\$777	\$827	\$910	\$992	+ \$20	+ \$40
60"	EP2S()6012N	\$1,327	\$977	\$797	\$877	\$965	\$1,052	+ \$20	+ \$40

13" H

12	" EP2S()1213N	\$967	\$747	\$687	\$717	\$789	\$860	+ \$20	+ \$40
18	B" EP2S()1813N	\$997	\$777	\$707	\$737	\$811	\$884	+ \$20	+ \$40
24	" EP2S()2413N	\$1,052	\$812	\$727	\$762	\$838	\$914	+ \$20	+ \$40
30	" EP2S()3013N	\$1,102	\$842	\$747	\$782	\$860	\$938	+ \$20	+ \$40
36	5" EP2S()3613N	\$1,157	\$877	\$767	\$807	\$888	\$968	+ \$20	+ \$40
42	EP2S()4213N	\$1,207	\$907	\$787	\$827	\$910	\$992	+ \$20	+ \$40
48	B" EP2S()4813N	\$1,287	\$947	\$807	\$857	\$943	\$1,028	+ \$20	+ \$40
60	" EP2S()6013N	\$1,397	\$997	\$817	\$897	\$987	\$1,076	+ \$20	+ \$40

15" H

12"	EP2S()1215N	\$987	\$767	\$707	\$737	\$811	\$884	+ \$20	+ \$40
18"	EP2S()1815N	\$1,017	\$797	\$727	\$757	\$833	\$908	+ \$20	+ \$40
24"	EP2S()2415N	\$1,072	\$832	\$747	\$782	\$860	\$938	+ \$20	+ \$40
30"	EP2S()3015N	\$1,122	\$862	\$767	\$802	\$882	\$962	+ \$20	+ \$40
36"	EP2S()3615N	\$1,177	\$897	\$787	\$827	\$910	\$992	+ \$20	+ \$40
42"	EP2S()4215N	\$1,227	\$927	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
48"	EP2S()4815N	\$1,297	\$957	\$817	\$867	\$954	\$1,040	+ \$20	+ \$40
60"	EP2S()6015N	\$1,417	\$1,017	\$837	\$917	\$1,009	\$1,100	+ \$20	+ \$40

17" H

12"	EP2S()1217N	\$1,007	\$787	\$727	\$747	\$822	\$896	+ \$20	+ \$40
18"	EP2S()1817N	\$1,057	\$817	\$747	\$777	\$855	\$932	+ \$20	+ \$40
24"	EP2S()2417N	\$1,112	\$852	\$767	\$802	\$882	\$962	+ \$20	+ \$40
30"	EP2S()3017N	\$1,162	\$882	\$787	\$822	\$904	\$986	+ \$20	+ \$40
36"	EP2S()3617N	\$1,217	\$917	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
42"	EP2S()4217N	\$1,277	\$937	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
48"	EP2S()4817N	\$1,357	\$977	\$837	\$887	\$976	\$1,064	+ \$20	+ \$40
60"	EP2S()6017N	\$1,477	\$1,037	\$857	\$937	\$1,031	\$1,124	+ \$20	+ \$40

Specify

- 1. Model#
- 2. Insert color
- 3. Paint trim color

Plexiglass Finishes

CL ...Clear

 $\textbf{IC} \dots \mathsf{lce}$

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$

 ${\bf TR}$. . Translucent

Glass Finishes

CL . . Clear $\textbf{BR} \dots \textbf{Bronzed}$ $\textbf{FR} \dots \textbf{Frosted}$

SM..Smoked

Assembly

Included


- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors



48"

60"

EP2S()4837N

EP2S()6037N

0" H		(GLASS INSERT		LA	MINATE INSE	RT	PAINT	
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	P3
12"	EP2S()1220N	\$1,067	\$807	\$747	\$777	\$855	\$932	+ \$20	+ \$40
18"	EP2S()1820N	\$1,097	\$837	\$767	\$797	\$877	\$956	+ \$20	+ \$40
24"	EP2S()2420N	\$1,152	\$872	\$787	\$822	\$904	\$986	+ \$20	+ \$40
30"	EP2S()3020N	\$1,182	\$902	\$807	\$842	\$926	\$1,010	+ \$20	+ \$40
36"	EP2S()3620N	\$1,267	\$927	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
42"	EP2S()4220N	\$1,337	\$957	\$837	\$877	\$965	\$1,052	+ \$20	+ \$4
48"	EP2S()4820N	\$1,417	\$997	\$857	\$907	\$998	\$1,088	+ \$20	+ \$4
60"	EP2S()6020N	\$1,537	\$1,057	\$877	\$957	\$1,053	\$1,148	+ \$20	+ \$4
5" H									
12"	EP2S()1225N	\$1,097	\$837	\$777	\$807	\$888	\$968	+ \$20	+ \$4
18"	EP2S()1825N	\$1,127	\$867	\$797	\$827	\$910	\$992	+ \$20	+ \$40
24"	EP2S()2425N	\$1,182	\$902	\$817	\$852	\$937	\$1,022	+ \$20	+ \$4
30"	EP2S()3025N	\$1,232	\$932	\$837	\$872	\$959	\$1,046	+ \$20	+ \$4
36"	EP2S()3625N	\$1,307	\$967	\$857	\$897	\$987	\$1,076	+ \$20	+ \$4
42"	EP2S()4225N	\$1,377	\$997	\$877	\$917	\$1,009	\$1,100	+ \$20	+ \$4
48"	EP2S()4825N	\$1,457	\$1,037	\$907	\$947	\$1,042	\$1,136	+ \$20	+ \$4
60"	EP2S()6025N	\$1,617	\$1,097	\$937	\$997	\$1,097	\$1,196	+ \$20	+ \$4
2111		·							
32" H		·····							
12"	EP2S()1232N	\$1,117	\$857	\$797	\$827	\$910	\$992	+ \$20	+ \$4
18"	EP2S()1832N	\$1,167	\$887	\$817	\$847	\$932	\$1,016	+ \$20	+ \$4
24"	EP2S()2432N	\$1,222	\$922	\$837	\$872	\$959	\$1,046	+ \$20	+ \$4
30"	EP2S()3032N	\$1,312	\$952	\$857	\$892	\$981	\$1,070	+ \$20	+ \$4
36"	EP2S()3632N	\$1,407	\$987	\$877	\$917	\$1,009	\$1,100	+ \$20	+ \$4
42"	EP2S()4232N	\$1,497	\$1,017	\$897	\$937	\$1,031	\$1,124	+ \$20	+ \$4
48"	EP2S()4832N	\$1,587	\$1,067	\$927	\$977	\$1,075	\$1,172	+ \$20	+ \$4
60"	EP2S()6032N	\$1,757	\$1,157	\$977	\$1,057	\$1,163	\$1,268	+ \$20	+ \$4
87" H									
12"	EP2S()1237N	\$1,157	\$877	\$817	\$847	\$932	\$1,016	+ \$20	+ \$4
18"	EP2S()1837N	\$1,217	\$917	\$837	\$877	\$965	\$1,052	+ \$20	+ \$4
24"	EP2S()2437N	\$1,317	\$957	\$857	\$907	\$998	\$1,088	+ \$20	+ \$4
30"	EP2S()3037N	\$1,417	\$997	\$877	\$937	\$1,031	\$1,124	+ \$20	+ \$4
36"	EP2S()3637N	\$1,517	\$1,037	\$897	\$967	\$1,064	\$1,160	+ \$20	+ \$4
42"	EP2S()4237N	\$1,597	\$1,077	\$917	\$997	\$1,097	\$1,196	+ \$20	+ \$4
		44			44.00=				

Plexiglass Finishes		Insert Type	w	Н
CLClear IC Ice SMSmoked TRTranslucent	EP2S Stack-on	panel OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	15
Glass Finishes				
CL Clear BR Bronzed FR Frosted SM Smoked	EP2S	PG	36	15

\$1,127

\$1,197

\$1,687

\$1,897

\$1,037

\$997 \$1,097

\$1,141

\$1,207

\$1,244

\$1,316

\$947


+ \$20

+ \$20

+ \$40

+ \$40







Extended

	-				
12"	EP1SPC12E		\$125	\$130	\$135
13"	EP1SPC13E		\$135	\$140	\$145
15"	EP1SPC15E		\$145	\$150	\$155
17"	EP1SPC17E		\$155	\$160	\$165
20"	EP1SPC20E		\$175	\$185	\$195
25"	EP1SPC25E		\$190	\$200	\$210
32"	EP1SPC32E		\$200	\$210	\$220
37"	EP1SPC37E		\$210	\$220	\$230
Panel connectors must be ordered separately.					

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Stack-on post must be used between adjacent stack-on panels.

Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.



Coat Hook S	Straigh	nt			PAINT		
DESCRIPTION	W	D	Н	MODEL#	P1	P2	Р3
5 Pack	1/8"	1 3/8"	2 3/8"	EP3MMCH (B/P)	\$141	N/A	N/A



Coat Hook Postless End 5 Pack 1 %" %" 2 %" EP3MMCHPE (R/L)(B/P) \$141 N/A N/A

Specify

- 1. Model#
- 2. Paint trim color

Coat Hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.

Available in two colors Black (B) Matte Aluminum (P)



Add-o	n Screens			PAINT	
W	Н	MODEL #	P	P2	Р3
12"	15"	EP3AOPG1215	\$602	\$625	\$643
18"	15"	EP3AOPG1815	\$683	\$706	\$725
24"	15"	EP3AOPG2415	\$709	\$732	\$750
30"	15"	EP3AOPG3015	\$749	\$772	\$786
36"	15"	EP3AOPG3615	\$798	\$820	\$838
42"	15"	EP3AOPG4215	\$885	\$910	\$924
48"	15"	EP3AOPG4815	\$966	\$991	\$1,006
60"	15"	EP3AOPG6015	\$988	\$1,010	\$1,028

ecify	Plexiglass Finishes	Application Notes					
Model # Insert color Paint trim color	CLClear ICIce SMSmoked TRTranslucent LFFrost	Add-on screens mount on the slotted standard with (2) die cast stanchion brackets that are included. All attachment hardware is included.	on the slotted standard compatible with flat (N) with (2) die cast stanchion brackets that are included. All attachment				
		Two add-on screens may not be mounted next to each other on the inside corner of a 90° connection.					



Slat R	ail				PAINT	
W	Н	MODEL# MATTE	\LUM	P1	P2	Р3
12"	6"	SR612 \$	120	\$140	\$154	\$168
18"	6"	SR618 \$	130	\$150	\$165	\$180
24"	6"	SR624	140	\$160	\$176	\$192
30"	6"	SR630 S	150	\$170	\$187	\$204
36"	6"	SR636	160	\$190	\$209	\$228
42"	6"	SR642 S	170	\$200	\$220	\$240
48"	6"	SR648 \$	180	\$210	\$231	\$252
60"	6"	SR660 \$	190	\$230	\$253	\$276


Slat Rail Accessories				PAINT		
DESCRIPTION	MODEL#	MATTE ALUM	P1	P2	Р3	
File hanger	SRAFLH	\$50	\$75	\$83	\$90	
Paper tray	SRAPAT	\$55	\$80	\$88	\$96	
Upright tray	SRAUPT	\$35	\$55	\$61	\$66	
Small tray	SRASMT	\$30	\$50	\$55	\$60	
Pencil holder	SRAPNH	\$30	\$50	\$55	\$60	

Specify

- 1. Model # 2. Paint trim color

Electrical How to Order

"E" Series electrical systems consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.




SPECIFICATION CHECKLIST

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules.
 One for each point of connection to the building power supply.
 Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
 Shrouds are included when post assemblies are ordered.
 Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- 5. Select and order appropriate conduit jumpers to pass power between panels.
- Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

Calculate Correct Jumper Length

- 1) Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



7. Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

B. Duplex ReceptaclesAlways specified separately according to circuit access.

C. Side Mount Receptacles

Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


SPECIAL CONSIDERATIONS

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

ELECTRICAL



Electrical

BASE INFEED MODULE

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4'6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 53.

Connecting to the building power source must be performed by a licensed electrician.

CEILING INFEED MODULE

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19'. Upper tube of module is 6' 7" in length.

RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten %" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

CABLE CAPACITY

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

8-WIRE SYSTEM

2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets.


3 + 1


The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.

10-WIRE SYSTEM

3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 – 15 workstations from each infeed.





1 Black HOT 2 Red HOT 4D 3 Blue Pink HOT HOT Ν Ν White/Black White/Red ISOLATED G G Green/Yellow

COMPATIBILITY

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.

ElectricalCeiling Infeeds



				ţ	• • • • • • • • • • • • • • • • • • • •	•••••
eili	ing In	feed	s		PAINT	
W	D	Н	MODEL#	P1	P2	Р3
4"	1 ½"	120"	EE3CM41M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM49M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM54M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM61M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM66M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM81M	\$625	\$656	\$689

Ceiling Infeed Harness

DESCRIPTION	MODEL#	LIST
E-Series 10-wire	EE1CH-10	\$573
E-Series 8-wire	EE1CH-8	\$470

Specify

- 1. Model #
- 2. Paint trim color

Fabric cover modules are not available

Configurations

8-wire

2 + 2

3 + 1

10-wire 3 + 3

Application Notes

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection.

Ceiling Infeed Modules

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

Cables/conduit are laid into module by removal of two-piece front 1½" wide vertical access cover which runs the length of the extrusion.

Includes escutcheon plate which is white to

integrate with ceiling. Tube is trim colored to match system trim.





DESCRIPTION	W	MODEL#	LIST
8-wire	54"	EE1BI-8	\$244
8-wire	72"	EE1BI72-8	\$301
10-wire	54"	EE1BI-10	\$295
10-wire	72"	EE1BI72-10	\$358




Base Infeed – New York

DESCRIPTION	MODEL #	LIST
10-wire	EE1BI-10N	\$371
8-wire	EE1BI-8N	\$304



Base Infeed – San Francisco

DESCRIPTION	W	MODEL#	LIST
8-wire (non-handed)	54"	EE1BI-8SF	\$244
8-wire (non-handed)	72"	EE1BI72-8SF	\$301
10-wire (non-handed)	54"	EE1BI-10SF	\$295
10-wire (non-handed)	72"	EE1BI72-10SF	\$358



Jumper End Base Feed

DESCRIPTION	W	MODEL #	LIST
10-wire w/ground	72"	EE1BIJ-10G	\$411
8-wire w/ground	72"	EE1BIJ-8G	\$340
8-wire	72"	EE1BIJ-8	\$313
10-wire	72"	EE1BIJ-10	\$386

Configurations					
	8-wire				
	2 + 2				
	3 + 1				
	10-wire				
	3 + 3				

Base Infeed Modules

An infeed conduit connects to the wall or floor outlet box of a building's power supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right side of panel. Metal cover conceals the baseboard connection and is reversible for either left or right entry. Can be field-cut to proper lengths. Color is black. A terminal block must be ordered separately.

Jumper End Infeeds

Connects by hardwiring to a building's electrical supply in floor or wall box by a licensed electrician. Plugs into one set of terminal connections at end of terminal block. Terminal block must be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.





Terminal Block			10-WIRE
DESCRIPTION	MODEL#		
8-wire or 10-wire	EE1TB(8/10)	\$56	\$72



Duplex Receptacle			RE	10-WIRE
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)
Circuit #1	EE1R1	\$50	\$50	\$50
Circuit #2	EE1R2	\$50	\$50	\$50
Circuit #3 dedicated for 2+2	EE1R3D	N/A	\$50	N/A
Circuit #3 for 3+1	EE1R3	\$50	N/A	\$50
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D	\$50	\$50	\$50
Circuit #5 dedicated circuit for 3+3	EE1R5D	N/A	N/A	\$50
Circuit #6 dedicated circuit for 3+3	EE1R6D	N/A	N/A	\$50



Duplex Receptacle (10 Pack)			RE	10-WIRE
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)
Circuit #1	EE1R1 P10	\$411	\$411	\$411
Circuit #2	EE1R2 P10	\$411	\$411	\$411
Circuit #3 dedicated for 2+2	EE1R3D P10	N/A	\$411	N/A
Circuit #3 for 3+1	EE1R3 P10	\$411	N/A	\$411
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10	\$411	\$411	\$411
Circuit #5 dedicated circuit for 3+3	EE1R5D P10	N/A	N/A	\$411
Circuit #6 dedicated circuit for 3+3	EE1R6D P10	N/A	N/A	\$411



Receptacle – Side Mount	8-WI		10-WIRE		
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	
10 Pack	EE1SMRB10	\$250	\$250	\$250	

Data Shield		8-WII	RE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	
Terminal block shield	EE15BR	\$77	\$77	\$77	



Knock-out Replacement Cover

DESCRIPTION	MODEL#	LIST
Single	EE1KC	\$15
10 Pack	EE1KC10	\$68

Application Notes

Receptacles are black only. Neutral wires are 10 gauge.

Terminal Block


A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.

Side Mount Receptacles

Plugs directly into the right side of terminal block to provide a second duplex receptacle where required.

Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.

Jumper



Juliipei				
LENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL#	8-WIRE	10-WIRE
18"	11 ½"	EE1C18-(8/10)	\$109	\$129
21"	14 ½"	EE1C21-(8/10)	\$113	\$132
24"	17 ½"	EE1C24-(8/10)	\$116	\$135
27"	20 ½"	EE1C27-(8/10)	\$117	\$144
30"	23 ½"	EE1C30-(8/10)	\$120	\$146
33"	26 ½"	EE1C33-(8/10)	\$123	\$152
36"	29 ½"	EE1C36-(8/10)	\$124	\$154
39"	32 ½"	EE1C39-(8/10)	\$130	\$161
42"	35 ½"	EE1C42-(8/10)	\$133	\$166
45"	38 ½"	EE1C45-(8/10)	\$136	\$168
48"	41 ½"	EE1C48-(8/10)	\$141	\$170
51"	44 1/2"	EE1C51-(8/10)	\$146	\$178
54"	47 ½"	EE1C54-(8/10)	\$146	\$178
57"	50 ½"	EE1C57-(8/10)	\$154	\$185
60"	53 ½"	EE1C60-(8/10)	\$157	\$190
63"	56 ½"	EE1C63-(8/10)	\$162	\$193
66"	59 ½"	EE1C66-(8/10)	\$165	\$201
69"	62 ½"	EE1C69-(8/10)	\$165	\$201
72"	65 ½"	EE1C72-(8/10)	\$170	\$207
75"	68 1/2"	EE1C75-(8/10)	\$172	\$210
78"	71 ½"	EE1C78-(8/10)	\$174	\$216
81"	74 ½"	EE1C81-(8/10)	\$177	\$217
84"	77 ½"	EE1C84-(8/10)	\$178	\$219
87"	80 1/2"	EE1C87-(8/10)	\$186	\$229
90"	83 ½"	EE1C90-(8/10)	\$190	\$232
93"	86 ½"	EE1C93-(8/10)	\$192	\$235
96"	89 ½"	EE1C96-(8/10)	\$199	\$241
99"	92 ½"	EE1C99-(8/10)	\$202	\$244
102"	95 ½"	EE1C102-(8/10)	\$205	\$249
105"	98 ½"	EE1C105-(8/10)	\$207	\$253
108"	101 ½"	EE1C108-(8/10)	\$208	\$254
111"	104 ½"	EE1C111-(8/10)	\$216	\$259
114"	107 ½"	EE1C114-(8/10)	\$220	\$266
120"	113 ½"	EE1C120-(8/10)	\$230	\$278
126"	119 ½"	EE1C126-(8/10)	\$234	\$283
132"	125 ½"	EE1C132-(8/10)	\$238	\$292
144"	137 ½"	EE1C144-(8/10)	\$253	\$307

Configurations

8-wire 2 + 2

2+2 3+1

10-wire

3 + 3


Application Notes

Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





Charge Spot

9 p		
DESCRIPTION	MODEL#	LIST
Wireless device charger	AWDC1	\$427
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,447
Charge Spot Dongles		
Apple Lightning dongle	AWDCSA	\$77
mUSB dongle	AWDCSU	\$77
Charge Spot Replacement Power		
Single unit power supply	AWDCRPS1	\$57
Multi unit power supply	AWDCRPS4	\$257

Specify

1. Model #



Ashley Duo

DESCRIPTION	W	D	Н	MODEL#	LIST
120" Cord length	5 ½"	3 1/8"	2"	EE4WSAD120	\$390
72" Cord length	5 ½"	3 1/8"	2"	EE4WSAD72	\$380



Ashley Duo Air

In-worksurface pop-up power	7"	5"	EPUPM72	\$497



Desktop Power

108" Cord length	3 ¾"	4 1/2"	EE4WSME108	\$177
72" Cord length	3 3/4"	4 1/2"	EE4WSME72	\$157



Desktop Data



Desktop Power & Data

-		
108" Cord length	EE4WSMED108	\$379
72" Cord length	EE4WSMED72	\$347

Ashley Duo

The Ashely duo features two receptacles and dual USB ports in a convenient 2 piece clamp on surface mount.

The USB charging ports provide 2.1 amps per port, 4.2 amps total. They also feature a Smart Device Recognition Chip that monitors the power request from plugged in devices, self-regulating and supplying the appropriate

amps, up to 2.1 amps, as needed by device. The result is each device receives the appropriate amount of power and charges as fast as possible.

Accommodates surfaces 1" to 1 3/4" thick.

Installation

Clamps to back of worksurface. Bracketry included.

Ashley Duo & Air Outer Finishes

OBLK Black
OWHT White
OSIL Silver

Ashley Duo & Air Face Finishes

FBLK.....Black
FWHT....White
FSIL...Silver

Desktop Modules

Duplex electrical and communications outlets that attach at any point along the rear of a worksurface.

Accommodates surfaces 1" to 1 ¾" thick.

Installation

Clamps to back of worksurface with included bracketry. Available in black only.

Data Wiring

Data wiring and keystones provided by cabling contractor.

Worksurfaces

General Info

Step 1 - Model #

					Op	tions		
Worksurface Type	e W	D		Wiring			Extended En	ds
EW1 Rectangle	e 48	24	G G2	Grommets Scallop	\$25 \$50	E EE	One End Both Ends	\$21 \$42
EW1	48	24	G			Е		

Step 2 – Surface Finish

Step 3 – Edge Finish Laminate Laminate PW-STK Studio Teak EB-STK Studio Teak **PW-STK EB-STK**

FEATURES

DEPTHS 20" D

24" D 30" D 36" D

WIDTHS

24" W 30" W 36" W 42" W 48" W 54" W 60" W 66" W 72" W 78" W 84" W 90" W 96" W 102" W 108" W 114" W 120" W

THICKNESS

1 1/8"

WIRING & CABLING

GROMMETS



When standard grommets are specified they are in a rear, centered location and are available in black only. Corner worksurfaces provide two edge grommets.

SCALLOP



Scalloped grommets feature additional half grommets on either end to provide a full grommet when two tops meet. The half grommet also allows for cord management by itself when it is wrapped by panels and not adjacent to other worksurfaces.

CABLE DROP

3/8" cable management gap

EDGE DETAIL

STANDARD

3mm ABS

WOODGRAIN

2mm PVC

SURFACE MATERIALS

STANDARD WORKSURFACE

High Pressure Laminate

CASCADE WORKSURFACE

Thermafoil (available on Cascade edge only)


EDGEBAND

Available matching or contrasting. Upcharge may be applicable.

SUPPORTS

Under worksurface--Black powdercoat Countercap supports--paint

WORKSURFACES



Worksurface

General Info

Top surface available in standard laminates. For a complete list of color offering consult the Finishes page at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces is predrilled for mounting of the Equity pedestals and support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a 3%" cable management gap between the back edge of the worksurface and wall panel.


D&PTOPS

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

EXTENDED ENDS TO COVER POSTS

Equity is measured from the center of the posts on each end of the panel. If you would like the worksurface to extend to cover one post, then you will need to add an "E". If you would like the worksurface to extend to cover both posts, then you will need to add "EE" to the worksurface item number.

E....Covers 1 post **EE**...Covers 2 posts



24" DEEP STRAIGHTS & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

(T) - Available on

		DIC OII	(I) Availa
	W (actual)	Н	W
EW14824T	43 ¼"	24"	48"
EW15424T	49 1/4"	24"	54"
EW16024T	55 1/4"	24"	60"
EW16624T	61 ¼"	24"	66"
EW17224T	67 1/4"	24"	72"
EW17824T	73 1/4"	24"	78"
EW18424T	79 1/4"	24"	84"

Worksurface Support Information

Worksur	face Sizes	Cantile	ver-C	Adjustable Ba	r Support-S	Supporting Pedestal	Supporting Pedestal
W	D	EB1C20	(L/R)	EB1SR((S/L)	24" Deep	30" Deep
24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
24"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48"	20"	216 lbs	2C	216 lbs	25	N/A	N/A
48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
48"	30"	216 lbs	2C	216 lbs	25	_	+1 Support
54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
60"	24"	270 lbs	3C	270 lbs	2S/1C	+2 Support	N/A
60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
66"	30"	297 lbs	3C	297 lbs	2S/1C	_	+2 Support
72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
78"	20"	351 lbs	3C	351 lbs	2S/1C	N/A	N/A
78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"	20"	378 lbs	3C	378 lbs	2S/1C	N/A	N/A
84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
84"	30"	_		378 lbs	2S/1C	_	+2 Support
90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
96"	30"	_		432 lbs	2S/2C		+2 Support
108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
108"	30"	_		486 lbs	2S/2C		+3 Support
120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
120"	30"			540 lbs	2S/2C	_	+3 Support

Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.


INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.


- Support must be installed for every four feet of width. As indicated,
 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support.
 As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.


Worksurfaces












20" [)eep			LAMINATE			
W	D	MODEL#	L1	L2	L3		
24"	20"	EW12420	\$310	\$341	\$372		
30"	20"	EW13020	\$335	\$369	\$402		
36"	20"	EW13620	\$365	\$402	\$438		
42"	20"	EW14220	\$390	\$429	\$468		
48"	20"	EW14820	\$420	\$462	\$504		
54"	20"	EW15420	\$445	\$490	\$534		
60"	20"	EW16020	\$475	\$523	\$570		
66"	20"	EW16620	\$500	\$550	\$600		
72"	20"	EW17220	\$510	\$561	\$612		
78"	20"	EW17820	\$530	\$583	\$636		
84"	20"	EW18420	\$560	\$616	\$672		
90"	20"	EW19020	\$585	\$644	\$702		
96"	20"	EW19620	\$615	\$677	\$738		
102"	20"	EW110220	\$640	\$704	\$768		
108"	20"	EW110820	\$670	\$737	\$804		
114"	20"	EW111420	\$695	\$765	\$834		
120"	20"	EW112020	\$725	\$798	\$870		



24" Deep


	- C-P				
24"	24"	EW12424	\$340	\$374	\$408
30"	24"	EW13024	\$360	\$396	\$432
36"	24"	EW13624	\$380	\$418	\$456
42"	24"	EW14224	\$400	\$440	\$480
48"	24"	EW14824	\$420	\$462	\$504
54"	24"	EW15424	\$450	\$495	\$540
60"	24"	EW16024	\$505	\$556	\$606
66"	24"	EW16624	\$555	\$611	\$666
72"	24"	EW17224	\$565	\$622	\$678
78"	24"	EW17824	\$580	\$638	\$696
84"	24"	EW18424	\$590	\$649	\$708
90"	24"	EW19024	\$600	\$660	\$720
96"	24"	EW19624	\$635	\$699	\$762
102"	24"	EW110224	\$670	\$737	\$804
108"	24"	EW110824	\$695	\$765	\$834
114"	24"	EW111424	\$725	\$798	\$870
120"	24"	EW112024	\$750	\$825	\$900

24" DEEP STRAIGHTS **& 15" TOWERS**




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

			Options					
Worksurface Type	W	D		Wiring		Ex	tended Ends	
EW1 Rectangle	48	24	G	Grommets	\$25	Е	One End	\$21
	:	:	G2	Scallop	\$50	EE	Both Ends	\$42
EW1	48	24	G			Е		



30" D	laan				
JU L	reeh		<u>i</u>	LAMINATE	
W	D	MODEL#	L1	L2	L3
24"	30"	EW12430	\$390	\$429	\$468
30"	30"	EW13030	\$420	\$462	\$504
36"	30"	EW13630	\$445	\$490	\$534
42"	30"	EW14230	\$475	\$523	\$570
48"	30"	EW14830	\$490	\$539	\$588
54"	30"	EW15430	\$570	\$627	\$684
60"	30"	EW16030	\$615	\$677	\$738
66"	30"	EW16630	\$655	\$721	\$786
72"	30"	EW17230	\$690	\$759	\$828
78"	30"	EW17830	\$710	\$781	\$852
84"	30"	EW18430	\$750	\$825	\$900
90"	30"	EW19030	\$790	\$869	\$948
96"	30"	EW19630	\$815	\$897	\$978
102"	30"	EW110230	\$900	\$990	\$1,080
108"	30"	EW110830	\$945	\$1,040	\$1,134
114"	30"	EW111430	\$980	\$1,078	\$1,176
120"	30"	EW112030	\$1,020	\$1,122	\$1,224





36" Deep

30	DCCP				
48"	36"	EW14836	\$680	\$748	\$816
54"	36"	EW15436	\$705	\$776	\$846
60"	36"	EW16036	\$735	\$809	\$882
66"	36"	EW16636	\$775	\$853	\$930
72"	36"	EW17236	\$830	\$913	\$996
78"	36"	EW17836	\$875	\$963	\$1,050
84"	36"	EW18436	\$900	\$990	\$1,080
90"	36"	EW19036	\$945	\$1,040	\$1,134
96"	36"	EW19636	\$1,000	\$1,100	\$1,200
102'	" 36"	EW110236	\$1,055	\$1,161	\$1,266
108'	" 36"	EW110836	\$1,115	\$1,227	\$1,338
114'	" 36"	EW111436	\$1,175	\$1,293	\$1,410
120'	" 36"	EW112036	\$1,225	\$1,348	\$1,470

Specify

- 1. Model#
- 2. Surface color
- 3. Edge color





Grommets \$25


Scallop \$50

Support Information

All supports must be ordered separately.

Worksurface Loading & Support See page 61

A center support must be used with a 54" wide or larger worksurface.



Stra	ight	Front			LAMINATE	
A	L	R	MODEL#	L1	L2	L3
36"	20"	20"	EW1C3620	\$565	\$622	\$678
36"	24"	24"	EW1C3624	\$565	\$622	\$678
36"	30"	30"	EW1C3630	\$635	\$699	\$762
42"	20"	20"	EW1C4220	\$715	\$787	\$858
42"	24"	24"	EW1C4224	\$715	\$787	\$858
42"	30"	30"	EW1C4230	\$775	\$853	\$930
48"	20"	20"	EW1C4820	\$855	\$941	\$1,026
48"	24"	24"	EW1C4824	\$855	\$941	\$1,026
48"	30"	30"	EW1C4830	\$870	\$957	\$1,044




Curved Front

36"	24"	24"	EW1CC3624	\$620	\$682	\$744
42"	24"	24"	EW1CC4224	\$790	\$869	\$948
48"	24"	24"	EW1CC4824	\$940	\$1,034	\$1,128
60"	24"	24"	EW1CC6024	\$1,050	\$1,155	\$1,260




Corner with Cutout

48"	24"	24"	EW1C4824K	\$850	\$935	\$1.020



Different Returns

36"	24"	30"	EW1C362430	\$760	\$836	\$912
36"	30"	24"	EW1C363024	\$760	\$836	\$912
42"	24"	30"	EW1C422430	\$855	\$941	\$1,026
42"	30"	24"	EW1C423024	\$855	\$941	\$1,026
48"	24"	30"	EW1C482430	\$945	\$1,040	\$1,134
48"	30"	24"	EW1C483024	\$945	\$1,040	\$1,134



Split Corner

36"	24"	24"	EW1SC3624	\$1,885	\$2,074	\$2,262
42"	24"	24"	EW1SC4224	\$1,935	\$2,129	\$2,322
42"	30"	30"	EW1SC4230	\$1,965	\$2,162	\$2,358
48"	24"	24"	EW1SC4824	\$2,045	\$2,250	\$2,454
48"	30"	30"	EW1SC4830	\$2.180	\$2,398	\$2,616

Specify

- 1. Model#
- 2. Options
- 3. Surface color
- 4. Edge color
- 5. Grain direction

Wood Grain L-Left R-Right D-Diagonal

Insert the desired direction after the laminate finish code.

Add \$25 to list price for diagonal grain (D).

Wiring & Cabling





Grommets \$25

Scallop \$

Application Notes


A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

Support Information


All supports must be ordered separately.

Worksurface Loading & Support See page 61

A center support must be used with a 54" wide or larger worksurface.



Righ	t Ha	nd			LAMINATE			
L	R	Α	В	MODEL#	L1	L2	L3	
24"	24"	36"	60"	EW1BS3660S(X/L/R/B)	\$845	\$930	\$1,014	
24"	24"	48"	60"	EW1BS4860S(X/L/R/B)	\$865	\$952	\$1,038	
24"	24"	48"	66"	EW1BS4866S(X/L/R/B)	\$890	\$979	\$1,068	
24"	24"	36"	72"	EW1BS3672S(X/L/R/B)	\$890	\$979	\$1,068	
24"	24"	48"	72"	EW1BS4872S(X/L/R/B)	\$930	\$1,023	\$1,116	
24"	30"	48"	60"	EW1BS4860D(X/L/R/B)	\$890	\$979	\$1,068	
24"	30"	48"	66"	EW1BS4866D(X/L/R/B)	\$910	\$1,001	\$1,092	
24"	30"	48"	72"	EW1BS4872D(X/L/R/B)	\$965	\$1,062	\$1,158	
30"	24"	48"	60"	EW1BD4860S(X/L/R/B)	\$890	\$979	\$1,068	
30"	24"	48"	66"	EW1BD4866S(X/L/R/B)	\$895	\$985	\$1,074	
30"	24"	48"	72"	EW1BD4872S(X/L/R/B)	\$940	\$1,034	\$1,128	




Left Hand

24"	24"	60"	36"	EW1BS6036S(X/L/R/B)	\$845	\$930	\$1,014
24"	24"	60"	48"	EW1BS6048S(X/L/R/B)	\$870	\$957	\$1,044
24"	24"	66"	48"	EW1BS6648S(X/L/R/B)	\$890	\$979	\$1,068
24"	24"	72"	36"	EW1BS7236S(X/L/R/B)	\$895	\$985	\$1,074
24"	24"	72"	48"	EW1BS7248S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	30"	60"	48"	EW1BS6048D(X/L/R/B)	\$870	\$957	\$1,044
24"	30"	66"	48"	EW1BS6648D(X/L/R/B)	\$890	\$979	\$1,068
24"	30"	72"	48"	EW1BS7248D(X/L/R/B)	\$940	\$1,034	\$1,128
30"	24"	60"	48"	EW1BD6048S(X/L/R/B)	\$870	\$957	\$1,044
30"	24"	66"	48"	EW1BD6648S(X/L/R/B)	\$910	\$1,001	\$1,092
30"	24"	72"	48"	EW1BD7248S(X/L/R/B)	\$965	\$1,062	\$1,158

					Options
	L	A B	R	Posts Covered	Wiring
EW1BS Blended Worksurface	S 24"	36 72	S 24"	X No Posts Covered	G Grommets \$25
	D 30"		D 30"	L Left Side Post Covered R Right Side Post Covered B Both Side Posts Covered	G2 Scallop \$50
EW1BS	S	36 72	- ; ; ; ;	х	G

Specify

- 1. Model#
- 2. Options3. Surface color
- 4. Edge color



Wiring & Cabling G Grommets \$25 Scallop \$50

Application Notes

Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.

Support Information

All supports must be ordered separately.

Worksurface Loading & Support See page 61


A center support must be used with a 54" wide or larger worksurface.

Worksurfaces

Corner Peninsulas



Righ	t Ha	nd			LAMINATE	
A	В	C	MODEL#	L1	L2	L3
60"	48"	24"	EW1BP6048SR	\$975	\$1,073	\$1,170
72"	48"	24"	EW1BP7248SR	\$995	\$1,095	\$1,194
72"	48"	30"	EW1BP7248DR	\$1,020	\$1,122	\$1,224
78"	48"	24"	EW1BP7848SR	\$1,040	\$1,144	\$1,248
78"	48"	30"	EW1BP7848DR	\$1,040	\$1,144	\$1,248
84"	48"	24"	EW1BP8448SR	\$1,225	\$1,348	\$1,470
84"	48"	30"	EW1BP8448DR	\$1,250	\$1,375	\$1,500




Left Hand

LCIC	Ecre Hullu										
60"	48"	24"	EW1BP6048SL	\$975	\$1,073	\$1,170					
72"	48"	24"	EW1BP7248SL	\$995	\$1,095	\$1,194					
72"	48"	30"	EW1BP7248DL	\$1,020	\$1,122	\$1,224					
78"	48"	24"	EW1BP7848SL	\$1,040	\$1,144	\$1,248					
78"	48"	30"	EW1BP7848DL	\$1,040	\$1,144	\$1,248					
84"	48"	24"	EW1BP8448SL	\$1,225	\$1,348	\$1,470					
84"	48"	30"	EW1BP8448DL	\$1,250	\$1,375	\$1,500					

	Α	В	С	Posts Covered
EW1BP Blended Peninsula	36	72	S 24" Deep D 30" Deep	X No Posts Covered L Left Side Post Covered R Right Side Post Covered B Both Side Posts Covered
EW1BP	36	72	S	X

Specify

- 1. Model #
- 2. Options
- 3. Surface color
- 4. Edge color



Grommets


Blended peninsulas do not come with grommets. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.

Support Information


All supports must be ordered separately.

Worksurface Loading & Support See page 61

Center support must be used for all surfaces which exceed 48" in length.



D Pe	ninsula			LAMINATE	
W	D	MODEL#	L1	L2	L3
60"	30"	EW1D6030	\$550	\$605	\$660
72"	30"	EW1D7230	\$955	\$1,051	\$1,146
72"	36"	EW1D7236	\$1,115	\$1,227	\$1,338
84"	30"	EW1D8430	\$1,250	\$1,375	\$1,500
84"	36"	EW1D8436	\$1,390	\$1,529	\$1,668



9 & P Peninsula

72"	30"	EW1(9/P)7230	\$955	\$1,051	\$1,146
72"	36"	EW1(9/P)7236	\$1,115	\$1,227	\$1,338
84"	30"	EW1(9/P)8430	\$1,250	\$1,375	\$1,500
84"	36"	EW1(9/P)8436	\$1,390	\$1,529	\$1,668

		W	D
EW1D	D Peninsula	72	30
EW19	9 Peninsula	:	
EW1P	P Peninsula		:
	:		
EW1BP	'	72	30

Specify

- 1. Model#
- 2. Options
- 3. Surface color4. Edge color



Wood Grain

Application Notes

Designed for use as primary worksurfaces and for conferencing in small groups.

NOTE: P and D worksurfaces cannot be panel wrapped.

Support Information

Column bases and adjustable bar supports must be ordered separately. See page 72 – 73.

Worksurface Loading & Support See page 61 84" wide D, P and 9 worksurfaces include a V support bar mounted on the underside for additional stability.



На	alf F	Rou	nd without Notch		LAMINATE		
V	N	D	MODEL#	L1	L2	L3	
48	8"	30"	EW1HR4830	\$745	\$820	\$894	
60	0"	36"	EW1HR6036	\$934	\$1,027	\$1,121	



Half Round Round with Notch

W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830N	\$745	\$820	\$894
60"	36"	EW1HR6036N	\$934	\$1,027	\$1,121



Corner Round

D	MODEL#	L1	L2	L3
24"	EW1CR24	\$335	\$369	\$402
30"	EW1CR30	\$365	\$402	\$438

			Options
	W	D	Notch
EW1HR Half Round	36	72	N Round Notch
EW1HR	36	72	N

Specify

- 1. Model#
- 2. Surface color

3. Edge color



Half Round Without Notches

Half rounds without notches attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.

Half Round With Notches

Included


Splice plates

Not Included nor Required


Bar support

Support Information

All supports must be ordered separately.




Blen	ded	Doub	le Corner	LAMINATE		
Α	В	C	MODEL#	L1	L2	L3
96"	48"	24"	EW1BC9648	\$1,250	\$1,375	\$1,500



135° Curved Cluster

A	В	MODEL#	L1	L2	L3
36"	24"	EW11353624	\$917	\$1,009	\$1,100
42"	24"	EW11354224	\$1,145	\$1,260	\$1,374
48"	24"	EW11354824	\$1,317	\$1,449	\$1,580




135° Cluster Core

A	MODEL#	L1	L2	L3
36"	EW1135C36	\$586	\$645	\$703
42"	EW1135C42	\$647	\$712	\$776
48"	EW1135C48	\$711	\$782	\$853

Specify

- 1. Model#
- 2. Surface color3. Edge color



Grommets \$25

Scallop

Wood Grain

Double Corner

Double corner worksurface is designed to take the place of two adjacent corners by combining them into one top.

48" deep sides are designed to cover a post and cannot be panel wrapped.

135° Curved Cluster


Used in 135° planning configurations.

Support Information

All supports must be ordered separately.

Worksurfaces

Supports



Cantilever

DESCRIPTION	D	MODEL#	BLACK	P1	P2	Р3
Left hand	20"	EB1C20L	\$90	\$150	\$165	\$180
Left hand (10 pack)	20"	EB1C20L10	\$700	\$1,000	\$1,100	\$1,200
Right hand	20"	EB1C20R	\$90	\$150	\$165	\$180
Right hand (10 pack)	20"	EB1C20R10	\$700	\$1,000	\$1,100	\$1,200



Adjustable Bar Support

DESCRIPTION	MODEL#	BLACK	P1	P2	P3
24", 30" and 36"	EB1SRS	\$200	\$250	\$275	\$300
24", 30" and 36" (10 pack)	EB1SRS10	\$1,900	\$2,400	\$2,640	\$2,880
42", 48" and 60"	EB1SRL	\$225	\$275	\$303	\$330
42", 48" and 60" (10 pack)	EB1SRL10	\$2,000	\$2,600	\$2,860	\$3,120



Bracket/Splice Plate

DESCRIPTION	MODEL#	BLACK	P1	P2	P3
20" flat bracket (20" & 24" tops)	EB1F24	\$45	\$80	\$88	\$96
26" flat bracket (30" & 36" tops)	EB1F3	\$52	\$90	\$99	\$108
Alignment plate	EB1APW	\$14	\$40	\$44	\$48
Panel to worksurface bracket	EB1PWS(L/R)	\$15	\$50	\$55	\$60
Panel to worksurface bracket (Pair – L/R)	EB1PWSP	\$29	\$90	\$99	\$108



V Channel Support

DESCRIPTION	MODEL#	BLACK	P1	P2	P3
54"	VS54	\$125	\$160	\$176	\$192
100"	VS100	\$240	\$290	\$319	\$348



Worksurface Support Rail

	DESCRIPTION	MODEL#	BLACK	P1	P2	P3
7	16"	WCD46	\$80	\$100	¢110	¢120



Personal Drawer

DESCRIPTION	MODEL#	BLACK ONLY
Personal Drawer	SPD18	\$350

Cantilevers

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

Available in black only.

Adjustable Bar Support

Adjustable bar supports position in the slotted standards at 1" increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger adjustable bar support fits 42" through 60" wide panels. All have keyhole slots to mount worksurfaces and are non-handed.

Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.




Column Bases		PAINT			
DESCRIPTION	Н	MODEL#	P1	P2	Р3
Fixed height support column	27 ¾"	EB1FCOL	\$320	\$348	\$362



Tapered Legs


DESCRIPTION	Н	MODEL#	P1	P2	Р3
Single leg	27 ¾"	TBTL	\$350	\$385	\$420
Single leg w/caster	27 ¾"	TBTLC	\$375	\$410	\$445
Set of 2	27 ¾"	TBTL2	\$600	\$660	\$720
Set of 2 w/casters	27 ¾"	TBTL2C	\$650	\$710	\$770
Set of 4	27 ¾"	TBTL4	\$1,150	\$1,265	\$1,380
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,250	\$1,365	\$1,480



)esk Er	nd Panels			LAMINATE	
Н	W	PART NUMBER	L1	L2	L3
29"	20"	EB1DEP20	\$613	\$674	\$736
29"	24"	EB1DEP24	\$625	\$688	\$750
29"	30"	EB1DEP30	\$661	\$727	\$793

Specify

- 1. Model # 2. Trim color



Panel Supported Height Adjustable LAMINATE								
W	D	MODEL#	L1	L2	L3			
42"	24"	EAW14224	\$2,047	\$2,252	\$2,456			
48"	24"	EAW14824	\$2,197	\$2,417	\$2,636			
60"	24"	EAW16024	\$2,297	\$2,527	\$2,756			
72"	24"	EAW17224	\$2,527	\$2,780	\$3,032			
42"	30"	EAW14230	\$2,147	\$2,362	\$2,576			
48"	30"	EAW14830	\$2,297	\$2,527	\$2,756			
60"	30"	EAW16030	\$2,597	\$2,857	\$3,116			
72"	30"	EAW17230	\$2,727	\$3,000	\$3,272			

Panel Supported Height Adjustable – Mech Only

			•
W	D	MODEL#	LIST
42"	24"	EAW4224M	\$1,797
42"	30"	EAW4230M	\$1,797
48"	24"	EAW4824M	\$1,847
48"	30"	EAW4830M	\$1,847
60"	24"	EAW6024M	\$1,897
60"	30"	EAW6030M	\$1,897
72"	24"	EAW7224M	\$1,947
72"	30"	EAW7230M	\$1,947

				Options	
Worksurface Type	W	D	(Grommet	
EAW1 Height Adjustable	42	24	G	Standard	\$25
			G2	Scallop	\$50
EAW1	42	24	G		


Specify


- 1. Model#
- 2. Surface color
- 3. Edge color
- 4. Support color Black or Silver

Application Notes

Provides 18" of vertical movement.

Wood Grain





Specification Guidelines

- Order an adjustable height work surface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.
- 2. There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.
- When used as a solitary work surface perpendicular panels of 18" minimum width must be specified on both sides for stability.
- 4. When used in conjunction with a stationary work surface there should be a perpendicular panel at the free end of the adjustable work surface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly





Townhouse

Sq. Feet = 34.1'

3 panels

6' x 6' Sq. Feet = 36'6 panels

The 120° planning model provides comparable or greater square footage per workstation than typical cubicle layouts (comparisons are illustrated on this page). At the same time, Equity 120° allows for a more natural space, creating a more comfortable place to work. Maintaining a consistent 48 module promotes improved asset management and a reduction of reconfiguration costs.






Apartment

Sq. Feet = 32.1'

2 panels





8 Open House Stations Sq. Feet = 284'


19 panels



Big House

Sq. Feet = 69.8'


7 panels



8' x 8'

Sq. Feet = 64'

7 panels





Sq. Feet = 288'

28 panels



Full House

Sq. Feet = 42.1'

5 panels



6' x 7'

Sq. Feet = 42'

7 panels



Open House

Sq. Feet = 35.5

4 panels



6' x 6'

Sq. Feet = 36'

6 panels

Worksurfaces

120

These worksurfaces are designed specifically for Equity 120° Applications. The (L/R) suffix at the end of a pattern number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.

Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.




Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.








Worksurface: W5 (L/R)

With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.






Worksurface: W6 (L/R)

In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."








Worksurface: W7 (L/R)


Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.






Worksurface: W11 / W1118 (L/R)


This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.






Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."





Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."









Transition Tops

Transition tops require columns (not included) for support. Flat brackets (not included) are required to attach transition tops to adjacent worksurfaces.



Transition top: T2



Transition top: T3



Transition top: T4



Transition top: T5

Peninsula Tops

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both.



Peninsula top: P1



Peninsula top: P2 right hand




Peninsula top: P2 left hand



V3					LAMINATE	
W	L	R	MODEL #	L	1 L2	L3
48"	24"	24"	EW1W34824	\$1,02	\$1,122	\$1,224

Woodgrain Direction






W4

48"	24"	24"	EW1W44824	\$1,030	\$1,133	\$1,236

Woodgrain Direction






W5

48"	24"	24"	EW1W54824L	\$975	\$1,073	\$1,170
48"	24"	24"	EW1W54824R	\$975	\$1,073	\$1,170

Woodgrain Direction





W6

48"	24"	24"	EW1W64824L	\$1,090	\$1,199	\$1,308
48"	24"	24"	EW1W64824R	\$1,090	\$1,199	\$1,308

Woodgrain Direction



Specify

- 1. Model#
- 2. Surface color
- 3. Edge color

Support Information

All supports must be ordered separately.


Application Notes

Refer to the worksurface planning page for worksurface drawings and applications.

W3

W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end of the pattern number and adding \$21.


W3 top may be extended on both ends by adding an "EB" to the end of the pattern number and adding \$42.



W7					LAMINATE	
W	L	R	MODEL#	L1	L2	L3
48"	24"	24"	EW1W74824L	\$1,085	\$1,194	\$1,302
48"	24"	24"	EW1W74824R	\$1,085	\$1,194	\$1,302

Woodgrain Direction






W11

48"	24"	18"	EW1W11482418	\$1,280	\$1,408	\$1,536
48"	18"	24"	EW1W11481824	\$1,280	\$1,408	\$1,536

Woodgrain Direction






W12

48"	24"	18"	EW1W12482418	\$1,360	\$1,496	\$1,632
48"	18"	24"	EW1W12481824	\$1,360	\$1,496	\$1,632
48"	24"	24"	EW1W124824L	\$1,360	\$1,496	\$1,632
48"	24"	24"	EW1W124824R	\$1,360	\$1,496	\$1,632

Woodgrain Direction





W13

48"	24"	18"	EW1W13482418	\$1,310	\$1,441	\$1,572
48"	18"	24"	EW1W13481824	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824L	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824R	\$1,310	\$1,441	\$1,572

Woodgrain Direction



	•	

- 1. Model #
- Surface color
 Edge color

Support Information

All supports must be ordered separately.

Application Notes

Refer to the worksurface planning page for worksurface drawings and applications.

Straight ends are available extended by adding an "E" to the end of the pattern number and adding \$21.

Worksurfaces

Transition Tops



T2				LAMINATE	
W	RETURN	MODEL#	L1	L2	L3
50"	24"	EW1T224	\$655	\$721	\$786
37 ½"	18"	EW1T218	\$615	\$677	\$738



T326" 24" **EW1T324** \$625 \$688 \$750



T426" 24" **EW1T424** \$645 \$710 \$774



<u>T5</u>									
37 ½"	18"	EW1T518	\$675	\$743	\$810				
50"	24"	EW1T524	\$660	\$726	\$792				




Peninsula Tops

35"	52"	EW1P15235	\$725	\$798	\$870
36"	38"	EW1P23836(L/R)	\$700	\$770	\$840

Specify

- 1. Model#
- 2. Surface color
- 3. Edge color



T2 Transition Top

T2 transition top comes cut to fit against a postless end. If placing against an end with a post, add an "N" to the end of the pattern number so it is notched for the post.

Support Information

Transition and peninsula tops require a column base for support.

All supports must be ordered separately.

Worksurface Loading & Support See page 61

CASCADE EDGE

Cascade

Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

AVAILABLE LAMINATES

Solid

114 Folkstone Grey

117 Soft Grey

118 Bright White

119 Pumice


Woodgrain


124 Medium Cherry

125 Natural Maple


126 Natural Cherry

127 Walnut





ECE1R9624N



30" Deep

24"

90"

96"

24"	30"	ECE1R2430N	\$282	\$326
30"	30"	ECE1R3030N	\$317	\$364
36"	30"	ECE1R3630N	\$353	\$406
42"	30"	ECE1R4230N	\$383	\$439
48"	30"	ECE1R4830N	\$424	\$488
54"	30"	ECE1R5430N	\$480	\$552
60"	30"	ECE1R6030N	\$528	\$606
66"	30"	ECE1R6630N	\$589	\$677
72"	30"	ECE1R7230N	\$614	\$704
78"	30"	ECE1R7830N	\$654	\$752
84"	30"	ECE1R8430N	\$696	\$800
90"	30"	ECE1R9030N	\$748	\$860
96"	24"	ECE1R9630N	\$800	\$919

Sample ECE1R1212G2


Specify

- 1. Model#
- 2. Options
- 3. Surface/edge color

Extended Ends

E....Covers 1 post





Edge Profile



Wiring & Cabling



\$50

Available Laminates

Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

Woodgrain

- 124 Medium Cherry
- 125 Natural Maple 126 Natural Cherry
- 127 Walnut

Support Information

\$137

\$614

\$670

\$770

\$159


All supports must be ordered separately.

Worksurface Loading & Support See page 61.

A center support must be used with a 54" wide or larger worksurface.




Corne	er – Cu	irved Front		LAMINATE		
Α	В	C	MODEL#	SOLID	WOODGRAIN	
36"	24"	24"	ECE1L3636SSN	\$554	\$639	
42"	24"	24"	ECE1L4242SSN	\$670	\$770	
42"	24"	30"	ECE1L4242SDN	\$796	\$913	
42"	30"	24"	ECE1L4242DSN	\$796	\$913	
48"	24"	24"	ECE1L4848SSN	\$752	\$865	
48"	24"	30"	ECE1L4848SDN	\$901	\$1,036	
48"	30"	24"	ECE1L4848DSN	\$901	\$1,036	
48"	30"	30"	ECE1L4848DDN	\$808	\$930	



Right-Hand

A	В	C	D	MODEL#	SOLID	WOODGRAIN
24"	42"	60"	24"	ECE1L4260SS()N	\$919	\$1,058
24"	42"	66"	24"	ECE1L4266SS()N	\$943	\$1,086
24"	42"	72"	24"	ECE1L4272SS()N	\$979	\$1,127
24"	42"	78"	24"	ECE1L4278SS()N	\$991	\$1,138
24"	48"	60"	24"	ECE1L4860SS()N	\$932	\$1,070
30"	48"	60"	24"	ECE1L4860DS()N	\$913	\$1,052
24"	48"	66"	24"	ECE1L4866SS()N	\$965	\$1,109
24"	48"	66"	30"	ECE1L4866SD()N	\$961	\$1,106
30"	48"	66"	24"	ECE1L4866DS()N	\$961	\$1,106
24"	48"	72"	24"	ECE1L4872SS()N	\$1,000	\$1,150
24"	48"	72"	30"	ECE1L4872SD()N	\$1,006	\$1,158
30"	48"	72"	24"	ECE1L4872DS()N	\$1,006	\$1,158
24"	48"	78"	24"	ECE1L4878SS()N	\$1,102	\$1,268
24"	48"	84"	24"	ECE1L4884SS()N	\$1,239	\$1,426
24"	48"	84"	30"	ECE1L4860SD()N	\$913	\$1,052




oft-Hand

rett-	Lett-Hand										
24"	60"	42"	24"	ECE1L6042SS()N	\$919	\$1,058					
24"	60"	48"	24"	ECE1L6048SS()N	\$932	\$1,070					
24"	60"	48"	30"	ECE1L6048SD()N	\$913	\$1,052					
30"	60"	48"	24"	ECE1L6048DS()N	\$913	\$1,052					
24"	66"	42"	24"	ECE1L6642SS()N	\$943	\$1,086					
24"	66"	48"	24"	ECE1L6648SS()N	\$965	\$1,109					
24"	66"	48"	30"	ECE1L6648SD()N	\$961	\$1,106					
30"	66"	48"	24"	ECE1L6648DS()N	\$961	\$1,106					
24"	72"	42"	24"	ECE1L7242SS()N	\$979	\$1,127					
24"	72"	48"	24"	ECE1L7248SS()N	\$1,000	\$1,150					
24"	72"	48"	30"	ECE1L7248SD()N	\$1,006	\$1,158					
30"	72"	48"	24"	ECE1L7248DS()N	\$1,006	\$1,158					
24"	78"	42"	24"	ECE1L7842SS()N	\$991	\$1,138					
24"	78"	48"	24"	ECE1L7848SS()N	\$1,102	\$1,268					
24"	84"	48"	24"	ECE1L8448SS()N	\$1,239	\$1,426					



Righ	t Ha	nded		LAMINATE		
A	C	D	MODEL#	SOLID	WOODGRAIN	
24"	66"	48"	ECE1BD6648SR	\$898	\$1,032	
30"	66"	48"	ECE1BD6648DR	\$943	\$1,086	
24"	72"	48"	ECE1BD7248SR	\$917	\$1,057	
30"	72"	48"	ECE1BD7248DR	\$978	\$1,125	
24"	78"	48"	ECE1BD7848SR	\$1,060	\$1,219	
30"	78"	48"	ECE1BD7848DR	\$1,096	\$1,259	
24"	84"	48"	ECE1BD8448SR	\$1,089	\$1,252	
30"	84"	48"	ECE1BD8448DR	\$1,158	\$1,330	




Left Handed

Α	C	D	MODEL#	SOLID	WOODGRAIN
24"	48"	66"	ECE1BD6648SL	\$898	\$1,032
30"	48"	66"	ECE1BD6648DL	\$943	\$1,086
24"	48"	72"	ECE1BD7248SL	\$917	\$1,057
30"	48"	72"	ECE1BD7248DL	\$978	\$1,125
24"	48"	78"	ECE1BD7848SL	\$1,060	\$1,219
30"	48"	78"	ECE1BD7848DL	\$1,096	\$1,259
24"	48"	84"	ECE1BD8448SL	\$1,089	\$1,252
30"	48"	84"	ECE1BD8448DL	\$1,158	\$1,330



- 1. Model#
- 2. Options
- 3. Surface/edge color





Wiring & Cabling



Available Laminates

Solid


- 114 Folkstone Grey
- 117 Soft Grey 118 Bright White
- 119 Pumice

Woodgrain


- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

Support Information

All supports must be ordered separately.




Vave End – Left Hand					LAMINA	LAMINATE		
W	L	R	Α	В	MODEL#	SOLID	WOODGRAIN	
36"	30"	24"	15"	1 ½"	ECE1W363024N	\$596	\$685	
42"	30"	24"	15"	7 ½"	ECE1W423024N	\$626	\$721	
48"	30"	24"	15"	15"	ECE1W483024N	\$671	\$772	
72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$854	\$980	



Wave End – Right Hand

W	L	R	Α	В	MODEL#	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$596	\$685
42"	24"	30"	9"	15"	ECE1W422430N	\$626	\$721
48"	24"	30"	15"	15"	ECE1W482430N	\$671	\$772
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$854	\$980



120° Worksurface

W	W	L	R	MODEL#	SOLID	WOODGRAIN
48"	48"	24"	24"	ECE1W34824G	\$979	\$1,127

Specify	Wood Grain	Wiring & Cabling	Available Laminates	Support Information
 Model # Options Surface/edge color 		G2 Scallop \$50	Solid 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice	All supports must be ordered separately.
	Edge Profile	эсанор ээч	Woodgrain 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut	

Cascade Worksurfaces



Half	Round		LAMII	
W	D	MODEL #	SOLID	WOODGRAIN
18"	48"	ECE1H4818P	\$479	\$551
48"	18"	ECE1H4818PC	\$479	\$551
48"	18"	ECE1H4818PE	\$479	\$551
60"	24"	ECE1H6024P	\$659	\$760
60"	24"	ECE1H6024PC	\$659	\$760
60"	24"	ECE1H6024PE	\$659	\$760



Corner Round

W		MODEL# SOLID	WOODGRAIN
24	" 24"	ECE1CR24L/R \$255	\$293



Corner Round w/Notch


W	D	MODEL #	SOLID	WOODGRAIN
24"	24"	ECE1CR24N	\$255	\$293

Specify

- 1. Model#
- 2. Options
- 3. Surface/edge color

Half Round

- Notched for post
- **PE** Notched for postless end
- **PC** Notched for post with cover





Wiring & Cabling



Scallop \$50

Available Laminates

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

Support Information

All supports must be ordered separately.



Cable Sleeve w/Cover

Н	D	MODEL#	BLACK ONLY
1 3/8"	3 1/4"	EW1CS	\$28



Edge Grommet

1	Н	W	D	MODEL #	BLACK ONLY
	13/8"	2 1/4"	13/8"	EW1WSG	\$28



Worksurface Cable Basket

Н	w	D	MODEL#	BLACK	P1	P2	Р3
2"	20"	4"	EW1CB20	\$55	\$100	\$110	\$120
2"	32"	4"	EW1CB32	\$76	\$125	\$138	\$150
2"	42"	4"	FW1CR42	\$82	\$150	\$165	\$180

Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

Available in black only.

Edge Grommet

Designed to accommodate various styles and quantities of cords/plugs between rear of worksurfaces and panels for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.


Worksurface Cable Basket

Attaches to the underside of worksurface for excess cable management. Slides forward from its position adjacent to the panel face to allow passage of plugs. Constructed of steel wire.

Available in black only.




Straight				l	LAMINATE		PAINT	
W (nominal)	W (ACTUAL)	D	MODEL#	L1	L2	L3	P2	P3
12"	10 ½"	15 1/4"	EW(3/N)1215	\$320	\$352	\$384	+ \$25	+ \$50
24"	22 ½"	15 1/4"	EW(3/N)2415	\$340	\$374	\$408	+ \$25	+ \$50
30"	28 ½"	15 1/4"	EW(3/N)3015	\$345	\$380	\$414	+ \$25	+ \$50
36"	34 ½"	15 1/4"	EW(3/N)3615	\$350	\$385	\$420	+ \$25	+ \$50
42"	40 ½"	15 1/4"	EW(3/N)4215	\$365	\$402	\$438	+ \$25	+ \$50
48"	46 ½"	15 1/4"	EW(3/N)4815	\$390	\$429	\$468	+ \$25	+ \$50
60"	58 ½"	15 1/4"	EW(3/N)6015	\$425	\$468	\$510	+ \$25	+ \$50
72"	70 ½"	15 1/4"	EW(3/N)7215	\$480	\$528	\$576	+ \$25	+ \$50
84"	82 ½"	15 1/4"	EW(3/N)8415	\$530	\$583	\$636	+ \$25	+ \$50
96"	94 ½"	15 1/4"	EW(3/N)9615	\$570	\$627	\$684	+ \$25	+ \$50
108"	106 ½"	15 1/4"	EW(3/N)10815	\$620	\$682	\$744	+ \$25	+ \$50
120"	118 ½"	15 ¼"	EW(3/N)12015	\$675	\$743	\$810	+ \$25	+ \$50



Straight – Extended One End

Jei aigiic	-Acc.	iucu oiic i	iii w					
12"	12"	15 ¼"	EW(3/N)1215E	\$330	\$363	\$396	+ \$25	+ \$50
24"	24"	15 1/4"	EW(3/N)2415E	\$350	\$385	\$420	+ \$25	+ \$50
30"	30"	15 ¼"	EW(3/N)3015E	\$355	\$391	\$426	+ \$25	+ \$50
36"	36"	15 ¼"	EW(3/N)3615E	\$360	\$396	\$432	+ \$25	+ \$50
42"	42"	15 1/4"	EW(3/N)4215E	\$375	\$413	\$450	+ \$25	+ \$50
48"	48"	15 ¼"	EW(3/N)4815E	\$400	\$440	\$480	+ \$25	+ \$50
60"	60"	15 1/4"	EW(3/N)6015E	\$435	\$479	\$522	+ \$25	+ \$50
72"	72"	15 1/4"	EW(3/N)7215E	\$490	\$539	\$588	+ \$25	+ \$50
84"	84"	15 1/4"	EW(3/N)8415E	\$540	\$594	\$648	+ \$25	+ \$50
96"	96"	15 ¼"	EW(3/N)9615E	\$580	\$638	\$696	+ \$25	+ \$50
108"	108"	15 1/4"	EW(3/N)10815E	\$630	\$693	\$756	+ \$25	+ \$50



Straight – Extended Both End

_									
	12"	13 ½"	15 1/4"	EW(3/N)1215EE	\$340	\$374	\$408	+ \$25	+ \$50
	24"	25 ½"	15 1/4"	EW(3/N)2415EE	\$360	\$396	\$432	+ \$25	+ \$50
	30"	31 ½"	15 1/4"	EW(3/N)3015EE	\$365	\$402	\$438	+ \$25	+ \$50
	36"	37 ½"	15 1/4"	EW(3/N)3615EE	\$370	\$407	\$444	+ \$25	+ \$50
	42"	43 ½"	15 1/4"	EW(3/N)4215EE	\$385	\$424	\$462	+ \$25	+ \$50
	48"	49 1/2"	15 1/4"	EW(3/N)4815EE	\$410	\$451	\$492	+ \$25	+ \$50
	60"	61 ½"	15 1/4"	EW(3/N)6015EE	\$445	\$490	\$534	+ \$25	+ \$50
	72"	73 ½"	15 1/4"	EW(3/N)7215EE	\$500	\$550	\$600	+ \$25	+ \$50
	84"	85 ½"	15 1/4"	EW(3/N)8415EE	\$550	\$605	\$660	+ \$25	+ \$50
	96"	97 ½"	15 1/4"	EW(3/N)9615EE	\$590	\$649	\$708	+ \$25	+ \$50
	108"	109 ½"	15 1/4"	EW(3/N)10815EE	\$640	\$704	\$768	+ \$25	+ \$50

Specify

- 1. Model#
- 2. Options
- 3. Surface color
- 4. Edge color
- 5. Cantilever color

Extended Ends

E....Covers 1 post

EE . . Covers 1 posts

Application Notes

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a duel/triple height connectors.

Support Information

Steel cantilevers are supplied.


Top Cap Compatibility

3 – Beveled


N – Flat









Corn	er			LAMINATE		PAI	NT
W	D	MODEL#	ព	L2	L3		
24	" 15 ¼"	EW(3/N)CC2415	\$420	\$462	\$504	+ \$25	+ \$50
30	" 15 ¼"	EW(3/N)CC3015	\$435	\$479	\$522	+ \$25	+ \$50
36	" 15 ¼"	EW(3/N)CC3615	\$450	\$495	\$540	+ \$25	+ \$50



Corne	Corner – Extended Left								
24"	15 1/4"	EW(3/N)CC2415LHE	\$430	\$473	\$516	+ \$25	+ \$50		
30"	15 1/4"	EW(3/N)CC3015LHE	\$445	\$490	\$534	+ \$25	+ \$50		
36"	15 1/4"	EW(3/N)CC3615LHE	\$460	\$506	\$552	+ \$25	+ \$50		



Corner – Extended Right										
24"	15 1/4"	EW(3/N)CC2415RHE	\$430	\$473	\$516	+ \$25	+ \$50			
30"	15 1/4"	EW(3/N)CC3015RHE	\$445	\$490	\$534	+ \$25	+ \$50			
36"	15 1/4"	EW(3/N)CC3615RHE	\$460	\$506	\$552	+ \$25	+ \$50			



Corner – Extended Both

_								
	24"	15 ¼"	EW(3/N)CC2415EE	\$440	\$484	\$528	+ \$25	+ \$50
	30"	15 1/4"	EW(3/N)CC3015EE	\$455	\$501	\$546	+ \$25	+ \$50
	36"	15 ¼"	EW(3/N)CC3615EE	\$470	\$517	\$564	+ \$25	+ \$50

٥	p	e	C	Ţ	y

- 1. Model#
- 2. Options
- 3. Surface color
- 4. Edge color
- 5. Cantilever color

Extended Ends

E....Covers 1 post

EE . . Covers 2 posts

Application Notes

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a duel/triple height connectors.

Support Information

Steel cantilevers are supplied.

Top Cap Compatibility

3 - Beveled


N – Flat






Panel Supported

Shelves



Shelf					PAINT	
W	D	Н	MODEL#	P1	P2	Р3
24"	12 3/8"	10 1/4"	ES2OS24	\$232	\$247	\$257
30"	12 3/8"	10 1/4"	ES2OS30	\$254	\$269	\$279
36"	12 3/8"	10 1/4"	ES2OS36	\$254	\$269	\$279
42"	12 ¾"	10 1/4"	ES2OS42	\$266	\$281	\$291
48"	12 3/8"	10 1/4"	ES2OS48	\$278	\$293	\$303
60"	12 ¾"	10 1/4"	ES2OS60	\$298	\$313	\$323
72"	12 3/8"	10 1/4"	ES2OS72	\$322	\$337	\$347



Shelf – Half Height

24"	12 %"	7 1/4"	ES3OS24	\$280	\$295	\$305
30"	12 3/8"	7 1/4"	ES3OS30	\$310	\$325	\$335
36"	12 3/8"	7 1/4"	ES3OS36	\$310	\$325	\$335
42"	12 3/8"	7 1/4"	ES3OS42	\$322	\$337	\$347
48"	12 3/8"	7 1⁄4"	ES3OS48	\$339	\$354	\$364
60"	12 3/8"	7 1/4"	ES3OS60	\$364	\$379	\$389
72"	12 3/8"	7 1/4"	ES3OS72	\$392	\$407	\$417



Shelf – Back

24"	EC2SB24	\$191	\$201	\$207
30"	EC2SB30	\$210	\$220	\$230
36"	EC2SB36	\$210	\$220	\$230
42"	EC2SB42	\$220	\$230	\$237
48"	EC2SB48	\$230	\$237	\$244
60"	EC2SB60	\$259	\$269	\$277
72"	EC2SB72	\$295	\$304	\$313



Shelf - Divider

Juen -	DIVIUEI					
2"	Q"	6"	EC2SD	\$133	N/A	N/Δ

_		
•	pe	city
-	bc.	,

- 1. Model#
- 2. Paint trim color


Application Notes

Open shelf consists of two steel end panels and one steel shelf.


NOTE: Cannot be converted to an enclosed cabinet.

Shelf Divider	
Available in black only	

		W
ES2OS	Open Shelf	36
ES3OS	Open Shelf – Half Height	
ES2OS		36
:	·· :	:



Overhe	ad – Sid	le Hingo	e Lamina	te Front		LAMINATE		PAINT	
W	D	Н	# DOORS	MODEL#	L1	L2	L3	P2	Р3
24"	12 ½"	14 1/4"	2	EC2OL24	\$677	\$745	\$812	+ \$25	+ \$50
30"	12 ½"	14 1/4"	2	EC2OL30	\$727	\$800	\$872	+ \$25	+ \$50
36"	12 ½"	14 1/4"	2	EC2OL36	\$777	\$855	\$932	+ \$25	+ \$50
42"	12 ½"	14 1/4"	2	EC2OL42	\$827	\$910	\$992	+ \$25	+ \$50
48"	12 ½"	14 1/4"	2	EC2OL48	\$877	\$965	\$1,052	+ \$25	+ \$50
60"	12 ½"	14 1/4"	4	EC2OL60	\$1,227	\$1,350	\$1,472	+ \$25	+ \$50
72"	12 ½"	14 1/4"	4	EC2OL72	\$1,327	\$1,460	\$1,592	+ \$25	+ \$50



Overhe	Overhead – Flipper Door						PAINT		
W	D	Н	# DOORS	MODEL#		P1	P2	Р3	
24"	12 ½"	14 1/4"	1	EC2OP24		\$602	\$627	\$652	
30"	12 ½"	14 1/4"	1	EC2OP30		\$681	\$706	\$731	
36"	12 ½"	14 1/4"	1	EC2OP36		\$681	\$706	\$731	
42"	12 ½"	14 1/4"	1	EC2OP42		\$759	\$784	\$809	
48"	12 ½"	14 1/4"	1	EC2OP48		\$801	\$826	\$851	
60"	12 ½"	14 1/4"	1	EC2OP60		\$913	\$938	\$963	
72"	12 ½"	14 1/4"	1	EC2OP72		1,004	\$1,029	\$1,054	
72"	12 ½"	14 1/4"	2	EC2OP272		\$1,219	\$1,244	\$1,269	



Overhead – Back

24	1" 5/8	" 14"	EC2CB24	\$191	\$201	\$207
30)" 5/8	" 14"	EC2CB30	\$210	\$220	\$230
36	5" 5/8	" 14"	EC2CB36	\$210	\$220	\$230
42	2" 5/8	" 14"	EC2CB42	\$220	\$230	\$237
48	3" 5/8	" 14"	EC2CB48	\$230	\$237	\$244
60)" 5/8	" 14"	EC2CB60	\$259	\$269	\$277
72	2" 5/8	" 14"	EC2CB72	\$295	\$304	\$313

(n	ecity
JP	cury

- 1. Model#
- 2. Paint trim color
- 3. Optional Laminate

Overhead – Side Hinge


Includes matching ABS edge band

Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

		W
EC2OL	Overhead – Side Hinge	36
EC2OP	Overhead – Flipper Door	
	_	
ES2OL		36
	.:	::

Tackboards



12" H		•	•	FABR	IC	•	•		
W	MODEL#	Α	В	C	D	E	F	G	Н
24"	EP1TB2412	\$200	\$225	\$250	\$300	\$400	\$500	\$600	\$700
30"	EP1TB3012	\$250	\$275	\$300	\$350	\$450	\$550	\$650	\$750
36"	EP1TB3612	\$300	\$325	\$350	\$400	\$500	\$600	\$700	\$800
42"	EP1TB4212	\$325	\$350	\$375	\$425	\$525	\$625	\$725	\$825
48"	EP1TB4812	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
60"	EP1TB6012	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900

<u>20" H</u>

24"	EP1TB2420	\$300	\$325	\$350	\$400	\$500	\$600	\$700	\$800
30"	EP1TB3020	\$325	\$350	\$375	\$425	\$525	\$625	\$725	\$825
36"	EP1TB3620	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
42"	EP1TB4220	\$375	\$400	\$425	\$475	\$575	\$675	\$775	\$875
48"	EP1TB4820	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
60"	EP1TB6020	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950

Sp	ecify	,		
			_	

Model #
 Fabric

Application Notes


Specify in areas

Specify in areas where heavy tacking application is required.

Solid core construction will easily accept T-pins, push pins and thumbtacks.

Clips attach unit to slotted standards.

	w	н
EP1TB Tackboard	36	20
EP1TB	36	



60"

EP1TB6036

25" H					FABR	IC			
W	MODEL#	А	В	C	D	E	F	G	Н
24"	EP1TB2425	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
30"	EP1TB3025	\$375	\$400	\$425	\$475	\$575	\$675	\$775	\$875
36"	EP1TB3625	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
42"	EP1TB4225	\$425	\$450	\$475	\$525	\$625	\$725	\$825	\$925
48"	EP1TB4825	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950
60"	EP1TB6025	\$500	\$525	\$550	\$600	\$700	\$800	\$900	\$1,000
36" H									
24"	EP1TB2436	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
30"	EP1TB3036	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950
36"	EP1TB3636	\$475	\$500	\$525	\$575	\$675	\$775	\$875	\$975
42"	EP1TB4236	\$500	\$525	\$550	\$600	\$700	\$800	\$900	\$1,000
48"	EP1TB4836	\$525	\$550	\$575	\$625	\$725	\$825	\$925	\$1,025

\$600

\$625

\$675

\$775

\$875

\$975

\$1,075

\$575

Sp	ecify	
1.	Model #	

1. Model # Specify in areas
2. Fabric where heavy tacking application is required.

Solid core construction will easily accept T-pins, push pins and thumbtacks.

Clips attach unit to slotted standards.

Application Notes

	W	Н
EP1TB Tackboard	36	20
EP1TB	36	

Wall Mounted Channel

Wall M	ounte	d Chan		PAINT			
W	D	Н	H (Actual)	MODEL#	P1	P2	Р3
2 %"	3/4"	29"	23"	EP3WMC29	\$112	\$116	\$122
2 %"	3/4"	41"	35"	EP3WMC41	\$112	\$116	\$122
2 %"	3/4"	49"	43"	EP3WMC49	\$114	\$120	\$128
2 1/8"	3/4"	54"	49"	EP3WMC54	\$116	\$122	\$129
2 %"	3/4"	61"	55"	EP3WMC61	\$130	\$135	\$145
2 %"	3/4"	66"	60"	EP3WMC66	\$133	\$144	\$148
2 1/8"	3/4"	81"	75"	EP3WMC81	\$162	\$168	\$178
2 %"	3/4"	120"	120"	EP3WMC120	\$249	\$262	\$276

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

Assembly

Included

- Extruded aluminum channel
- Insert which snaps into place



T5 – Task Light

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" and wider overhead	1 ½"	19"	4"	EL4T5E19S	\$259
Use with 30" and wider overhead	1 ½"	25"	4"	EL4T5E25S	\$268
Use with 42" and wider overhead	1 ½"	37"	4"	EL4T5E37S	\$275
Use with 60" and wider overhead	1 ½"	49"	4"	EL4T5E49S	\$291



LED – Task Light

Use with 24" and wider overhead	1"	16"	1"	EL4LED16	\$495
Use with 30" and wider overhead	1"	25"	1"	EL4LED25	\$595
Use with 42" and wider overhead	1"	31"	1"	EL4LED31	\$655
Use with 60" and wider overhead	1"	37"	1"	EL4LED37	\$727

Specify

1. Model#

Application Notes

All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Each light comes standard with 3 wire management clips.

T5 Task Light

120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cord-set, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.

T5 task lights come with mounting supports.

City of Chicago Installations Specify suffix – CH and add \$45 list.

Example: EL4T525S-CH

LED

- Consumes only 9.4 Watts
- Color temperature: 3300 K
- Non-handed toggle switch location
- Cord location can be either end

LED task lights are magnetic and require no mounting supports.

Tables

Step 1 - Model

	Shape	D	w
TB Table	R Round	34	69
	S Square		
	RCT Rectangle		
	OT Oval		
		•	:
ТВ	RCT	34	69

Step 1 – Surface Finish

minate
Studio Teak
:

Step 2 – Edge Finish

Edg	je Band	
EB-STK	Studio Teak	30
:		
:		
EB-STK	:	3(
i		i

Step 3 – Trim Finish

	Paints							
301	Champagne							
•								
Ė								
	:							
301								

FEATURES

BASE TYPES

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

BASE OPTIONS

- Bar height
- · Flip top
- Casters
- Polished and Satin chrome finishes available in addition to paint

NOTE: not all options are available on all bases

WORKSURFACE TYPES

- Round
- Square
- Rectangular
- Oval

LEVELERS

Adjustable height levelers are included at no additional cost on all models. The levels are $\frac{3}{8} - 16 \times \frac{3}{4}$ " long shank. Leveler extensions can be ordered separately. Please contact Sales Support for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

SAFETY

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS60, TBS48, TBOT54120, TBOT60144.

CUSTOM TABLES

Custom size tables and custom height bases are available upon request, pending engineering approval. Customization charges may apply. Contact Sales Support for additional information and pricing.

CONSTRUCTION

X BASES

X bases are made from cast aluminum with 2 ¼" tubing OD x 13 gauge.

Y BASE

Y base is made from cast aluminum with 2 ¼" steel tube.

X BASE MOUNTING PLATES

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

Y BASE MOUNTING PLATES

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All non-woodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 1/4".

WORKSURFACE HEIGHTS

Standard	27 ¾"
Bar Height	40 ¾"

SURFACE MATERIALS

WORKSURFACE

- Laminate
- Edge band

X BASES

Paint

Y BASE

Paint

TAPERED LEGS

Paint

HEIGHT ADJUSTABLE BASE

White, black or silver

TABLES







Round			LAMINATE			PAINT			
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
X base	29"	29 ¾"	29 ¾"	TBR30	\$1,125	\$1,238	\$1,350	+ \$100	+ \$200
X base	29"	35 ¾"	35 ¾"	TBR36	\$1,150	\$1,265	\$1,380	+ \$100	+ \$200
X base	29"	41 ¾"	41 ¾"	TBR42	\$1,225	\$1,348	\$1,470	+ \$100	+ \$200
X base	29"	47 ¾"	47 ¾"	TBR48	\$1,510	\$1,661	\$1,812	+ \$100	+ \$200
4 Tapered legs	29"	59 ¾"	59 ¾"	TBR60	\$2,680	\$2,948	\$3,216	+ \$200	+ \$300



Square

5quui C									
X Base	29"	29 ¾"	29 ¾"	TBS30	\$1,125	\$1,238	\$1,350	+ \$100	+ \$200
X Base	29"	35 ¾"	35 ¾"	TBS36	\$1,200	\$1,320	\$1,440	+ \$100	+ \$200
X Base	29"	41 ¾"	41 ¾"	TBS42	\$1,250	\$1,375	\$1,500	+ \$100	+ \$200
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS48	\$1,650	\$1,815	\$1,980	+ \$200	+ \$300
4 Tapered Legs	29"	59 ½"	59 ½"	TBS60	\$2,550	\$2,805	\$3,060	+ \$200	+ \$300

Options for Round & Square Tables

•	-	
DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	ВН	+ \$100
Casters (set of 4)	С	+ \$100
Flip top	FT	+ \$200

Flip top is not available on tapered legs.

Specify	Wood Grain		Shape	D
 Model # Surface finish Edge finish Trim finish 		TB Table	R Round S Square RCT Rectangle OT Oval	30
		ТВ	R	30



Rectangle					LAMINATE			PAINT	
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
Y base w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048	\$1,415	\$1,557	\$1,698	+ \$200	+ \$300
Y base w/stretcher	29"	58 ½"	35 ½"	TBRCT3660	\$2,035	\$2,239	\$2,442	+ \$200	+ \$300
Y base w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060	\$1,725	\$1,898	\$2,070	+ \$200	+ \$300
Y base w/stretcher	29"	69 ¼"	34"	TBRCT3469	\$3,065	\$3,372	\$3,678	+ \$200	+ \$300
Y base w/stretcher	29"	71 ¾"	29 ¾"	TBRCT3072	\$2,035	\$2,239	\$2,442	+ \$200	+ \$300
Y base w/stretcher	29"	71 ¾"	35 ¾"	TBRCT3672	\$2,415	\$2,657	\$2,898	+ \$200	+ \$300
Y base w/stretcher	29"	79 1/4"	34"	TBRCT3479	\$3,065	\$3,372	\$3,678	+ \$200	+ \$300
Y base w/stretcher	29"	83 ¾"	41 ¾"	TBRCT4284	\$3,230	\$3,553	\$3,876	+ \$200	+ \$300
Y base w/stretcher	29"	95 ¾"	47 ¾"	TBRCT4896	\$4,165	\$4,582	\$4,998	+ \$200	+ \$300




Oval

o rai									
Y base w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672	\$3,190	\$3,509	\$3,828	+ \$200	+ \$300
Y base w/stretcher	29"	95 ¾"	47"	TBOT4896	\$5,225	\$5,748	\$6,270	+ \$200	+ \$300
Y base w/stretcher	29"	119 ¾"	47"	TBOT48120	\$6,395	\$7,035	\$7,674	+ \$200	+ \$300
6 Tapered legs	29"	119 ¾"	53 ¾"	TBOT54120	\$6,900	\$7,590	\$8,280	+ \$250	+ \$350
6 Tapered legs	29"	143 ¾"	59 ¾"	TBOT60144	\$7,500	\$8,250	\$9,000	+ \$250	+ \$350

Options for Rectangle & Oval Tables

DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	ВН	+ \$300
Casters (set of 4)	С	+ \$100
Flip top	FT	+ \$300

Casters & flip top are not available on tapered legs.





Column Bases				LAMINATE	
DESCRIPTION	Н	MODEL#	L1	L2	L3
Fixed height support column	27 ¾"	EB1FCOL	\$320	\$348	\$362





Tapered Legs			PAINT			
DESCRIPTION	Н	MODEL #	P1	P2	P3	
Single leg	27 ¾"	TBTL	\$350	\$385	\$420	
Single leg w/caster	27 ¾"	TBTLC	\$375	\$410	\$445	
Set of 2	27 ¾"	TBTL2	\$600	\$660	\$720	
Set of 2 w/casters	27 ¾"	TBTL2C	\$650	\$710	\$770	
Set of 4	27 ¾"	TBTL4	\$1,150	\$1,265	\$1,380	
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,250	\$1,365	\$1,480	



Height Adjustable Base

DESCRIPTION	D	MODEL#	BLACK OR SILVER
2 legs	23 %"	TBAHL224	\$2,200
2 legs	29"	TBAHL230	\$2,200
3 legs	23 %"	TBAHL324	\$3,200
3 legs	29"	TBAHL330	\$3,200





Specify

- 1. Model#
- 2. Trim color


Application Notes


Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48 – 84" wide. Adjustable height bases have a capacity of 264 lbs. evenly distributed.


Comes with four position memory controller.

3-stage legs offer a large height adjustment range of 24" – 50".


Privacy/Modesty Panels








Mod	dest	ty Pane	els	 •••••••	I	NSERT TYP	E			LAMINATE	
W	Н	BRACKETS	MODEL#	CR	PC	TC	TP	PG	L1	L2	L3
12"	12"	2	MOD()12	\$167	\$227	\$357	\$357	\$147	\$117	\$250	\$272
18"	12"	2	MOD()18	\$207	\$307	\$487	\$487	\$167	\$137	\$338	\$368
24"	12"	2	MOD()24	\$247	\$387	\$617	\$617	\$197	\$157	\$426	\$464
30"	12"	2	MOD()30	\$287	\$467	\$747	\$747	\$227	\$177	\$514	\$560
36"	12"	2	MOD()36	\$327	\$547	\$887	\$887	\$257	\$197	\$602	\$656
42"	12"	2	MOD()42	\$367	\$627	\$1,017	\$1,017	\$287	\$217	\$690	\$752
48"	12"	2	MOD()48	\$407	\$707	\$1,147	\$1,147	\$317	\$237	\$778	\$848
60"	12"	3	MOD()60	\$507	\$867	\$1,417	\$1,417	\$377	\$277	\$954	\$1,040



Priv	acy	/ Panels	S	II	NSERT TYPE			LAMINATE	
W	Н	BRACKETS	MODEL#	CR	PC	PG	L1	L2	L3
12"	12"	2	PRV()12	\$167	\$227	\$147	\$117	\$129	\$140
18"	12"	2	PRV()18	\$207	\$307	\$167	\$137	\$151	\$164
24"	12"	2	PRV()24	\$247	\$387	\$197	\$157	\$173	\$188
30"	12"	2	PRV()30	\$287	\$467	\$227	\$177	\$195	\$212
36"	12"	2	PRV()36	\$327	\$547	\$257	\$197	\$217	\$236
42"	12"	2	PRV()42	\$367	\$627	\$287	\$217	\$239	\$260
48"	12"	2	PRV()48	\$407	\$707	\$317	\$237	\$261	\$284
60"	12"	3	PRV()60	\$507	\$867	\$377	\$277	\$305	\$332



Tackable Privacy & Slat Rail Combo											PAINT			
W	Н	BRACKETS	MODEL#	А	В	C	D	E	F	G	Н	P1	P2	Р3
12"	12"	2	PRVTKSR1212	\$207	\$257	\$307	\$357	\$407	\$467	\$557	\$707	+ \$25	+ \$50	+ \$75
18"	12"	2	PRVTKSR1218	\$237	\$297	\$347	\$397	\$447	\$507	\$597	\$747	+ \$25	+ \$50	+ \$75
24"	12"	2	PRVTKSR1224	\$267	\$337	\$387	\$437	\$487	\$547	\$637	\$787	+ \$25	+ \$50	+ \$75
30"	12"	2	PRVTKSR1230	\$297	\$377	\$427	\$477	\$557	\$587	\$677	\$827	+ \$25	+ \$50	+ \$75
36"	12"	2	PRVTKSR1236	\$347	\$417	\$467	\$517	\$597	\$757	\$857	\$1,027	+ \$25	+ \$50	+ \$75
42"	12"	2	PRVTKSR1242	\$377	\$457	\$507	\$557	\$637	\$777	\$897	\$1,067	+ \$25	+ \$50	+ \$75
48"	12"	2	PRVTKSR1248	\$407	\$497	\$547	\$597	\$677	\$797	\$957	\$1,107	+ \$25	+ \$50	+ \$75
60"	12"	3	PRVTKSR1260	\$447	\$537	\$587	\$637	\$717	\$817	\$997	\$1,147	+ \$25	+ \$50	+ \$75

•	_	_		٠	£
2	D	е	C	ı	Г

- 1. Model #
- 2. Insert color

Trim - Brushed nickel only

Plexiglass Finishes

IC . . . lce

SM..Smoked

TR . . Translucent

LF...Frost

Insert Type

 ${\bf CR}$. . Corian

PC . . Polycarbonate

PG . . Plexiglass

TC .. Textured Corian

TP . . Textured Polycarbonate

Application Notes

Screens are 1/4" thick.

Widths are 1" less than nominal to allow for ½" set-back on each side.

These brackets are only available in privacy & modesty sets and cannot be sold separately.

STORAGE

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.


Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well.

Neutral Posture provides storage units that work together—meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.


TRUE DIMENSIONS

Disclaimer: While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

STORAGE







Pencil tray	SPTRY	\$17
6" Drawer divider	SBDD	\$17
12" Drawer divider	SFDD	\$37
Magnetic label	SMLB	\$67
Ped drawer front filler	SPFF	\$66
Magnetic drawer dividers	SMDDB	\$97
Magnetic shelf divider	SMSD	\$77
Lateral file conversion bar	SLFCB	\$77



PED ACCESSORY PACKAGE - FF

2 – 12" drawer dividers	SFFA	\$67



PED ACCESSORY PACKAGE - BBF

2 – 6" drawer dividers	SBBFA	\$77
1 – 12" drawer dividers		





PED ACCESSORY PACKAGE - BF

1 – 6" drawer divider 1 – 12" drawer divider 1 – Pencil tray SBFA \$67

		PEDESTALS	LATERALS	TOWERS	CREDENZAS	CABINETS	LOCKERS	BOOKCASES
	Pencil tray	•	•	•				
	Drawer dividers	•		•				
	Magnetic label	•	•	•	•			
	Ped drawer front filler	•		•				
	Magnetic drawer dividers		•		•			
	Magnetic shelf divider			•	•	•		•
10 July 10 Jul	Lateral file conversion bar		•					
	Worksurface supporting bracket			•				
	Ped accessory package – FF	•		•				
	Ped accessory package – BBF	•		•				
	Ped accessory package – BF	•						

Step 1 - Model

	Pedestal		Drawers	D		Pull
SPED	Freestanding Pedestal	FF	File File	19	J	J Pull
SMPED	Mobile Pedestal	BBF	Box Box File		В	Bar Pull
SCMPED	Mobile Pedestal w/Cushion	BF	Box File	:	R	Radiused Pull
SSPED	Suspended Pedestal				:	
SWSPED	Worksurface Supporting Pedestal			:	:	
SWSLKR	Worksurface Supporting Locker					
SFC	File Center	:		:	:	
	_		_			
SPED		BBF	1	19	J	
	.:		. .:	ii		. .:

Step 2 – Case Finish

	Paints
301	Champagne
į	
į	
201	•
301	
301	

Step 3 – Front Finish

	Not Available w/J Pull			
	Laminate			
Γ	PW-STK	Studio Teak		
•				
		_		
	PW-STK			
:-	• • • • • • • • • • • • • • • • • • • •	:		

FEATURES

COUNTER WEIGHTS

- Freestanding, mobile and cushion pedestals include factory installed counterweights
- · Counterweights are not necessary for worksurface supporting or suspended pedestals

LOCK

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request
- Individual locking drawers available upon request

DRAWERS

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

LEVELING GLIDES

4 Leveling glides allow for 1 %" adjustment.

CASTERS - MOBILE PEDS

- 4 Casters black
- 2 Locking

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas

Top channels	18 – 21 gauge
Side channels	18 – 21 gauge
Outer panels	22 gauge
Drawer fronts	20 gauge
Drawer bins	22 gauge

DRAWER LOAD CAPACITY

6"	Bow drawers	50 lbs
12"	File drawers	70 lbs

DRAWER INNER DIMENSIONS


Height	
Box drawer	4 1/2"
File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"

PED LOCKER INNER DIMENSIONS

22" Deep pedestal

	Н	W	D
18" Deep	23"	13 ¾"	17"
22" Deep	23"	13 ¾"	21"

PULL STYLES







SURFACE MATERIALS

PEDESTAL

Paint

FRONTS

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) **Paint**

DRAWER PULL

Bar (B) Satin nickel Radiused (R) Satin nickel J (J) Paint

MOBILE PED HANDLE

Satin nickel

18 1/4"


LOCK

Satin nickel

CUSHION TOP

Upholstery

PEDESTALS





Freest	tanding	j			PAINT		LAMINAT	NAL)	
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
27 ¾"	15 ¼"	21 1/8"	SPEDFF22(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
27 ¾"	15 1/4"	21 1/8"	SPEDBBF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
27 ¾"	15 1/4"	27 %"	SPEDFF30(J/B/R)	\$677	\$745	\$812	+ \$271	+ \$366	+ \$460
27 ¾"	15 1/4"	27 1/8"	SPEDBBF30(J/B/R)	\$697	\$767	\$836	+ \$279	+ \$376	+ \$474



Mobile

26 %"	15 1/4"	18 %"	SMPEDFF19(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
26 %"	15 1/4"	18 %"	SMPEDBBF19(J/B/R)	\$647	\$712	\$776	+ \$285	+ \$314	+ \$342
21 %"	15 1/4"	18 %"	SMPEDBF19(J/B/R)	\$577	\$635	\$692	+ \$250	+ \$275	+ \$300
26 %"	15 1/4"	21 %"	SMPEDFF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
26 %"	15 1/4"	21 %"	SMPEDBBF22(J/B/R)	\$677	\$745	\$812	+ \$300	+ \$330	+ \$360
21 %"	15 1/4"	21 %"	SMPEDBF22(J/B/R)	\$587	\$646	\$704	+ \$250	+ \$275	+ \$300
26 %"	15 1/4"	27 %"	SMPEDFF30(J/B/R)	\$657	\$723	\$788	+ \$263	+ \$355	+ \$447
26 %"	15 1/4"	27 %"	SMPEDBBF30(J/B/R)	\$687	\$756	\$824	+ \$275	+ \$371	+ \$467
21 %"	15 1/4"	27 %"	SMPEDBF30(J/B/R)	\$607	\$668	\$728	+ \$243	+ \$328	+ \$413



Mobile w/Cushion


		,								
_	23"	15 ¼"	18 %"	SCMPEDBF19(J/B/R)	\$777	\$855	\$932	+ \$320	+ \$352	+ \$384
	23"	15 1/4"	21 %"	SCMPEDBF22(J/B/R)	\$787	\$866	\$944	+ \$330	+ \$363	+ \$396

Mobile Cushion Fabric Upcharges

UPHOLSTE	RY GRADES	
SEATING	SYSTEMS	UPCHARGE
1	Α	+ \$120
2	В	+ \$190
3	C	+ \$220
4	D	+ \$290
5	E	+ \$320
6	F	+ \$390
7	G	+ \$450
8	н	+ \$500

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish Laminate not available on J pull



R – Radiused

Ordered Separately

• Pencil tray

Freestanding Peds

- Counterweight for stability
- Leveling glides allow for 1 5/8" adjustment

Mobile Peds

Included

- Black 37mm plastic casters (2 locking & 2 non-locking)
 • Counterweight for stability
- 1" cushion in black Other fabrics available for an upcharge.



Susper	nded				PAINT		LAMINAT	LAMINATE FRONT (OPTIONAL) L1		
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3	
25"	15 1/4"	21 %"	SSPEDFF22(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312	
25"	15 1/4"	21 %"	SSPEDBBF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336	
19 3/8"	15 1/4"	21 %"	SSPEDBF22(J/B/R)	\$497	\$547	\$596	+ \$215	+ \$237	+ \$258	



Worksurface Supporting

27 ¾"	15 1/4"	17 %"	SWSPEDFF18(J/B/R)	\$577	\$635	\$692	+ \$255	+ \$281	+ \$306
27 74	13 74	17 78	3W3FEDFF18(J/B/K)	23//	3033	3092	+ 3233	T \$201	+ 3300
27 ¾"	15 1/4"	17 %"	SWSPEDBBF18(J/B/R)	\$617	\$679	\$740	+ \$270	+ \$297	+ \$324
27 ¾"	15 ¼"	21 %"	SWSPEDFF22(J/B/R)	\$577	\$635	\$692	+ \$255	+ \$281	+ \$306
27 ¾"	15 1/4"	21 %"	SWSPEDBBF22(J/B/R)	\$617	\$679	\$740	+ \$270	+ \$297	+ \$324
27 ¾"	15 ¼"	27 %"	SWSPEDFF30(J/B/R)	\$597	\$657	\$716	+ \$239	+ \$322	+ \$406
27 ¾"	15 ¼"	27 1/8"	SWSPEDBBF30(J/B/R)	\$657	\$723	\$788	+ \$263	+ \$355	+ \$447



Worksurface Supporting Locker

27 ¾"	15 ¼"	17 %"	SWSLKR18R(J/B/R)	\$727	\$800	\$872	N/A	N/A	N/A
27 ¾"	15 1/4"	17 %"	SWSLKR18L(J/B/R)	\$727	\$800	\$872	N/A	N/A	N/A
SWSLKR2	2 (R/L) (J/B/	R) — (R/L)	refers to the hinge location	on					



Worksurface Supporting File Center

27 ¾"	30 ½"	18 ¼"	SFCFFLAT(J/B)	\$1,177	\$1,295	\$1,412	+ \$520	+ \$572	+ \$624
27 ¾"	30 ½"	18 ¼"	SFCBBFLAT(J/B)	\$1,187	\$1,306	\$1,424	+ \$540	+ \$594	+ \$648
27 ¾"	30 ½"	18 1/4"	SFCFBBLAT(J/B)	\$1,187	\$1,306	\$1,424	+ \$540	+ \$594	+ \$648



Freestanding File Center w/Cushion

21"	30 ½"	18 3/8"	SCFCBBLAT	 \$1,907	\$2.098	\$2,288	+ \$700	+ \$961	+ \$1,221




Mobile File Center w/Cushion

 			,						
24 1/8"	18 ¾"	30 ½"	SCMFCBBLAT	\$2,007	\$2,208	\$2,408	+ \$700	+ \$971	+ \$1,241

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J Pull



Worksurface Supporting Peds

Included

• Leveling glides allow for 1 5/8" adjustment

May not be used in freestanding applications.

Worksurface Supporting Locker

Included

- Leveling glides allow for 1 ⁵/₈" adjustment
- 1 adjustable shelf and accommodates binder height storage on 1 shelf

File Center

All drawers include full-extension steel ball bearing slides.

Counter weight is not required when used to support a worksurface.

	Lateral	# of Drawers	W	Pull
SLAT SWSLAT	Lateral Worksurface Supporting	3	36	J JPull B Bar Pull
SLAT		3	36	J

Step 2 - Case Finish

	Paint
301	Champagne
301 301	
201	:
301	

Step 3 - Front Finish

Not Available w/J Pull								
	Laminate							
PW-STK	Studio Teak							
PW-STK								

FEATURES

COUNTER WEIGHTS

- Counterweights are not included with laterals
- Counterweights are not necessary for worksurface supporting or suspended pedestals

LOCK

- Lock core is removable
- · Keyed alike available upon request
- Master and change key available upon request
- Individual locking drawers available upon request, upcharge may apply

DRAWERS

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation
- Drawer fronts include rubber bumpers for quiet operation
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage
- Drawer includes full-height side panels
- 2 file bars are included in each drawer, for side-to-side filing
- Conversion bars for front to back filing are sold separately
- All lateral drawer bins will accommodate A4, letter, and legal size filing

LEVELING GLIDES

4 leveling glides allow for 1 1/4" adjustment.

COUNTERWEIGHTS

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame	20 gauge
Outer panels	22 gauge
Drawer fronts	20 gauge
Drawer bins	20 gauge

DRAWER LOAD CAPACITY

30" Wide lateral	140 lbs
36" Wide lateral	168 lbs
42" Wide lateral	192 lbs

DRAWER INNER DIMENSIONS

Height	
Top flipper door	13 ¼"
Drawer immediately below lock strip	9
All other drawers	10 3/4"
Width	
30" Wide lateral	26 7⁄10"
36" Wide lateral	32 1/10"
42" Wide lateral	38 1/10"
Depth	
18 ¼" Deep lateral	16"

PULL STYLES







SURFACE MATERIALS

LATERAL

Paint

FRONTS

w/Bar pull (B) Paint or Laminate w/J pull (J) Paint

DRAWER PULL

Bar (B) Satin nickel J (J) Paint


LOCK

Satin nickel

TOP

Paint or Laminate

LATERALS







2 Draw	er				PAINT	:	LAMINAT	E FRONT (OPTION	IAL)
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
28 %"	30"	18 1/4"	SLAT230(J/B)	\$897	\$987	\$1,076	+ \$400	+ \$440	+ \$528
28 3/8"	36"	18 ¼"	SLAT236(J/B)	\$1,097	\$1,207	\$1,316	+ \$440	+ \$484	+ \$581
28 %"	42"	18 ¼"	SLAT242(J/B)	\$1,147	\$1,262	\$1,376	+ \$480	+ \$528	+ \$634

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



3 Drawer

39 %"	30"	18 ¼"	SLAT330(J/B)	\$1,247	\$1,372	\$1,496	+ \$550	+ \$605	+ \$726
39 %"	36"	18 1/4"	SLAT336(J/B)	\$1,397	\$1,537	\$1,676	+ \$590	+ \$649	+ \$779
39 %"	42"	18 1/4"	SLAT342(J/B)	\$1,497	\$1,647	\$1,796	+ \$630	+ \$693	+ \$832

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



4 Drawer

51 %"	30"	18 ¼"	SLAT430(J/B)	\$1,547	\$1,702	\$1,856	+ \$670	+ \$737	+ \$884
51 %"	36"	18 1/4"	SLAT436(J/B)	\$1,697	\$1,867	\$2,036	+ \$700	+ \$770	+ \$924
51 3/8"	42"	18 1/4"	SLAT442(J/B)	\$1,797	\$1,977	\$2,156	+ \$730	+ \$803	+ \$964

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$



5 Drawer — fixed top shelf

65 %"	30"	18 1/4"	SLAT530(J/B)	\$1,847	\$2,032	\$2,216	+ \$740	+ \$814	+ \$977
65 %"	36"	18 1/4"	SLAT536(J/B)	\$1,997	\$2,197	\$2,396	+ \$760	+ \$836	+ \$1,003
65 %"	42"	18 1/4"	SLAT542(J/B)	\$2,197	\$2,417	\$2,636	+ \$780	+ \$858	+ \$1,030

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



Worksurface Supporting

27	34" 30"	18 1/4"	SWSLAT230(J/B)	\$897	\$987	\$1,076	+ \$400	+ \$440	+ \$528
27	34" 36"	18 1/4"	SWSLAT236(J/B)	\$997	\$1,097	\$1,196	+ \$440	+ \$484	+ \$581
27	34" 42"	18 1/4"	SWSLAT242(J/B)	\$1,097	\$1,207	\$1,316	+ \$480	+ \$528	+ \$634

5pecify 1. Model # 2. Case finish 3. Front finish Laminate not

available on J pull

Pulls	
B – Bar Pull	J – J Pull

				Options
Lateral	# Drawers	W	Pull	Counter Weights
SLAT Lateral SWSLAT Worksurface Supporting	3	36	J J Pull B Bar Pull	CW Counter Weights \$167
SLAT	3	36	J	CW

Ontions

Application Notes

Included

• Leveling glides for 1 1 1 adjustment



BF — cushion topped priced with black fabric					PAINT			LAMINATE FRONT (UPCHARGE)		
ТОР	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
Metal	22 %"	30"	18 1/4"	SLAT130(J/B)	\$1,007	\$1,108	\$1,208	+ \$350	+ \$486	+ \$621
Metal	22 5/8"	36"	18 1/4"	SLAT136(J/B)	\$1,107	\$1,218	\$1,328	+ \$350	+ \$496	+ \$641
Metal	22 %"	42"	18 1/4"	SLAT142(J/B)	\$1,207	\$1,328	\$1,448	+ \$350	+ \$506	+ \$661
Cushion	23 ½"	30"	18 1/4"	SCLAT130(J/B)	\$1,207	\$1,328	\$1,448	+ \$450	+ \$616	+ \$781
Cushion	23 ½"	36"	18 1/4"	SCLAT136(J/B)	\$1,307	\$1,438	\$1,568	+ \$450	+ \$626	+ \$801
Cushion	23 ½"	42"	18 ¼"	SCLAT142(J/B)	\$1,407	\$1,548	\$1,688	+ \$450	+ \$636	+ \$821

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



$\pmb{\mathsf{BF}}\, \pmb{\mathsf{Shelf}} - \mathsf{cushion}\, \mathsf{topped}\, \mathsf{priced}\, \mathsf{with}\, \mathsf{black}\, \mathsf{fabric}$

Metal	22 %"	30"	18 ¼"	SLATS130	\$807	\$888	\$968	N/A	N/A	N/A
Metal	22 %"	36"	18 1/4"	SLATS136	\$907	\$998	\$1,088	N/A	N/A	N/A
Metal	22 %"	42"	18 ¼"	SLATS142	\$1,007	\$1,108	\$1,208	N/A	N/A	N/A
Cushion	23 ½"	30"	18 ¼"	SCLATS130	\$1,007	\$1,108	\$1,208	N/A	N/A	N/A
Cushion	23 ½"	36"	18 1/4"	SCLATS136	\$1,107	\$1,218	\$1,328	N/A	N/A	N/A
Cushion	23 ½"	42"	18 ¼"	SCLATS142	\$1,207	\$1,328	\$1,448	N/A	N/A	N/A

Cushion Top Fabric Upcharges

		•
SEATING GRADES	SYSTEM GRADES	UPCHARGE
1	Α	+ \$225
2	В	+ \$300
3	C	+ \$400
4	D	+ \$500
5	E	+ \$600
6	F	+ \$700
7	G	+ \$800
8	н	+ \$900

			Options
Specify	Lateral	W	Pull Counter Weights
1. Model # 2. Case finish 3. Front finish	SLAT1 BF Lateral w/Metal Top SCLAT1 BF Lateral w/Cushion	36 J J Pu B Bar	Pull CW Counter Weights \$16 ar Pull
Laminate not available on J pull	SLAT	36 J	CW



6B Drawer MODEL# 36 %" 18 1/4" S6BLAT30(J/B) \$1,877 \$2,065 \$2,252 36 %" 18 1/4" S6BLAT36(J/B) \$2,372 36" \$1,977 \$2,175 36 %" 42" 18 1/4" S6BLAT42(J/B) \$2,157 \$2,373 \$2,588

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$

6B Drawer, No Top

36 %"	30"	18 ¼"	S6BLAT30NT(J/B)	\$1,807	\$1,988	\$2,168
36 %"	36"	18 ¼"	S6BLAT36NT(J/B)	\$1,907	\$2,098	\$2,288
36 %"	42"	18 1/4"	S6BLAT42NT(J/B)	\$2,107	\$2,318	\$2,528

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



BBF Drawer


28 ¾"	30"	18 ¼"	S2BFLAT30(J/B)	\$1,207	\$1,328	\$1,448
28 ¾"	36"	18 ¼"	S2BFLAT36(J/B)	\$1,307	\$1,438	\$1,568
28 %"	42"	18 ¼"	S2BFLAT42(J/B)	\$1,407	\$1,548	\$1,688

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

BBF Drawer, No Top

:	28 ¾"	30"	18 ¼"	S2BFLAT30NT(J/B)	\$1,207	\$1,328	\$1,448
	28 ¾"	36"	18 ¼"	S2BFLAT36NT(J/B)	\$1,307	\$1,438	\$1,568
	28 ¾"	42"	18 ¼"	S2BFLAT42NT(J/B)	\$1,407	\$1,548	\$1,688

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$



BBFF Drawer

39 %"	30"	18 ¼"	S2B2FLAT30(J/B)	\$1,607	\$1,768	\$1,928
39 %"	36"	18 ¼"	S2B2FLAT36(J/B)	\$1,707	\$1,878	\$2,048
39 %"	42"	18 ¼"	S2B2FLAT42(J/B)	\$1 <i>.</i> 807	\$1.988	\$2,168

 $Counterweights\ are\ required\ for\ all\ lateral\ files\ that\ are\ not\ ganged\ together\ or\ otherwise\ anchored.$


BBFF Drawer, No Top

39 %	30	18 1/4	S2B2FLAT30NT(J/B)	\$1,607	\$1,768	\$1,928
39 %	36	18 1/4	S2B2FLAT36NT(J/B)	\$1,707	\$1,878	\$2,048
39 %	42	18 1/4	S2B2FLAT42NT(J/B)	\$1,807	\$1,988	\$2,168

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$

Specify	
1. Model #	
2. Surface/edge color	

					Options
	Lateral	# of Drawers	W	Pull	Counter Weights
S6BLAT	6B Drawer Lat	3	36	J J Pull	CW Counter Weights \$167
S2BFLAT	BBF Drawer Lat		:	B Bar Pull	
S2B2FLAT	BBFF Drawer Lat				
S6BLA1	-	3	36	J	cw



Common Top – 18" Deep


		-	•			
Н	W	D	MODEL#	L1	L2	L3
5/8"	30"	18 ¼"	LT30	\$350	\$385	\$420
5/8"	36"	18 1/4"	LT36	\$380	\$418	\$456
5/8"	42"	18 1/4"	LT42	\$390	\$429	\$468
5/8"	60"	18 1/4"	LT60	\$410	\$451	\$492
5/8"	66"	18 1/4"	LT66	\$465	\$512	\$558
5/8"	72"	18 1/4"	LT72	\$485	\$534	\$582
5/8"	84"	18 ¼"	LT84	\$480	\$528	\$576
5/8"	90"	18 1/4"	LT90	\$495	\$545	\$594
5/8"	108"	18 1/4"	LT108	\$530	\$583	\$636
5/8"	126"	18 1/4"	LT126	\$705	\$776	\$846

Common Top – 36" Deep

Specify

- 1. Model # 2. Surface/edge color

_						
	5/8"	30"	36 ½"	LT3037	\$500 \$550	\$600
	5/8"	36"	36 ½"	LT3637	\$550 \$605	\$660
	5/8"	42"	36 ½"	LT4237	\$625 \$688	\$750
	5/8"	60"	36 ½"	LT6037	\$725 \$798	\$870
	5/8"	66"	36 ½"	LT6637	\$800 \$880	\$960
	5/8"	72"	36 ½"	LT7237	\$850 \$935	\$1,020
	5/8"	84"	36 ½"	LT8437	\$900 \$990	\$1,080
	5/8"	90"	36 ½"	LT9037	\$950 \$1,045	\$1,140
	5/8"	108"	36 ½"	LT10837	\$1,150 \$1,265	\$1,380
	5/8"	126"	36 ½"	LT12637	\$1,250 \$1,375	\$1,500



Cushion – 18" Deep

			•								
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30"	18 ¼"	LC30	\$307	\$507	\$782	\$1,157	\$1,632	\$2,207	\$2,882	\$3,757
1"	36"	18 1/4"	LC36	\$377	\$577	\$852	\$1,227	\$1,702	\$2,277	\$2,952	\$3,827
1"	42"	18 ¼"	LC42	\$417	\$617	\$892	\$1,267	\$1,742	\$2,317	\$2,992	\$3,867
1"	60"	18 ¼"	LC60	\$507	\$707	\$982	\$1,357	\$1,832	\$2,407	\$3,082	\$3,957
1"	66"	18 ¼"	LC66	\$527	\$727	\$1,002	\$1,377	\$1,852	\$2,427	\$3,102	\$3,977
1"	72"	18 ¼"	LC72	\$577	\$777	\$1,052	\$1,427	\$1,902	\$2,477	\$3,152	\$4,027
1"	84"	18 1/4"	LC84	\$627	\$827	\$1,102	\$1,477	\$1,952	\$2,527	\$3,202	\$4,077
1"	90"	18 1/4"	LC90	\$677	\$877	\$1,152	\$1,527	\$2,002	\$2,577	\$3,252	\$4,127
1"	108"	18 ¼"	LC108	\$727	\$927	\$1,202	\$1,577	\$2,052	\$2,627	\$3,302	\$4,177
1"	126"	18 1/4"	LC126	\$777	\$977	\$1,252	\$1,627	\$2,102	\$2,677	\$3,352	\$4,227

Cushion – 36" Deep

- 1. Model#
- 2. Fabric

Cubili	VII .	oo beeh									
1"	30"	36 ½"	LC3037	\$387	\$587	\$862	\$1,237	\$1,712	\$2,287	\$2,962	\$3,837
1"	36"	36 ½"	LC3637	\$467	\$667	\$942	\$1,317	\$1,792	\$2,367	\$3,042	\$3,917
1"	42"	36 ½"	LC4237	\$517	\$717	\$992	\$1,367	\$1,842	\$2,417	\$3,092	\$3,967
1"	60"	36 ½"	LC6037	\$627	\$827	\$1,102	\$1,477	\$1,952	\$2,527	\$3,202	\$4,077
1"	66"	36 ½"	LC6637	\$657	\$857	\$1,132	\$1,507	\$1,982	\$2,557	\$3,232	\$4,107
1"	72"	36 ½"	LC7237	\$717	\$917	\$1,192	\$1,567	\$2,042	\$2,617	\$3,292	\$4,167
1"	84"	36 ½"	LC8437	\$787	\$987	\$1,262	\$1,637	\$2,112	\$2,687	\$3,362	\$4,237
1"	90"	36 ½"	LC9037	\$847	\$1,047	\$1,322	\$1,697	\$2,172	\$2,747	\$3,422	\$4,297
1"	108"	36 ½"	LC10837	\$907	\$1,107	\$1,382	\$1,757	\$2,232	\$2,807	\$3,482	\$4,357
1"	126"	36 ½"	LC12637	\$967	\$1,167	\$1,442	\$1,817	\$2,292	\$2,867	\$3,542	\$4,417

Step 1 - Model

	н	W	Drawers	Coat Door	Pull
STWR Tower	56	22	FF BBF	L Left R Right	J J Pull B Bar Pull R Radiused Pull
STWR	56	22	FF	L	J

Step 2 - Case Finish

	Paint
301	Champagne
301	•
301	. <u>:</u>

Step 3 – Front Finish

Not Available w/J Pull						
Laminate						
PW-STK	Studio Teak					
PW-STK						

FEATURES

LOCK

- Lock core is removable
- 24" Side access tower includes 2 locks. All others include 1 lock
- Keyed alike available upon request
- · Master and change key available upon request
- Individual locking drawers available upon request

DRAWERS

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation
- Slides include anti-rebound and quick disconnect features
- File drawer dividers which allow sideto-side filing are sold separately

SHELVES

Shelves are adjustable in 1 ½" increments.

LEVELING GLIDES – TOWER

Leveling glides allow for %" adjustment.

LEVELING GLIDES – SIDE ACCESS TOWER

Leveling glides allow for 1 %" adjustment.

DOORS

Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 gauge
Bottom channel	18 gauge
Side channels	18 gauge
Outer top	21 gauge
Outer back	21 gauge
Outer sides	21 gauge
Outer center	21 gauge
Drawer & door fronts	21 gauge
Shelves	18 gauge
Drawer bins	22 gauge
Drawer fronts	20 gauge

DRAWER LOAD CAPACITY

6"	Bow drawers	50 lbs
12"	File drawers	70 lbs

SHELF LOAD CAPACITY

Shelf 61 lbs

DRAWER INNER DIMENSIONS

Height	
Box drawer	4 1/2"
File drawer	9 ½"
Width	
All drawers	12 ½"
Depth	
All drawers	18 ¼"

PULL STYLES



SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar Pull (B)	Paint or Laminate
w/Radiused Pull (R)	Paint or Laminate
w/J Pull (J)	Paint

NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.

DRAWER PULL

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J (J)	Paint

LOCK

Satin nickel

TOWERS







46" I	46" High — does not includes an adj. shelf			ıdes an adj. shelf	PAINT			LAMINATE FRONT (OPTIONAL)		
COAT DOOR	Н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
L	46"	23 ½"	23 ½"	STWR4624FFL(J/B/R)	\$2,097	\$2,307	\$2,516	+ \$920	+ \$1,012	+ \$1,104
R	46"	23 ½"	23 ½"	STWR4624FFR(J/B/R)	\$2,097	\$2,307	\$2,516	+ \$920	+ \$1,012	+ \$1,104
L	46"	23 ½"	23 ½"	STWR4624BBFL(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
R	46"	23 ½"	23 ½"	STWR4624BBFR(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
<u>51" l</u>	High			i. shelves						
L	51 %"	23 ½"	23 ½"	STWR5124FFL(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
R	51 %"	23 ½"	23 ½"	STWR5124FFR(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
L	51 3/8"	23 ½"	23 ½"	STWR5124BBFL(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164
R	51 %"	23 ½"	23 ½"	STWR5124BBFR(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164
56" I	56" High — includes 2 adj. shelves									
L	56"	23 ½"	23 ½"	STWR5624FFL(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164
R	56"	23 ½"	23 ½"	STWR5624FFR(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164

6	66" High — includes 3 adj. shelves											
_	L	65 %"	23 ½"	23 ½"	STWR6624FFL(J/B/R)		\$2,397	\$2,637	\$2,876	+ \$1,200	+ \$1,320	+ \$1,440
	R	65 %"	23 ½"	23 ½"	STWR6624FFR(J/B/R)		\$2,397	\$2,637	\$2,876	+ \$1,200	+ \$1,320	+ \$1,440
	L	65 %"	23 ½"	23 ½"	STWR6624BBFL(B/R)		\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560
	R	65 %"	23 ½"	23 ½"	STWR6624BBFR(B/R)		\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560

\$2,297

\$2,297

\$2,527

\$2,527

\$2,756

\$2,756

+ \$1,000

+ \$1,000

+ \$1,100

+ \$1,100

+ \$1,200

+ \$1,200

	н	w	Drawers	Coat Door	Pull
STWR Tower	56	22	FF	L Left	J J Pull
	į	•	BBF	R Right	B Bar Pull
		•			R Radiused Pull
STWR	56	22	FF	1	1
31 4414	- 50	22	: : :	-	

Specify 1. Model # 2. Case finish 3. Front finish Laminate not available on J pull Pulls B - Bar Pull J - J Pull

R – Radiused

23 ½" 23 ½" STWR5624BBFL(J/B/R)

56" 23 ½" 23 ½" **STWR5624BBFR(J/B/R)**

Application Notes

- Single lock for all doors & drawers
- Coat closet includes side-to-side coat rod
- Leveling glides allow for ⁷/₈" adjustment





4611.11	l! l .					•••••	
46" H	iign_	does not i	ncludes an ad	j. shelf		PAINT	
COAT DOOR	н	W	D	MODEL#	P1	P2	Р3
L	46"	23 ½"	23 ½"	SSAT4624FFL(J/B/R)	\$2,077	\$2,285	\$2,492
R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,077	\$2,285	\$2,492
L	46"	23 ½"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,127	\$2,340	\$2,552
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,127	\$2,340	\$2,552
<u>51" H</u>	ligh_	includes 2	adj. shelves				
L	51 ¾"	23 ½"	23 ½"	SSAT5124FFL(J/B/R)	\$2,147	\$2,362	\$2,576
R	51 3/8"	23 ½"	23 ½"	SSAT5124FFR(J/B/R)	\$2,147	\$2,362	\$2,576
L	51 %"	23 ½"	23 ½"	SSAT5124BBFL(J/B/R)	\$2,197	\$2,417	\$2,636
R	51 %"	23 ½"	23 ½"	SSAT5124BBFR(J/B/R)	\$2,197	\$2,417	\$2,636
56" H	ligh_	includes 2	adj. shelves				
L	56"	23 ½"	23 ½"	SSAT5624FFL(J/B/R)	\$2,227	\$2,450	\$2,672
R	56"	23 ½"	23 ½"	SSAT5624FFR(J/B/R)	\$2,227	\$2,450	\$2,672
L	56"	23 ½"	23 ½"	SSAT5624BBFL(J/B/R)	\$2,327	\$2,560	\$2,792
R	56"	23 ½"	23 ½"	SSAT5624BBFR(J/B/R)	\$2,327	\$2,560	\$2,792
66" H	ligh_	includes 3	adj. shelves				
L	65 %"	23 ½"	23 ½"	SSAT6524FFL(J/B/R)	\$2,347	\$2,582	\$2,816
R	65 %"	23 ½"	23 ½"	SSAT6524FFR(J/B/R)	\$2,347	\$2,582	\$2,816



Worksurface Supporting Bracket

23 ½"

23 ½"

Add at the end of tower model number

Side Access

23 ½"

23 ½"

65 %"

65 %"

SWSSB

	Н	W	Drawers	Coat Door		Pull
Tower	56	22	FF	L Left	J	J Pull
			BBF	R Right	В	Bar Pull
					R	Radiused Pull

SSAT6524BBFL(J/B/R)

SSAT6524BBFR(J/B/R)

\$2,397

\$2,397

\$2,637

\$2,637

\$2,876

\$2,876


\$97

			R Radiused Pull
SSAT		FF	J

Specify

SSAT

- 1. Model#
- 2. Case finish



Application Notes

- Includes 2 locks, keyed alike
- Coat closet includes side-to-side coat rod
- Leveling glides allow for 1 %" adjustment

Worksurface Supporting Bracket

Must be ordered with a Side Access Tower. Factory installed.




					······		
46" H	igh_	does not i	ncludes an	adj. shelf		PAINT	
HINGE	Н	W	D	MODEL#	P1	P2	P3
L	46"	15 ¼"	23 ½"	STWR4615FFL(J/B/R)	\$1,347	\$1,482	\$1,616
R	46"	15 1/4"	23 ½"	STWR4615FFR(J/B/R)	\$1,347	\$1,482	\$1,616
L	46"	15 1/4"	23 ½"	STWR4615BBFL(J/B/R)	\$1,477	\$1,625	\$1,772
R	46"	15 ¼"	23 ½"	STWR4615BBFR(J/B/R)	\$1,477	\$1,625	\$1,772
51" H	igh_	includes 1	adj. shelf				
L	51 ¾"	15 ¼"	23 ½"	STWR5115FFL(J/B/R)	\$1,477	\$1,625	\$1,772
R	51 ¾"	15 1/4"	23 ½"	STWR5115FFR(J/B/R)	\$1,477	\$1,625	\$1,772
L	51 ¾"	15 ¼"	23 ½"	STWR5115BBFL(J/B/R)	\$1,547	\$1,702	\$1,856
R	51 3/8"	15 1/4"	23 ½"	STWR5115BBFR(J/B/R)	\$1,547	\$1,702	\$1,856
56" H	igh_	includes 1	adj. shelf				
L	56"	15 ¼"	23 ½"	STWR5615FFL(J/B/R)	\$1,477	\$1,625	\$1,772
R	56"	15 1/4"	23 ½"	STWR5615FFR(J/B/R)	\$1,477	\$1,625	\$1,772
L	56"	15 1/4"	23 ½"	STWR5615BBFL(J/B/R)	\$1,547	\$1,702	\$1,856
R	56"	15 1/4"	23 ½"	STWR5615BBFR(J/B/R)	\$1,547	\$1,702	\$1,856
66" H	igh_{-}	includes 2	adj. shelve	es			
L	65 %"	15 ¼"	23 ½"	STWR6615FFL(J/B/R)	\$1,597	\$1,757	\$1,916
R	65 %"	15 1/4"	23 ½"	STWR6615FFR(J/B/R)	\$1,597	\$1,757	\$1,916
L	65 %"	15 1/4"	23 ½"	STWR6615BBFL(J/B/R)	\$1,697	\$1,867	\$2,036

	Н	W	Drawers	Coat Door	Pull
STWR Tower	56	15	FF	L Left	J J Pull
			BBF	R Right	B Bar Pull
			:		R Radiused Pull
	•				
STWR	56	15	FF	1	1
31 WIL	50			-	

STWR6615BBFR(J/B/R)

Specify 1. Model# 2. Case finish

R 65 %" 15 ¼" 23 ½"



Application Notes

- Single lock for
- cupboard & drawers
 Leveling glides allow for %" adjustment

\$1,697

\$1,867

\$2,036

• Will not accommodate worksurface support bracket



46" H	igh_	does not i	ncludes an ac	lj. shelf		PAINT	
OPEN	Н	W	D	MODEL #	P1	P2	P3
L	46"	15 ¼"	23 ½"	SSAT4615FFL(J/B/R)	\$1,297	\$1,427	\$1,556
R	46"	15 1/4"	23 ½"	SSAT4615FFR(J/B/R)	\$1,297	\$1,427	\$1,556
L	46"	15 ¼"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,397	\$1,537	\$1,676
R	46"	15 ¼"	23 ½"	SSAT4615BBFR(J/B/R)	\$1,397	\$1,537	\$1,676
51" H	igh_	includes 1	adj. shelf				
L	51 ¾"	15 ¼"	23 ½"	SSAT5115FFL(J/B/R)	\$1,397	\$1,537	\$1,676
R	51 ¾"	15 1/4"	23 ½"	SSAT5115FFR(J/B/R)	\$1,397	\$1,537	\$1,676
L	51 %"	15 1/4"	23 ½"	SSAT5115BBFL(J/B/R)	\$1,497	\$1,647	\$1,796
R	51 %"	15 1/4"	23 ½"	SSAT5115BBFR(J/B/R)	\$1,497	\$1,647	\$1,796
56" H			adj. shelf				
L	56"	15 ¼"	23 ½"	SSAT5615FFL(J/B/R)	\$1,497	\$1,647	\$1,796
R L	56" 56"	15 ¼" 15 ¼"	23 ½"	SSAT5615FFR(J/B/R) SSAT5615BBFL(J/B/R)	\$1,497 \$1,597	\$1,647 \$1,757	\$1,796 \$1,916
R	56"	15 1/4"	23 ½"	SSAT5615BBFR(J/B/R)	\$1,597	\$1,757	\$1,916
66" H	igh_	includes 2	adj. shelves		•		
L	65 %"	15 ¼"	23 ½"	SSAT6515FFL(J/B/R)	\$1,547	\$1,702	\$1,856
R	65 %"	15 ¼"	23 ½"	SSAT6515FFR(J/B/R)	\$1,547	\$1,702	\$1,856
L	65 %"	15 1/4"	23 ½"	SSAT6515BBFL(J/B/R)	\$1,647	\$1,812	\$1,976
R	65 %"	15 1/4"	23 ½"	SSAT6515BBFR(J/B/R)	\$1,647	\$1,812	\$1,976



Worksurface Supporting Bracket

Add at the end of tower model number

SWSSB

\$97

WORKSURFACES & 15" TOWERS




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" – 84".

		Н	W	Drawers	Coat Door	Pull
SSAT Side Ad	cess Tower	56	15	FF	L Left	J J Pull
				BBF	R Right	B Bar Pull
						R Radiused Pull
					_	
SSAT		56	15	FF	L	: j :
		ii	: :		.	ii

Specify 1. Model

2. Case finish



Application Notes

- Single lock for all drawers
- Leveling glides allow for 1 %" adjustment

Worksurface Supporting Bracket

Must be ordered with a Side Access Tower. Factory installed.

Step 1 – Model

	Shel	f Width	Drav	ver Width	Тор	Pull
SCR Credenza	30	S Shelf	20	D Drawer		
		:			NT No Top	B Bar Pull
		•				
SCR	30	S	20	D	МТ	J
	·····		ii			<u>:</u>

Step 2 – Case Finish

	Paints
301	Champagne
301	:

Step 3 – Front Finish

Not Available w/J Pull						
Laminate						
PW-STK	Studio Teak					
PW-STK						
•••••••••••••••••••••••••••••••••••••••						

FEATURES

COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

LOCK

- Available on credenza products which feature drawers
- · Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request

DRAWERS

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

SHELF

34" High adjustable shelf

LEVELING GLIDES

4 Leveling glides allow for $1\!\!/2$ " adjustment

TOP

Available in metal, cushion and laminate

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 gauge
Top channels	18 gauge
Shelves	18 gauge
Side channels	20 gauge
Side panels	20 gauge
Тор	20 gauge
Fronts	20 gauge
Drawer bins	22 gauge

DRAWER INNER DIMENSIONS

Height

6" Drawer	4 ½"				
12" Drawer	10 %"				
Width					
30" Wide drawer	12 1/8"				
36" Wide drawer	32 1/10"				
42" Wide drawer	38 1/10"				
Depth					
All drawers	15 %₀"				

SHELF INNER DIMENSIONS

Height	
All shelves	16 3/5"
Width	
30" Wide drawer	28 ½"
36" Wide drawer	34 ½"
42" Wide drawer	40 1/2"
Depth	
All drawers	19"

PULL STYLES



B – Bar Pull



SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar pull **(B)** Paint or Laminate w/J pull **(J)** Paint

DRAWER PULL

Bar (B) Satin nickel J (J) Paint


LOCK

Satin Nickel

CUSHION TOP

Upholstery

CREDENZAS





Credenzas			PAINT		LAMINAT	E FRONT (UPC	HARGE)			
DESCRIPTION	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
30" Drawers, 30" open shelf	22 1/4"	60"	20"	SCR30D30S(J/B)	\$2,377	\$2,615	\$2,852	+ \$1,300	+ \$1,430	+ \$1,560
30" Drawers, 36" open shelf	22 1/4"	66"	20"	SCR30D36S(J/B)	\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560
36" Drawers, 36" open shelf	22 1/4"	72"	20"	SCR36D36S(J/B)	\$2,577	\$2,835	\$3,092	+ \$1,400	+ \$1,540	+ \$1,680

Credenza – Cushion Tops

Credenza Cushion Fabric Upcharges


	-							
DESCRIPTION	Н	W	D	MODEL#	BLACK	SEATING GRADES	SYSTEM GRADES	UPCHARGE
20"D x 12"W Cushion	1"	12"	20"	SCRC2012	\$207	1	Α	+ \$225
20"D x 18"W Cushion	1"	18"	20"	SCRC2018	\$247	2	В	+ \$300
20"D x 30"W Cushion	1"	30"	20"	SCRC2030	\$327	3	c	+ \$400
20"D x 36"W Cushion	1"	36"	20"	SCRC2036	\$397	4	D	+ \$500
20"D x 42"W Cushion	1"	42"	20"	SCRC2042	\$437	5	E	+ \$600
20"D x 60"W Cushion	1"	60"	20"	SCRC2060	\$527	6	F	+ \$700
20"D x 66"W Cushion	1"	66"	20"	SCRC2066	\$567	7	G	+ \$800
20"D x 72"W Cushion	1"	72"	20"	SCRC2072	\$597	8	н	+ \$900

Credenza – Access	ories					PAINT	
DESCRIPTION	Н	W	D	MODEL#	P1	P2	Р3
Floating top supports, 2 legs	5 ½"	2 ½"	1 1/8"	SCRSL2	\$247	\$272	\$296
Credenza center leg support				SCRCLS	\$197	\$217	\$236
Credenza ganging kit				SCRGK	\$147	\$162	\$176

		She	lf Width	Dra	wer Width	Тор	Pull
SCR	Credenza	30	S Shelf	20	D Drawer	MT Metal Top	J J Pull
:						NT No Top	B Bar Pull
:							:
SCR	:	30	S	20	D	MT	J

Specify

- 1. Model #
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull



Application Notes

- Credenzas must be assembled in the field
- Cabinets are unhanded
- Shelf units include 1 adjustable shelf
- When ganging 2 units together, order ganging kit
- Leveling glides allow for 1 %" adjustment
- Drawer units include 1

 6" drawer & 1 12" file
 drawer & counterweight

Credenza Includes

- 2 low storage cabinets
- 1 top & ganging kit
- 1 credenza center support leg





Credenza – Draw	ers				PAINT			LAMINATE FRONT (UPCHARGE)		
DESCRIPTION	Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
30" Drawers, metal top	22 1/4"	30"	20"	SCRD3020MT(J/B)	\$1,147	\$1,262	\$1,376	+ \$530	+ \$583	+ \$636
36" Drawers, metal top	22 1/4"	36"	20"	SCRD3620MT(J/B)	\$1,197	\$1,317	\$1,436	+ \$550	+ \$605	+ \$660
42" Drawers, metal top	22 1/4"	42"	20"	SCRD4220MT(J/B)	\$1,297	\$1,427	\$1,556	+ \$590	+ \$649	+ \$708
30" Drawers, no top	22 1/4"	30"	20"	SCRD3020NT(J/B)	\$1,107	\$1,218	\$1,328	+ \$530	+ \$583	+ \$636
36" Drawers, no top	22 1/4"	36"	20"	SCRD3620NT(J/B)	\$1,157	\$1,273	\$1,388	+ \$550	+ \$605	+ \$660
42" Drawers, no top	22 1/4"	42"	20"	SCRD4220NT(J/B)	\$1,257	\$1,383	\$1,508	+ \$590	+ \$649	+ \$708



Credenza – Shelves

30" Shelf, metal top	22 1/4"	30"	20"	SCRS3020MT	\$917	\$1,009	\$1,100	N/A	N/A	N/A
36" Shelf, metal top	22 1/4"	36"	20"	SCRS3620MT	\$977	\$1,075	\$1,172	N/A	N/A	N/A
42" Shelf, metal top	22 1/4"	42"	20"	SCRS4220MT	\$1,057	\$1,163	\$1,268	N/A	N/A	N/A
30" Shelf, no top	22 1/4"	30"	20"	SCRS3020NT	\$897	\$987	\$1,076	N/A	N/A	N/A
36" Shelf, no top	22 1/4"	36"	20"	SCRS3620NT	\$947	\$1,042	\$1,136	N/A	N/A	N/A
42" Shelf, no top	22 1/4"	42"	20"	SCRS4220NT	\$997	\$1,097	\$1,196	N/A	N/A	N/A



Credenza – Common Tops						LAMINATE	•••••
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3
Single 30" W credenza top	5/8"	30"	20"	CT30	\$365	\$402	\$438
Single 36" W credenza top	5/8"	36"	20"	CT36	\$390	\$429	\$468
Single 42" W credenza top	5/8"	42"	20"	CT42	\$420	\$462	\$504
Double 30" W credenza top	5/8"	60"	20"	CT60	\$475	\$523	\$570
Double 30"/36" W credenza top	5/8"	66"	20"	CT66	\$500	\$550	\$600
Double 36" W credenza top OR 30"/42" W credenza top	5/8"	72"	20"	CT72	\$510	\$561	\$612
Double 36"/42" W credenza top	5/8"	78"	20"	CT78	\$530	\$583	\$636
Double 42" W credenza top	5/8"	84"	20"	CT84	\$560	\$616	\$672
Triple 30" W credenza top	5/8"	90"	20"	CT90	\$590	\$649	\$708

		н	W	Drawers	Pull
SCRD SCRS	Credenza – Drawer Credenza – Shelves	30	20	MT Metal Top NT No Top	J J Pull B Bar Pull
SCRD	:	30	20	МТ	J

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull


Pulls B – Bar Pull J – J Pull

Application Notes

- Center leg helps to gang 2 credenza pieces together side by side
- Ganging kit for use when specifying laminate top separately, does not include center leg
- Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

Cabinets

Step 1 - Model #



Step 2 – Case Finish

	Paint
301	Champagne
301 301	:
501	. <u>i</u>

FEATURES

LOCK

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request

DOORS

 Concealed hinges allow for 110° degrees opening

LEVELING GLIDES

4 Leveling glides allow for 1/4" adjustment

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Back panel	20 – 22 gauge
Side panels	20 – 22 gauge
Inner channels	18 gauge
Тор	18 gauge
Doors	18 gauge

SHELF LOAD CAPACITY

Shelf 140 lbs

TOP LOAD CAPACITY

30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs

INNER DIMENSIONS

Height	
2 High	72 ½"
3 High	61"
4 High	46 ½"
5 High	35"
6 High	23 ½"

Width 30" Wide cabinets 36" Wide cabinets

Depth

42" Wide cabinets

All cabinets 17 3/10"

PULL STYLES





SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar Pull **(B)** Paint w/J Pull **(J)** Paint

DRAWER PULL

Bar (B) Satin nickel J (J) Paint

LOCK


26 3/4"

32 ¾"

38 ¾"

Satin nickel

CABINETS





2 High	1				PAINT	
н	W	D	MODEL#	P1	P2	P3
28 3/8"	30"	18 1/4"	SCAB293018(J/B)	\$997	\$1,097	\$1,196
28 3/8"	36"	18 1/4"	SCAB293618(J/B)	\$1,097	\$1,207	\$1,316
28 3/8"	42"	18 1/4"	SCAB294218(J/B)	\$1,197	\$1,317	\$1,436
2 High	•					



3 High	1					
39 %"	30"	18 1/4"	SCAB403018(J/B)	\$1,197	\$1,317	\$1,436
39 %"	36"	18 1/4"	SCAB403618(J/B)	\$1,297	\$1,427	\$1,556
39 %"	42"	18 1/4"	SCAB404218(J/B)	\$1,397	\$1,537	\$1,676



4 High

+ 111911						
51 3/8"	30"	18 ¼"	SCAB523018(J/B	\$1,447	\$1,592	\$1,736
51 %"	36"	18 1/4"	SCAB523618(J/B)	\$1,547	\$1,702	\$1,856
51 %"	42"	18 ¼"	SCAB524218(J/B)	\$1,647	\$1,812	\$1,976

Sp	ecify				
		_			

1.	Model #
2.	Case finish

Application N	lotes
---------------	-------

- Leveling glides allow for ¼" adjustment
- Inside depth is 17 $\frac{3}{10}$ " and 18 ½" deep units
- Shelf load capacity is 140 lbs
- Top weight capacity 30" 140 lbs
- 36" 168 lbs 42" 197 lbs

	Н	W	D	Pull
SCAB Cabinet	77	30	18	J JPull
	:	:	:	B Bar Pull
:				
SCAB	77	30	18	J
	1.7.7.1		ii	ii

Cabinets



5 High	1				PAINT	
Н	W	D	MODEL#	P1	P2	P3
65 %"	30"	18 ¼"	SCAB663018(J/B)	\$1,647	\$1,812	\$1,976
65 %"	36"	18 1/4"	SCAB663618(J/B)	\$1,747	\$1,922	\$2,096
65 %"	36"	23 ½"	SCAB663624(J/B)	\$2,147	\$2,362	\$2,576
65 %"	42"	18 ¼"	SCAB664218(J/B)	\$1,847	\$2,032	\$2,216



6 High

<u> </u>	<u> </u>					
77 3/8"	30"	18 1/4"	SCAB773018(J/B)	\$1,897	\$2,087	\$2,276
77 3/8"	36"	18 1/4"	SCAB773618(J/B)	\$1,997	\$2,197	\$2,396
77 3/8"	36"	23 ½"	SCAB773624(J/B)	\$2,247	\$2,472	\$2,696
77 3/8"	42"	18 1/4"	SCAB774218(J/B)	\$2,097	\$2,307	\$2,516

ς	n	ρ	ci	fı	,
-	۲	٠	·	2	,

- 1. Model#
- 2. Case finish

Application	Notes
--------------------	-------

- Leveling glides allow for ¼" adjustment
- Inside depth is 17 3/10" and 18 1/2" deep units
- Shelf load capacity is 140 lbs
- Top weight capacity 30" – 140 lbs 36" – 168 lbs 42" – 197 lbs

	Н	W	D	Pull
SCAB Cabinet	77	30	18	J JPull
				B Bar Pull
•		:	:	
SCAB	77	30	18	J
••••••	•	••••••	•	*******

Step 1 - Model #

	Н	D	Hinge	Pull
SLKR Locker	51	18	L	J J Pull
	:		R	B Bar Pull
<u> </u>				
SLKR	51	18	L	J

Step 2 - Case Finish

1	
	Paint
301	Champagne
•	
301	:
301	

FEATURES

LOCK

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request

BODY

 \bullet Available in 2 depths: 18 ¼" and 23 ½"

DOORS

- All lockers come standard with metal doors
- Concealed hinges allow for 100 degree opening

SHELF

- Includes one fixed shelf on top w/ 12" clear height above
- Additional shelves may be ordered separately. Contact Sales Support for additional information and pricing

COAT ROD

Includes side-to-side coat rod beneath shelf

LEVELING GLIDES

- \bullet 4 leveling glides allow for % " adjustment
- Glides are accessible from the inside of the locker

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 gauge
Side panels	21 gauge
Back panel	21 gauge
Center panel	21 gauge
Inner top channel	18 gauge
Inner bottom channel	18 gauge
Inner side channels	18 gauge
Bottom pad	16 gauge
Door fronts	20 – 22 gauge
Shelves	18 gauge

DRAWER INNER DIMENSIONS

Height

12"
31 1/10"
46 1/5"
9 1/5"
9 1/5"
9 1/5"
9 1/5"

PULL STYLES





SURFACE MATERIALS

LOCKER

Paint


DRAWER PULL

Bar (B) Satin nickel J (J) Paint


LOCK

Satin nickel

LOCKERS



Lockers



51" H	ligh					PAINT	
HINGE	н	W	D	MODEL #	P1	P2	P3
L	51 ¾"	12"	18 1/4"	SLKR5118L(J/B)	\$1,397	\$1,537	\$1,676
R	51 ¾"	12"	18 1/4"	SLKR5118R(J/B)	\$1,397	\$1,537	\$1,676
L	51 ¾"	12"	23 ½"	SLKR5124L(J/B)	\$1,427	\$1,570	\$1,712
R	51 ¾"	12"	23 ½"	SLKR5124R(J/B)	\$1,427	\$1,570	\$1,712
66" H	igh						
L	65 %"	12"	18 1/4"	SLKR6618L(J/B)	\$1,477	\$1,625	\$1,772
R	65 %"	12"	18 1/4"	SLKR6618R(J/B)	\$1,477	\$1,625	\$1,772
L	65 %"	12"	23 ½"	SLKR6624L(J/B)	\$1,527	\$1,680	\$1,832
R	65 %"	12"	23 ½"	SLKR6624R(J/B)	\$1,527	\$1,680	\$1,832

Sp	ecify	1					

- 1. Model#
- 2. Case finish


Application Notes

- Includes 1 fixed shelf on top with 12" clear height above
- Side to side coat rod under shelf
- Leveling glides allow for 1/8" adjustment

	Н	D	Hinge	Pull
SLKR Lo	cker 51	18	L	J J Pull
:			R	B Bar Pull
:				
,				
SLKR	51	18	L	J
				



Double							PAINT	
TYPE	HINGE	Н	W	D	MODEL#	P1	P2	P3
2 Door	L	65 %"	12"	18 ¼"	SLKR2D6612L(J/B)	\$1,607	\$1,768	\$1,928
2 Door	R	65 %"	12"	18 ¼"	SLKR2D6612R(J/B)	\$1,607	\$1,768	\$1,928
2 Door	L	65 %"	18"	18 ¼"	SLKR2D6618L(J/B)	\$1,707	\$1,878	\$2,048
2 Door	R	65 %"	18"	18 ¼"	SLKR2D6618R(J/B)	\$1,707	\$1,878	\$2,048



Quad

4 door	L	65 %"	23 ½"	18 ¼"	SLKR4D6624L(J/B)	\$2,707	\$2,978	\$3,248
4 door	R	65 %"	23 ½"	18 1/4"	SLKR4D6624R(J/B)	\$2,707	\$2,978	\$3,248



Cubby

4 door	L	34 ¾"	23 ½"	18 ¼"	SLKR4D3524L(J/B)	\$1,907	\$2,098	\$2,288
4 door	R	34 ¾"	23 ½"	18 1/4"	SLKR4D3524R(J/B)	\$1,907	\$2,098	\$2,288
8 door	L	65 %"	23 ½"	18 1/4"	SLKR8D6624L(J/B)	\$3,307	\$3,638	\$3,968
8 door	R	65 %"	23 ½"	18 1/4"	SLKR8D6624R(J/B)	\$3,307	\$3,638	\$3,968

Shelves

Qty 2	12"	SLKRS122	\$257	\$283	\$308
Qty 2	18"	SLKRS182	\$297	\$327	\$356
Qty 4	24"	SLKRS244	\$357	\$393	\$428

Specify	

- 1. Model#
- 2. Case finish


Application Notes

- Doors are keyed randomly
- Locking doors hinge left or right
- Leveling glides allow for %" adjustment

		Doors		Н	D	Hinge	Pull
SLKR	Locker	2D	2 Doors	66	18	L	J JPull
		4D	4 Doors		:	R	B Bar Pull
•		8D	8 Doors		:	:	
		:			:	:	
SLKR	!	2D		66	18	L	J
	•	ii		11		i i	ii

Bookcases

Step 1 - Model #



Step 2 – Case Finish

	Paint	
301	Champagne	
301	:	
301		

FEATURES

SHELVES

- 1" thick
- Adjustable in 1/2" increments
- 2-high bookcases will accommodate binder-height storage on both shelves
- All other bookcases, binder-height storage is available on all but 1 shelf

LEVELING GLIDES

4 Leveling glides allow for 1 %" adjustment.

SAFETY:

- To ensure stability, do not install a 4, 5, or 6 high bookcase in the center of a room
- Bookcases should be installed backto back or against a wall.

NOTE

- 2-high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets
- 2-high bookcases are designed to fit under a worksurface

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

22 gauge
22 gauge
18 gauge
18 gauge

SHELF LOAD CAPACITY

All bookcases 140 lbs

INNER DIMENSIONS

25 1/5"
37 1/10"
48 1/5"
63 1/10"
74 1/5"
27 1/10"
33 1/10"
39 1/10"
13 ½o"

SURFACE MATERIALS


CASE

Paint

TOP

Paint

BOOKCASES





2 Uiah					••••••••••	•••••
2 High				<u> </u>	PAINT	
Н	W	D	MODEL#	P1	P2	P3
27 ¾"	30"	13 3/8"	SBC2830	\$827	\$910	\$992
27 ¾"	36"	13 %"	SBC2836	\$877	\$965	\$1,052
27 ¾"	42"	13 %"	SBC2842	\$977	\$1,075	\$1,172
3 High						
39 %"	30"	13 %"	SBC4030	\$897	\$987	\$1,076
39 %"	36"	13 3/8"	SBC4036	\$977	\$1,075	\$1,172
39 %"	42"	13 3/8"	SBC4042	\$1,077	\$1,185	\$1,292
4 Hiah						



4 High						
51 %"	30"	13 %"	SBC5230	\$997	\$1,097	\$1,196
51 %"	36"	13 ¾"	SBC5236	\$1,077	\$1,185	\$1,292
51 %"	42"	13 3/8"	SBC5242	\$1,177	\$1,295	\$1,412

Specify					
1. Model #					

2. Case finish

Applicat	ion Notes
----------	-----------

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for ⁵/₈" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		н	W
SBC	Bookcases	66	42
			:
SBC		66	42

Bookcases







6 High 77 %" 30" \$1,436 13 %" SBC7730 \$1,197 \$1,317 77 %" 36" SBC7736 13 %" \$1,277 \$1,405 \$1,532 77 %" 42" 13 %" SBC7742 \$1,515 \$1,377 \$1,652

c		-:	e. .
2	pe	C	тy

- 1. Model#
- 2. Case finish

Application Notes

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		•••	•••
SBC	Bookcases	66	42
SBC		66	42
•••••	•••	••••••	•


WORKPLACE ACCESSORIES

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

CUSTOMIZE YOUR SPACE WITH:

Keyboard mechanisms
Keyboard trays
Monitor arms
Footrests
Tablet holders
CPU holders
Forearm supports
Patented ergonomic products

WORKPLACE ACCESSORIES



Keyboard Trays & Arms











	Leverless	Sit/Stand	Econo	HFES compliant
Code	A	С	E	U
Leverless Height	✓	✓	NA	NA
Height	-6" – 2.5"	-6" – 8"	-5.25" - 0"	-6.5" – 2.38"
Tilt	-15° – 0°	-15° – 0°	-15° – 15°	-20° – 10°
Spring Assist	✓	\checkmark	✓	✓
360° Rear Swivel	✓	✓	✓	✓
Track Length	23"	21"	18"	19"
Short Track (Options)	18"	18"	NA	NA
Glide Track	✓	\checkmark	✓	✓
List	\$210	\$230	\$160	\$245



- Straights, corners & natural keyboards
- · Anti-skid neoprene pads hold keyboard securely in place \$155



43 — SofTouch™

- Straight
- Urethane over steel plate
- Includes mouse surface \$230






- Straights, corners and natural keyboards
- Made from strong 100% recycled aluminum
- Polished surface \$295





- Straight
- 20" "green" tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest \$325



21

- Straight
- 20" phenolic tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest

\$325

11 43 – SofTouch™ 86 – elementAl® 52	21
	Leverless (A)
Easy A11 \$365 Easy A43 \$440 Easy A86 \$505 Easy A52	\$535 Easy A21 \$535
	Sit/Stand (C)
Easy C11 \$385 Easy C43 \$460 Easy C86 \$525 Easy C52	\$555 Easy C21 \$555
	Econo (E)
Easy E11 \$315 Easy E43 \$390 Easy E86 \$455 Easy E52	\$485 Easy E21 \$485
Easy U11 \$400 Easy U43 \$475 Easy U86 \$540 Easy U52	Dual Indicator (U)



MONITOR ARMS

BOOST™ MONITOR ARM

- Yields 13" of vertical movement & 24" of extension
- Supports monitors weighing up to 20 lbs
- Effortlessly position two monitors at the same height on a single post
- Easily attach two arms on a single post without additional brackets
- Install three or more arms with an optional cross bar
- Convenient keyhole slots to effortlessly install monitor onto mounting plate
- Panel, slat wall & desk mounting options

NOTE: For multi-screen solutions, contact cs@np-us.com


Single Arm KCG-110B KCG-110S	Black Silver	List \$455 \$455
Double Arm KCG-110DB KCG-110DS	Black Silver	List \$899 \$899
Wall Mount KCG-WMB KCG-WMS	Black Silver	List \$525 \$525



FREEDOM ARM

- Includes: vesa plate aluminum articulating arm & desk clamp base
- Tilt: Up 90°, Down 45°
- Pan: 180°
- Rotation: 360°
- Offers 14" of dynamic onetouch height adjustment
- Full extension range of 23.4"

Model #	List	
918001	Silver	\$495



SIT/STAND MONITOR ARM


- Sturdy aluminum construction with vesa compatibility
- Width & depth adjustable fasteners
- · Convenient pull handle

Model #	List	
KCG-SSB	Black	\$575
KCG-SSS	Silver	\$575

MONITOR ARM ATTACHMENTS

DOCUMENT HOLDER (ATTACHMENT ONLY)

- Ergonomically correct viewing position of documents for computer users
- Easy adjustment to ensure a comfortable viewing angle
- Helps keep work surface clear
- Stores out of the way when not in use



Model #		List
160236	Black	\$185
160237	Silver	\$185

CPU HOLDERS

CPU HOLDER



- Mounts easily under work surface storing CPU safely under desk & off the floor
- Adjusts to either a vertical or horizontal position
- Adjustable width of 5.5" 9.8"
 & height of 15.5" 20"

Model #	List
VCPLIE	\$175




CPU HOLDER W/STRAP

- CPU retracts on a 17" track & swivels to allow full accessibility & easy storage
- Accommodates CPU weighing up to 75 lbs & measuring 64" in perimeter
- Installation is quick & easy as straps adjust & fasten with buckles
- Soft touch anti-slip pads

Model #	List
VCPU	\$195

SIT/STAND ACCESSORIES

STANDUP®



- Mounts directly to work surface without keyboard arm
- Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered with any Easy Combo (page 141)

Model #	List
SUP04	\$420



STANDUP® A1

- The integral dual tray system offers a spacious keyboard and mouse platform as well as a secondary surface for other items
- Extends forward to allow the keyboard tray to rest bellow the desk surface supporting proper ergonomic positioning
- Over 22" of assisted positioning
- Accommodates users ranging from 5th percentile seated female to 95th percentile standing male

1 MONITOR	LIST/L1	L2	L3
SUPA1B	\$1,197	N/A	N/A
SUPA1BL	\$1,527	\$1,680	\$1,832
SUPA1WL	\$1,527	\$1,680	\$1,832

2 MONITORS	LIST/L1	L2	L3
SUPA2B	\$1,327	N/A	N/A
SUPA2BL	\$1,627	\$1,790	\$1,952
SUPA2WL	\$1.627	\$1,790	\$1,952



STANDUP® X1

- Easily convert any desk into
- a sit/stand workstation
- 13.8" of height range accommodates a greater variety of users
- Keyboard tray has 20° of tilt

MODEL#	LIST/L1	L2	L3
SUPX1	\$567	N/A	N/A
SUPX1BL	\$897	\$987	\$1,076
SUPX1WL	\$897	\$987	\$1.076



STANDUP® X1 CORNER

- Easily convert any corner desk into a sit/stand workstation
- 13.8" of height range accommodates a greater variety of users

MODEL#	LIST/L1	L2	L3
SUPX1CBL	\$997	\$1,087	\$1,176
SUPX1CWL	\$997	\$1,087	\$1,176

ACCESSORIES



FOREARM SUPPORTS

- · Alleviates shoulder, neck & body burden
- Promotes good posture & ergonomic sitting
- · Lightweight & portable



Model 1	Model 2	
160241 \$240	160243 \$240	w/Hooks
160242 \$240	160244 \$240	w/Screws



ANTI-FATIGUE FLOOR MATS

- Premium comfort will not bottom out or lose bounce over time
- Commercial-grade heavyduty polyurethane
- Matt texture provides optimum traction
- Beveled edge reduces tripping potential
- Black only

Н	W	D	MODEL#	LIST
3/4"	32"	20"	EAM3220B	\$285
3/4"	48"	20"	EAM4820B	\$435
3/4"	72"	20"	EAM7220B	\$648
3/4"	36"	24"	EAM3624B	\$360
3/4"	60"	36"	EAM6036B	\$828



TABLET HOLDER

- Weight: 12 oz
- Dimensions: 6.76 x 5.5 x 2
- Holds tablets, phones or documents upright
- Easily adjusts for comfortable viewing angle
- Rests on desktop or flat surfaces

Model #	List
TABHLDR	\$137

GRADED-IN AND COM UPHOLSTERY

Neutral Posture's furniture is manufactured to the highest standards. The unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Our artisans are skilled in creating consistent finishes across all products and materials. However, the individual nature of the materials used in the construction of our furniture means that no two pieces of furniture are exactly alike. Similarly, the images in our publications are as accurate as your monitor is calibrated but customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/ or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact the Customer Service Department. Please note: The Finish Codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts C.O.M. for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service Department in order for a quotation to be provided. The customer is responsible for shipping C.O.M. to our Upholstery Department.

CARNEGIE			Manufacturer	Battorn	Grade
			Carnegie	Crosshatch	E
Manufacturer		Grade	-		F
Carnegie	360	H	Carnegie Carnegie	Crossing Cue	E
Carnegie	Abacus Embroider	H	Carnegie	Current	E
Carnegie	Adagio	F	Carnegie	Curve	F
Carnegie	Adrenaline	F	Carnegie	Cycle	E
Carnegie	Affirmation	F	•	•	_
Carnegie	Alchemy	G	Carnegie	Cypress	E E
Carnegie	Alex	G	Carnegie	Dash	=
Carnegie	Align	D	Carnegie	Dazzle	H
Carnegie	Allegro	Н	Carnegie	Delight	G
Carnegie	Allure	E	Carnegie	Deltacoustic	Call
Carnegie	Alphacoustic	Call	Carnegie	Departure	E
Carnegie	Amulet	G	Carnegie	Don Double Dotate	Call
Carnegie	Anchor	G	Carnegie	Double Dutch	E
Carnegie	Aria	Call	Carnegie	Drift	E
Carnegie	Artisan Embroider	Н	Carnegie	Eden	Н
Carnegie	Aura	Н	Carnegie	Eden Solid	H
Carnegie	Aves	Н	Carnegie	Edge	F
Carnegie	Awning Graphic	G	Carnegie	Emerald	Call
Carnegie	Axis Embroider	Н	Carnegie	Essence	F
Carnegie	Bangle	G	Carnegie	Essence II	F
Carnegie	Bardot	F	Carnegie	Fields	G
Carnegie	Barre	G	Carnegie	Filigree	E
Carnegie	Basilica	Н	Carnegie	Fizzle Graphic	G
Carnegie	Basilica Paperbacked	Н	Carnegie	Flash Back	E
Carnegie	Bauble	Н	Carnegie	Flax	E
Carnegie	Betacoustic	Call	Carnegie	Flux	E
Carnegie	Billiard	D	Carnegie	Flying Kites	G
Carnegie	Bliss	G	Carnegie	Forecast	Н
Carnegie	Blowing Bubbles	G	Carnegie	Foundation	F
Carnegie	Bounce	E	Carnegie	Four Square	G
Carnegie	Braid	F	Carnegie	Fractal Emboss	F
Carnegie	Brick Lane	F	Carnegie	Fragment Emboss	F
Carnegie	Brimfield	F	Carnegie	Fresco	F
Carnegie	Buff	E	Carnegie	Gamma	E
Carnegie	Buzz	G	Carnegie	Gammacoustic	Call
Carnegie	Cache	Call	Carnegie	Genome Embroider	Н
Carnegie	Cadence	F	Carnegie	Glacier	E
Carnegie	Camden	F	Carnegie	Infinity Flora	Call
Carnegie	Canale	Н	Carnegie	Infinity Plaid	Н
Carnegie	Canopy	F	Carnegie	Infinity Plush	G
Carnegie	Cascade Applique	Call	Carnegie	Infinity Stripe	Н
Carnegie	Chamois	Call	Carnegie	Journey	G
Carnegie	Chamois	Н	Carnegie	Joy	F
Carnegie	Chamois Ivy	Call	Carnegie	Kaleidoscope	F
Carnegie	Chamois Loop	Call	Carnegie	Kid	E
Carnegie	Chamois Matrix	Call	Carnegie	Koi	G
Carnegie	Chamois Reload	Call	Carnegie	Legacy	Call
Carnegie	Chamois Sky	Call	Carnegie	Lexi	Call
Carnegie	Channel	E	Carnegie	Lithograph	E
Carnegie	Chelsea	E	Carnegie	Malta	Call
Carnegie	Chroma	Н	Carnegie	Meta	Call
Carnegie	Circuit	E	Carnegie	Mist	G
Carnegie	Cirque Couture	Call	Carnegie	Naxos	Н
Carnegie	Coil	F	Carnegie	Ola	Call
Carnegie	Conservatory	F	Carnegie	Palazzo	Н
Carnegie	Corso UN	Call	Carnegie	Pizazz	F
Carnegie	Craft	E	Carnegie	Ponte	Н
-			Carnegie	Porto	Н

Call – Call for pricing 979.778.0502

Manufacturer	Pattern	Grade
Carnegie	Prima	Call
Carnegie	Prism	E
Carnegie	Quarry	E
Carnegie	Rail Trail	G
Carnegie	Reef	E
Carnegie	Rigato	Н
Carnegie	Saddle	D
Carnegie	Sandstone	F
Carnegie	Santana	Call
Carnegie	Saphir	Н
Carnegie	Semiramis	Call
Carnegie	Sisal	D
Carnegie	Soloc	Call
Carnegie	Soprano	G
Carnegie	Strata	E
Carnegie	Topas	Call
Carnegie	Toronto	Н
Carnegie	Turmalin	Н
Carnegie	Tweed	E
Carnegie	Zephyr	G

DESIGNTEX		
Manufacturer	Pattern	Grade
Designtex	Billiard Panel	E
Designtex	Brunswick	C
Designtex	Bubble Wrap	E
Designtex	Cesta	D
Designtex	Chiyogami	G
Designtex	Clew	E
Designtex	Decibel	D
Designtex	Foxtrot	E
Designtex	Gravity	D
Designtex	Kabuto	G
Designtex	Niche	E
Designtex	Pick Up Sticks	E
Designtex	Plateau	D
Designtex	Rain	E
Designtex	Ringlet	D
Designtex	Rowan	D
Designtex	Shift	E
Designtex	Singing In The Rain	E
Designtex	That Straw Stuff	E
Designtex	Twist	E
Designtex	Union Cloth	D
Designtex	Velocity	D
Designtex	Waste Not Want Not	F

Manufacturer	Pattern	Grade
KnollTextiles	Palladium	E
KnollTextiles	Photon II	D
KnollTextiles	Pivot	В
KnollTextiles	Reflect	D
KnollTextiles	Relay	E
KnollTextiles	Skylark	В
KnollTextiles	Spellbound	C
KnollTextiles	Symbolic Details	В
KnollTextiles	Tailor Made II	C
KnollTextiles	Twister	В
KnollTextiles	Versatility	D
KnollTextiles	Zenith	D

C.F. STINSON		
Manufacturer	Pattern	Grade
Stinson	Acclaim	D
Stinson	Aerie	D
Stinson	Ally	C
Stinson	Array	D
Stinson	Axis Too!	C
Stinson	Backdrop	C
Stinson	Brush Style-54"	D
Stinson	Code	C
Stinson	Dapple	D
Stinson	Del Mar	D
Stinson	Focus	C
Stinson	Galaxy	D
Stinson	Genesis	C
Stinson	Imprint	C
Stinson	Isis	E
Stinson	Linea	E
Stinson	Luther II	D
Stinson	Mira	C
Stinson	Nikko	D
Stinson	Prime	В
Stinson	Repetition	D
Stinson	Ringer	C
Stinson	Sight Line	C
Stinson	Spree	C
Stinson	Surf	C
Stinson	Tally	E
Stinson	Tussah	D
Stinson	Venture	C

KNOLLTEXTII	L E S	
Manufacturer	Pattern	Grade
KnollTextiles	Amplify	E
KnollTextiles	Annex	C
KnollTextiles	Bandwidth	E
KnollTextiles	Basket Draft	E
KnollTextiles	Bauhaus Block	D
KnollTextiles	Beacon	В
KnollTextiles	Broadcloth II	C
KnollTextiles	Cable Twist	D
KnollTextiles	Circle Line	C
KnollTextiles	Circuit	В
KnollTextiles	Criss Cross	D
KnollTextiles	Dristi	E
KnollTextiles	Element	C
KnollTextiles	Film Reel	E
KnollTextiles	Flow	C
KnollTextiles	Foil Rap	E
KnollTextiles	Foundation	C
KnollTextiles	Growth Spurt	C
KnollTextiles	Hard Rock	E
KnollTextiles	Heavy Metal	E
KnollTextiles	Logic	C
KnollTextiles	Macro	E
KnollTextiles	Mainframe	C
KnollTextiles	Match Point	C
KnollTextiles	Mezzo	E
KnollTextiles	Micro	E
KnollTextiles	Nematic II	C
KnollTextiles	Ornament	E

GUILFORD O	F MAINE	
Manufacturer	Pattern	Grade
Guilford of Maine	Anchorage	В
Guilford of Maine	Auster	В
Guilford of Maine	Axiom	В
Guilford of Maine	Bailey	В
Guilford of Maine	Basketweave	В
Guilford of Maine	Beacon	В
Guilford of Maine	BeeHave	В
Guilford of Maine	Belgrade	В
Guilford of Maine	Birdseye	В
Guilford of Maine	Bix	Α
Guilford of Maine	Block Party	В
Guilford of Maine	Broadcast	Α
Guilford of Maine	Candid	Α
Guilford of Maine	Cape Cod	В
Guilford of Maine	Celestial	В
Guilford of Maine	Coastline	В
Guilford of Maine	Coral Reef	Α
Guilford of Maine	Cosmos	В
Guilford of Maine	Crescent	В
Guilford of Maine	Crosstown	В
Guilford of Maine	Digit	Α
Guilford of Maine	Drift	В
Guilford of Maine	Dune	Α
Guilford of Maine	FR701°	В
Guilford of Maine	Framework	Α
Guilford of Maine	Galaxy	В
Guilford of Maine	Groove	В
Guilford of Maine	Hatchet	Α
Guilford of Maine	Here & Now	В
Guilford of Maine	Highbeams	В
Guilford of Maine	Hopscotch	В
Guilford of Maine	Jane	В
Guilford of Maine	Lido	В
Guilford of Maine	Lily Pad	В
Guilford of Maine	Madison	В
Guilford of Maine	Meander	В
Guilford of Maine	Metallation	В
Guilford of Maine	Metro	В
Guilford of Maine	Mingle 	В
Guilford of Maine	Network	В

Call – Call for pricing 979.778.0502

Manufacturer	Pattern	Grade
Guilford of Maine	Nitro	В
Guilford of Maine	Open House	В
Guilford of Maine	Otto	В
Guilford of Maine	Paradise	В
Guilford of Maine	Parameter	В
Guilford of Maine	Phone Tag	В
Guilford of Maine	Rattan	В
Guilford of Maine	Reeds	В
Guilford of Maine	Regatta	В
Guilford of Maine	Sand	В
Guilford of Maine	Sensa	В
Guilford of Maine	Shoreline	Α
Guilford of Maine	Snapshot	В
Guilford of Maine	Spinel	В
Guilford of Maine	Sprite	В
Guilford of Maine	Strata	Α
Guilford of Maine	Streetwise	В
Guilford of Maine	Studio 54	C
Guilford of Maine	Tempest	В
Guilford of Maine	Theory	Α
Guilford of Maine	Tidepool	Α
Guilford of Maine	Tweed	В
Guilford of Maine	Vertical Surface Blends	В
Guilford of Maine	Vertical Surface Solids	В
Guilford of Maine	Vortex	В
Guilford of Maine	Woodland	В
Guilford of Maine	Zirconia	В

LUNA		
Manufacturer	Pattern	Grade
Luna	Affinity	G
Luna	Aspect	G
Luna	Eclipse	E
Luna	Facet	G
Luna	Freehand	E
Luna	Halo	D
Luna	Hammered Metal	E
Luna	HiFi	E
Luna	Horizon	E
Luna	ldyll	E
Luna	Impression	E
Luna	Incandescent	E
Luna	Intersect	E
Luna	Linea	D
Luna	Luminescence	E
Luna	Odeon	D
Luna	Quad	E
Luna	Radar	E
Luna	Scintillate	E
Luna	Signal	E
Luna	Sonic	E
Luna	Stepping Stones	E
Luna	Stitch	E
Luna	Struttura	E
Luna	Synthesis	E
Luna	Transmission	E
Luna	Twiggy	Н
Luna	Twilight	E
Luna	Twist	E
Luna	Vega	E

MAHARAM		
Manufacturer	Pattern	Grade
Maharam	Crisp Backed	D
Maharam	Field	E
Maharam	Flock	E
Maharam	Gauge	E
Maharam	Glance	E
Maharam	Glint	E
Maharam	Hum	E
Maharam	Morse	D
Maharam	Nano Point	E
Maharam	Parallel	E
Maharam	Reply	D
Maharam	Sharkskin 2	F
Maharam	Sketch	E
Maharam	Solo	D
Maharam	Spiral	D
Maharam	Unit	E

MAYER			MOMENTUM			VICTOR		
Manufacturer	Pattern	Grade	Manufacturer	Pattern	Grade	Manufacturer	Pattern	Grade
Mayer	Align	C	Momentum	Alpha	В	Victor	Aerial	В
Mayer	Basic	Α	Momentum	Backdrop	В	Victor	Asana	C
Mayer	Сора	В	Momentum	Cameo	В	Victor	Avalon	C
Mayer	Cross Check	Α	Momentum	Curtain Call	В	Victor	Celestial	В
Mayer	Dazzle	E	Momentum	Edict	В	Victor	Centric	В
Mayer	Echo	D	Momentum	Encore	В	Victor	Colonnade	C
Mayer	Equal	В	Momentum	Extend	В	Victor	Dashing	В
Mayer	Formations	C	Momentum	Inlay	C	Victor	Dune	В
Mayer	Forte	Α	Momentum	Meander	В	Victor	Echelon	C
Mayer	Foundation 10	В	Momentum	Overture	Α	Victor	Espalier XPS2	В
Mayer	Fresco	В	Momentum	Pact	Α	Victor	Essence	В
Mayer	Grasscloth	В	Momentum	Saga	В	Victor	Fine Point	В
Mayer	Interlude	В	Momentum	Tenor	Α	Victor	Galet	C
Mayer	Luminary	В	Momentum	Universe	В	Victor	Imprint	В
Mayer	Meander	C	Momentum	Verse	Α	Victor	Labyrinth	В
Mayer	Melange	C				Victor	Lumiere	C
Mayer	Multi-Crepe	В				Victor	Lupina	C
Mayer	Nexus	В				Victor	Netiquette	В
Mayer	Origin	C				Victor	Nuance	В
Mayer	Ovation	C				Victor	Oasis	В
Mayer	Paragon	C				Victor	Off The Grid	В
Mayer	Pick Up Sticks	C				Victor	Quadrille	В
Mayer	Quattro	Α				Victor	Quasar	В
Mayer	Rain Drops	C				Victor	Renaissance	C
Mayer	Reverb	C				Victor	Resonance	C
Mayer	Space Odyssey	C				Victor	Rhythm And Hues	В
Mayer	Spacer Mesh	В				Victor	Ripple	В
Mayer	Spectre	C				Victor	Strata	В
Mayer	Stardust	C				Victor	Stratford E-84	В
Mayer	Strata	A				Victor	Tango	В
Mayer	Terrain	C				Victor	Tivoli	D
Mayer	Volante	Н				Victor	Traff1c	В
Mayer	Whirlwind	В				Victor	Treillage	В
Mayer	Zest	В				Victor	Twigs	В
•						Victor	Whisper	В

Call – Call for pricing 979.778.0502

LEGACY TABLE OF CONTENTS

LEGACY FINISHES	148
Laminates	
Worksurface Edge	
Painted Trim	
Insert Options	
Fabrics	
Customer's Own Material	. 149
PANELS	150
Gen 1 Fabric Panels 28" – 48" High	. 150
Gen 1 Fabric Panels 53" – 80" High	. 151
Gen 2 Insert Panels 28" – 53" High	. 152
Gen 2 Insert Panels 60" – 80" High	
Warll Starter & Wall Mount Chanel	. 154
POST ASSEMBLIES	. 155
Straight	. 155
Corner (90°)	
End	. 155
3-way (T)	. 156
3-way (Y)	
4-way (X)	. 156
Dual Height Posts	
Triple Height Posts	
Single Height Posts	
Gen 1 Panel Connectors	
Gen 1 Panel Extender Kit	
Fabric Panels	
Insert Panels	
End Kits	
ELECTRIAL	
Dedicated Neutral System Components	
Dedicated Neutral Jumpers	. 167
PANEL ACCESSORIES	. 168
Vertical Wire Manager	. 168
Metal Ceiling Module	
Coat Hook	
Carpet Gripper	
COUNTER CAPS	
Straights	
Corners	
WALL MOUNTING	17/
Wall Mounting Suggestions	
VEV LOCK DDOCDAM	176
KEY LOCK PROGRAM	
General Information	
Key-alike ordered prior to 6/12/00	

Legacy finishes are only available for existing customers to match existing installs

LAMINATES		EDGE BANDS	
L1			
Jet Black	111		111
Folkstone Grey (was LA)	114	Dark Grey (was Y3)	113
Soft Grey (was M42)	117	Folkstone Grey (was LA)	114
Bright White	118	Medium Grey (was Y2)	115
Pumice (was LF)	119	Soft Grey (was E)	117
Micro Grey	121	Bright White	118
Brushed Sand	122	Pumice (was LF)	119
Brushed Grey	123	Medium Cherry	124
Medium Cherry	124	Natural Maple	125
Natural Maple	125	Natural Cherry	126
Natural Cherry	126	Walnut	127
Walnut	127	Fog	128
- og	128	Dark Neutral	D
Micro Sand	129	Snow	В
Caramel Maple	MC	Taupe	R
Clear Maple	CM	Sand	SD
Deep Mahogany	MP58	Caramel Maple	MC
Grey Granite	M95	Clear Maple	CM
ight Grey	M1	Warm Cherry	WM
Light Oak	MP70		
Markerboard	CP276		
Pearwood	PA		
Rose Granite	M96		
Sand	SD		
Med. Grey (Slate)	M89		
Snow	В		
Taupe	M80		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

NOTE: Legacy finishes are only available for existing customers to match existing installs.

PAINTS & PLASTICS P1 Jet Black 111 Brown 112 Dark Grey (was Y3) 113 Folkstone Grey (was LA) 114 Med. Grey (was Y2) 115 Sandstone 116 Soft Grey (was E) 117 Dark Neutral D Taupe R **P2** Beige Mist Metallic 611 Medium Metallic Grey 612 Beige Metallic Н Light Tan Metallic W **P3** Bright White 118 Silver 613

NOTE: EP1 and EP2 panels and components are not available in the following:

118

112

111

Bright White

Brown

Jet Black

PLEXIGLASS	
Clear	CL
Ice	IC
Smoked	SM
Translucent	TR
NOT AVAILABLE ON INSERT PANELS	
Frost	LF


B Symbolic Detail KnollTextiles W693 C Annex KnollTextiles W1360 Circle Line KnollTextiles W1146 Flow KnollTextiles W565 Foundation KnollTextiles W351 Growth Spurt KnollTextiles W692 D Bauhaus Block KnollTextiles W296 Criss Cross KnollTextiles W305 Photon KnollTextiles W1293 Reflect KnollTextiles W432 E Amplify KnollTextiles W432 E Amplify KnollTextiles W249 Foil Rap KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W539 Micro KnollTextiles W465 Relay KnollTextiles W465	FABRICS		
Annex KnollTextiles W1360 Circle Line KnollTextiles W1146 Flow KnollTextiles W565 Foundation KnollTextiles W351 Growth Spurt KnollTextiles W692 D Bauhaus Block KnollTextiles W296 Criss Cross KnollTextiles W305 Photon KnollTextiles W1293 Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W249 Foil Rap KnollTextiles W249 Foil Rap KnollTextiles W355 Hard Rock KnollTextiles W359 Heavy Metal KnollTextiles W539 Micro KnollTextiles W539 Micro KnollTextiles W465	В		
Annex KnollTextiles W1360 Circle Line KnollTextiles W1146 Flow KnollTextiles W565 Foundation KnollTextiles W351 Growth Spurt KnollTextiles W692 D Bauhaus Block KnollTextiles W296 Criss Cross KnollTextiles W305 Photon KnollTextiles W1293 Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Symbolic Detail	KnollTextiles	W693
Circle Line KnollTextiles W1146 Flow KnollTextiles W565 Foundation KnollTextiles W351 Growth Spurt KnollTextiles W692 D Bauhaus Block KnollTextiles W296 Criss Cross KnollTextiles W305 Photon KnollTextiles W1293 Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	C		
Flow KnollTextiles W565 Foundation KnollTextiles W351 Growth Spurt KnollTextiles W692 D Bauhaus Block KnollTextiles W296 Criss Cross KnollTextiles W305 Photon KnollTextiles W1293 Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W355 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Annex	KnollTextiles	W1360
Foundation KnollTextiles W351 Growth Spurt KnollTextiles W692 D Bauhaus Block KnollTextiles W296 Criss Cross KnollTextiles W305 Photon KnollTextiles W1293 Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Circle Line	KnollTextiles	W1146
Growth Spurt KnollTextiles W692 D Bauhaus Block KnollTextiles W296 Criss Cross KnollTextiles W305 Photon KnollTextiles W1293 Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Flow	KnollTextiles	W565
Bauhaus Block KnollTextiles W296 Criss Cross KnollTextiles W305 Photon KnollTextiles W1293 Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Foundation	KnollTextiles	W351
Bauhaus Block KnollTextiles W296 Criss Cross KnollTextiles W305 Photon KnollTextiles W1293 Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Growth Spurt	KnollTextiles	W692
Criss Cross KnollTextiles W305 Photon KnollTextiles W1293 Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	D		
Photon KnollTextiles W1293 Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Bauhaus Block	KnollTextiles	W296
Reflect KnollTextiles W884 Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Criss Cross	KnollTextiles	W305
Versatility KnollTextiles W432 E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Photon	KnollTextiles	W1293
E Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Reflect	KnollTextiles	W884
Amplify KnollTextiles W1215 Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Versatility	KnollTextiles	W432
Basket Draft KnollTextiles W249 Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	E		
Foil Rap KnollTextiles W535 Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Amplify	KnollTextiles	W1215
Hard Rock KnollTextiles W1007 Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Basket Draft	KnollTextiles	W249
Heavy Metal KnollTextiles W539 Micro KnollTextiles W465	Foil Rap	KnollTextiles	W535
Micro KnollTextiles W465	Hard Rock	KnollTextiles	W1007
The state of the s	Heavy Metal	KnollTextiles	W539
Relay KnollTextiles W1020	Micro	KnollTextiles	W465
	Relay	KnollTextiles	W1020

when applying a patterned textile.

NOTE: All 72 privacy screens require that
the textile is railroaded (turned 90 degrees)
for application. This must be considered
when anniving a natterned textile

Generation 1 Fabric Panel

28" thru 48" High



								:	···········	
28" H									PAIN	IT
W	MODEL #.	A	В	C	D	E	F	G	P2	P3
12"	EP1FA1228R	\$654	\$706	\$722	\$739	\$752	\$765	\$784	N/A	+ \$50
18"	EP1FA1828R	\$681	\$735	\$749	\$767	\$779	\$797	\$815	N/A	+ \$50
24"	EP1FA2428R	\$705	\$763	\$776	\$798	\$811	\$825	\$849	N/A	+ \$50
30"	EP1FA3028R	\$726	\$780	\$798	\$819	\$835	\$850	\$872	N/A	+ \$50
36"	EP1FA3628R	\$759	\$818	\$834	\$855	\$873	\$886	\$910	N/A	+ \$50
42"	EP1FA4228R	\$792	\$853	\$872	\$894	\$912	\$925	\$947	N/A	+ \$50
48"	EP1FA4828R	\$820	\$887	\$901	\$927	\$944	\$961	\$986	N/A	+ \$50
60"	EP1FA6028R	\$874	\$941	\$960	\$988	\$1,004	\$1,019	\$1,047	N/A	+ \$50
40" H										
12"	EP1FA1240R	\$687	\$740	\$756	\$776	\$789	\$804	\$821	N/A	+ \$50
18"	EP1FA1840R	\$720	\$776	\$792	\$811	\$825	\$840	\$860	N/A	+ \$50
24"	EP1FA2440R	\$752	\$811	\$827	\$851	\$865	\$881	\$901	N/A	+ \$50
30"	EP1FA3040R	\$775	\$838	\$852	\$877	\$892	\$907	\$929	N/A	+ \$50
36"	EP1FA3640R	\$800	\$865	\$881	\$904	\$922	\$936	\$961	N/A	+ \$50
42"	EP1FA4240R	\$893	\$962	\$982	\$1,007	\$1,027	\$1,043	\$1,073	N/A	+ \$50
48"	EP1FA4840R	\$921	\$995	\$1,010	\$1,039	\$1,056	\$1,076	\$1,101	N/A	+ \$50
60"	EP1FA6040R	\$1,034	\$1,117	\$1,136	\$1,168	\$1,189	\$1,208	\$1,242	N/A	+ \$50

48" H										
12"	EP1FA1248R	\$706	\$764	\$777	\$799	\$812	\$827	\$850	N/A	+ \$50
18"	EP1FA1848R	\$741	\$801	\$815	\$839	\$853	\$872	\$892	N/A	+ \$50
24"	EP1FA2448R	\$812	\$879	\$895	\$912	\$935	\$953	\$973	N/A	+ \$50
30"	EP1FA3048R	\$836	\$901	\$921	\$944	\$961	\$978	\$1,004	N/A	+ \$50
36"	EP1FA3648R	\$848	\$915	\$930	\$956	\$970	\$989	\$1,014	N/A	+ \$50
42"	EP1FA4248R	\$941	\$1,016	\$1,037	\$1,063	\$1,083	\$1,101	\$1,130	N/A	+ \$50
48"	EP1FA4848R	\$1,004	\$1,083	\$1,101	\$1,133	\$1,154	\$1,173	\$1,204	N/A	+ \$50
60"	EP1FA6048R	\$1,141	\$1,235	\$1,256	\$1,288	\$1,312	\$1,335	\$1,370	N/A	+ \$50

Order Code							
e.g.	EP1FA3648R, W3513, 117						
EP1FA	Fabric panel						
36	Width						
48	Height						
R	Raceway						
W351-3	Foundation, Corn Silk						
117	Soft Grey trim						

Specification Information

Specify fabric and trim color. Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.

Electrical components must be ordered separately.

Pricing listed above is for P1 trim colors. Add the appropriate upcharge if

using P2 or P3 trim colors.

NOTE: P2 trim colors are
not available on EP1 panels
and panel components.

Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.



								:	••••••••••••	
53" H									PAIN	T
W	MODEL #	A	В	C	D	E	F	G	P2	P3
12"	EP1FA1253R	\$724	\$778	\$796	\$814	\$829	\$844	\$868	N/A	+ \$50
18"	EP1FA1853R	\$760	\$819	\$835	\$856	\$874	\$887	\$912	N/A	+ \$50
24"	EP1FA2453R	\$801	\$868	\$884	\$907	\$923	\$937	\$962	N/A	+ \$50
30"	EP1FA3053R	\$821	\$889	\$904	\$930	\$946	\$962	\$988	N/A	+ \$50
36"	EP1FA3653R	\$946	\$1,021	\$1,042	\$1,073	\$1,088	\$1,109	\$1,136	N/A	+ \$50
42"	EP1FA4253R	\$989	\$1,069	\$1,088	\$1,118	\$1,136	\$1,158	\$1,187	N/A	+ \$50
48"	EP1FA4853R	\$1,045	\$1,129	\$1,150	\$1,182	\$1,202	\$1,222	\$1,254	N/A	+ \$50
60"	EP1FA6053R	\$1,187	\$1,282	\$1,305	\$1,340	\$1,365	\$1,389	\$1,424	N/A	+ \$50
60" H										
12"	EP1FA1260R	\$740	\$800	\$814	\$838	\$852	\$868	\$889	N/A	+ \$50
18"	EP1FA1860R	\$784	\$849	\$863	\$886	\$899	\$918	\$941	N/A	+ \$50
24"	EP1FA2460R	\$800	\$865	\$881	\$904	\$922	\$936	\$961	N/A	+ \$50
30"	EP1FA3060R	\$885	\$956	\$970	\$1,002	\$1,016	\$1,036	\$1,058	N/A	+ \$50
36"	EP1FA3660R	\$966	\$1,043	\$1,061	\$1,091	\$1,113	\$1,130	\$1,160	N/A	+ \$50
42"	EP1FA4260R	\$1,053	\$1,136	\$1,160	\$1,190	\$1,209	\$1,231	\$1,263	N/A	+ \$50
48"	EP1FA4860R	\$1,137	\$1,230	\$1,251	\$1,285	\$1,308	\$1,330	\$1,368	N/A	+ \$50
60"	EP1FA6060R	\$1,307	\$1,413	\$1,438	\$1,477	\$1,503	\$1,529	\$1,569	N/A	+ \$50
65" H										
12"	EP1FA1265R	\$779	\$844	\$858	\$884	\$897	\$916	\$936	N/A	+ \$50
18"	EP1FA1865R	\$799	\$862	\$880	\$901	\$921	\$933	\$959	N/A	+ \$50
24"	EP1FA2465R	\$895	\$967	\$986	\$1,010	\$1,032	\$1,047	\$1,075	N/A	+ \$50
30"	EP1FA3065R	\$947	\$1,024	\$1,043	\$1,074	\$1,091	\$1,110	\$1,137	N/A	+ \$50
36"	EP1FA3665R	\$1,007	\$1,088	\$1,110	\$1,138	\$1,160	\$1,179	\$1,208	N/A	+ \$50
42"	EP1FA4265R	\$1,098	\$1,189	\$1,208	\$1,243	\$1,264	\$1,285	\$1,321	N/A	+ \$50
48"	EP1FA4865R	\$1,190	\$1,284	\$1,308	\$1,343	\$1,369	\$1,393	\$1,428	N/A	+ \$50
60"	EP1FA6065R	\$1,374	\$1,483	\$1,513	\$1,554	\$1,579	\$1,608	\$1,650	N/A	+ \$50
80" H										
12"	EP1FA1280R	\$795	\$855	\$873	\$895	\$913	\$927	\$953	N/A	+ \$50
18"	EP1FA1880R	\$844	\$913	\$929	\$955	\$969	\$988	\$1,012	N/A	+ \$50
24"	EP1FA2480R	\$899	\$971	\$992	\$1,018	\$1,037	\$1,054	\$1,080	N/A	+ \$50
30"	EP1FA3080R	\$1,010	\$1,091	\$1,115	\$1,143	\$1,163	\$1,183	\$1,212	N/A	+ \$50
36"	EP1FA3680R	\$1,128	\$1,215	\$1,240	\$1,276	\$1,297	\$1,319	\$1,352	N/A	+ \$50
42"	EP1FA4280R	\$1,242	\$1,340	\$1,365	\$1,401	\$1,428	\$1,452	\$1,488	N/A	+ \$50
48"	EP1FA4880R	\$1,352	\$1,460	\$1,486	\$1,528	\$1,555	\$1,581	\$1,621	N/A	+ \$50
60"	EP1FA6080R	\$1,577	\$1,701	\$1,734	\$1,782	\$1,814	\$1,844	\$1,893	N/A	+ \$50

Order Code							
e.g.	EP1FA2460R, W3513, 117						
EP1FA	Fabric panel						
24	Width						
60	Height						
W351-3	Foundation,Corn Silk						
117	Soft Grey trim						

Specification Information

Specify fabric and trim color. Post assemblies or

connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.

Electrical components must be ordered separately.

Pricing listed above is for P1 trim colors. Add the appropriate upcharge if using P2 or P3 trim colors.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

Generation 2 Insert Panel

(compatible with generation 1 panel components only)



			:	······	
28" H				PAINT	
W	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P3
12"	EP2()1228R	\$697	\$936	N/A	+ \$50
18"	EP2()1828R	\$711	\$1,004	N/A	+ \$50
24"	EP2()2428R	\$725	\$1,058	N/A	+ \$50
30"	EP2()3028R	\$740	\$1,121	N/A	+ \$50
36"	EP2()3628R	\$759	\$1,174	N/A	+ \$50
42"	EP2()4228R	\$778	\$1,269	N/A	+ \$50
48"	EP2()4828R	\$797	\$1,293	N/A	+ \$50
60"	EP2()6028R	\$834	\$1,408	N/A	+ \$50
40" H					
<u>40 п</u> 12"	EP2()1240R	\$736	\$1,028	N/A	+ \$50
18"	EP2()1840R	\$751	\$1,090	N/A	+ \$50
24"	EP2()2440R	\$763	\$1,154	N/A	+ \$50
30"	EP2()3040R	\$779	\$1,270	N/A	+ \$50
36"	EP2()3640R	\$779 \$797	\$1,430	N/A	+ \$50
42"			•	N/A	
	EP2()4240R	\$818	\$1,460		+ \$50
48" 60"	EP2()4840R EP2()6040R	\$836 \$874	\$1,481 \$1,632	N/A N/A	+ \$50 + \$50
			•		
48" H					
12"	EP2()1248R	\$751	\$1,057	N/A	+ \$50
18"	EP2()1848R	\$766	\$1,165	N/A	+ \$50
24"	EP2()2448R	\$777	\$1,248	N/A	+ \$50
30"	EP2()3048R	\$797	\$1,359	N/A	+ \$50
36"	EP2()3648R	\$811	\$1,382	N/A	+ \$50
42"	EP2()4248R	\$834	\$1,522	N/A	+ \$50
48"	EP2()4848R	\$852	\$1,802	N/A	+ \$50
60"	EP2()6048R	\$887	\$1,821	N/A	+ \$50
53" H					
12"	EP2()1253R	\$776	\$1,091	N/A	+ \$50
18"	EP2()1853R	\$792	\$1,197	N/A	+ \$50
24"	EP2()2453R	\$800	\$1,279	N/A	+ \$50
30"	EP2()3053R	\$820	\$1,393	N/A	+ \$50
36"	EP2()3653R	\$836	\$1,484	N/A	+ \$50
42"	EP2()4253R	\$857	\$1,648	N/A	+ \$50
48"	EP2()4853R	\$877	\$1,669	N/A	+ \$50
60"	EP2()6053R	\$915	\$1,854	N/A	+ \$50
-00	Li 2(/0033N	7513	71,0071	14/74	750

^{*} All Colors

Order Code							
e.g.	EP2PG3648R, PC, 613						
EP2PG	Plexiglass Insert Panel						
36	Width						
48	Height						
R	Raceway						
PC	Clear						
613	Silver trim						

Specification Information

Specify insert type, insert color and trim color.

Pricing listed above is for P1 trim colors. Add the appropriate upcharge if using P2 or P3 trim colors.

Application Notes

Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

Generation 2 Insert Panel

(compatible with generation 1 panel components only)



60 111			······	••••••	
60" H				PAINT	
W	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P3
12"	EP2()1260R	\$784	\$1,129	N/A	+ \$50
18"	EP2()1860R	\$799	\$1,251	N/A	+ \$50
24"	EP2()2460R	\$810	\$1,379	N/A	+ \$50
30"	EP2()3060R	\$827	\$1,518	N/A	+ \$50
36"	EP2()3660R	\$844	\$1,539	N/A	+ \$50
42"	EP2()4260R	\$868	\$1,679	N/A	+ \$50
48"	EP2()4860R	\$884	\$1,816	N/A	+ \$50
60"	EP2()6060R	\$921	\$2,036	N/A	+ \$50
65" H					
12"	EP2()1265R	\$797	\$1,143	N/A	+ \$50
18"	EP2()1865R	\$811	\$1,267	N/A	+ \$50
24"	EP2()2465R	\$821	\$1,413	N/A	+ \$50
30"	EP2()3065R	\$839	\$1,535	N/A	+ \$50
36"	EP2()3665R	\$857	\$1,555	N/A	+ \$50
42"	EP2()4265R	\$879	\$1,695	N/A	+ \$50
48"	EP2()4865R	\$895	\$2,076	N/A	+ \$50
60"	EP2()6065R	\$930	\$2,115	N/A	+ \$50
80" H					
12"	EP2()1280R	\$851	\$1,304	N/A	+ \$50
18"	EP2()1880R	\$868	\$1,446	N/A	+ \$50
24"	EP2()2480R	\$877	\$1,576	N/A	+ \$50
30"	EP2()3080R	\$894	\$1,825	N/A	+ \$50
36"	EP2()3680R	\$913	\$1,983	N/A	+ \$50
42"	EP2()4280R	\$930	\$2,287	N/A	+ \$50
48"	EP2()4880R	\$948	\$2,308	N/A	+ \$50
60"	EP2()6080R	\$988	\$2,625	N/A	+ \$50
			•		

^{*} All Colors

Order Code						
e.g.	EP2PG2460R, 613					
EP2PG	Plexiglass Insert Panel					
24	Width					
60	Height					
R	Raceway					
613	Silver trim					

Specification information	S	pecification	Information
---------------------------	---	--------------	-------------

Specify insert type, insert color and trim color.

Pricing listed above is for P1 trim colors. Add the appropriate upcharge if using P2 or P3 trim colors.

Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately. NOTE: P2 trim colors are not available on EP2 panels or panel components.

Application Notes

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

423



W	D	Н*	ACTUAL HEIGHT	MODEL#	P1	P2	Р3
1½"	1/2"	28"	23"	EP1PWS28	\$44	N/A	\$48
1½"	1/2"	40"	35"	EP1PWS40	\$44	N/A	\$48
11/2"	1/2"	48"	43"	EP1PWS48	\$48	N/A	\$52
1½"	1/2"	53"	48"	EP1PWS53	\$50	N/A	\$56
1½"	1/2"	60"	55"	EP1PWS60	\$50	N/A	\$56
1½"	1/2"	65"	60"	EP1PWS65	\$52	N/A	\$59
1½"	1/2"	80"	75"	EP1PWS80	\$59	N/A	\$69



Wall Mounted Channel

_	21/8"	3/4"	28"	23"	EP1WMC28	\$112	N/A	\$122
	21/8"	3/4"	40"	35"	EP1WMC40	\$112	N/A	\$122
	21/8"	3/4"	48"	43"	EP1WMC48	\$114	N/A	\$124
	21/8"	3/4"	53"	48"	EP1WMC53	\$116	N/A	\$128
	21/8"	3/4"	60"	55"	EP1WMC60	\$130	N/A	\$145
	21/8"	3/4"	65"	60"	EP1WMC65	\$133	N/A	\$150
	21/8"	3/4"	80"	75"	EP1WMC80	\$162	N/A	\$178
	21/8"	3/4"	120"	120"	EP1WMC120	\$249	N/A	\$276

^{* -} actual height

Order Code		
e.g. EP1PWS60, 117		
EP1PWS	Panel wall starter	
60	Height	
117	Soft Grey trim	

Specification Information

Specify trim color.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

Application Notes

Wall starter:

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face of wall to centerline of post. Constructed of steel.

The wall starter includes panel top and bottom hooks and modified panel connector. Fasteners not included to attach to wall.

Post and shrouds must

be ordered separately.

Wall mount channel:

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic inset which snaps in place, covering mounting screws.



Straight

ı	W	D	Н	MODEL#	P1	P2	P3
	-	-	28"	EP1P28S	\$148	N/A	\$164
	-	-	40"	EP1P40S	\$150	N/A	\$165
	-	-	48"	EP1P48S	\$152	N/A	\$166
	-	-	53"	EP1P53S	\$154	N/A	\$168
	-	-	60"	EP1P60S	\$156	N/A	\$170
	-	-	65"	EP1P65S	\$157	N/A	\$172
	-	-	80"	EP1P80S	\$161	N/A	\$177



Corner (90°)

-	-	28"	EP1P28L	\$144	N/A	\$156
-	-	40"	EP1P40L	\$145	N/A	\$157
-		48"	EP1P48L	\$146	N/A	\$161
-	-	53"	EP1P53L	\$148	N/A	\$164
-	-	60"	EP1P60L	\$150	N/A	\$165
-	-	65"	EP1P65L	\$152	N/A	\$166
-	-	80"	EP1P80L	\$156	N/A	\$170



End

LIIG						
-	-	28"	EP1P28E	\$157	N/A	\$172
-	-	40"	EP1P40E	\$159	N/A	\$174
-	-	48"	EP1P48E	\$161	N/A	\$177
-	-	53"	EP1P53E	\$162	N/A	\$178
-	-	60"	EP1P60E	\$164	N/A	\$179
-	-	65"	EP1P65E	\$165	N/A	\$183
-	-	80"	EP1P80E	\$167	N/A	\$187

Order Code			
e.g.	EP1P48S, 117		
EP1P	Post		
48	Height		
S	Straight assembly		
117	Soft Grey trim		

Specification Information

Specify trim color.
Specify fabric color (if post covers are specified).

Application Notes

Used to connect panels of the same height.

Kit includes single height post, post plug, panel connector and base raceway shroud(s) appropriate for the geometry specified. NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

Generation 1

single height post assemblies three and four way



3-way (T)

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28T	\$144	N/A	\$156
-	-	40"	EP1P40T	\$145	N/A	\$157
-	-	48"	EP1P48T	\$146	N/A	\$161
-	-	53"	EP1P53T	\$148	N/A	\$164
-	-	60"	EP1P60T	\$150	N/A	\$165
-	-	65"	EP1P65T	\$152	N/A	\$166
-	-	80"	EP1P80T	\$156	N/A	\$170



3-way (Y)

	_	28"	EP1P28Y	\$179	N/A	\$201
-	-	40"	EP1P40Y	\$183	N/A	\$202
-	-	48"	EP1P48Y	\$185	N/A	\$203
-	-	53"	EP1P53Y	\$186	N/A	\$205
-	-	60"	EP1P60Y	\$187	N/A	\$206
-	-	65"	EP1P65Y	\$190	N/A	\$208
-	-	80"	EP1P80Y	\$192	N/A	\$208



4-way (X)

	· may (A)						
-	_	28"	EP1P28X	\$124	N/A	\$136	
-	-	40"	EP1P40X	\$128	N/A	\$141	
-	-	48"	EP1P48X	\$129	N/A	\$144	
-	-	53"	EP1P53X	\$130	N/A	\$145	
-	-	60"	EP1P60X	\$131	N/A	\$146	
-	-	65"	EP1P65X	\$132	N/A	\$147	
-	-	80"	EP1P80X	\$135	N/A	\$150	

Order Code			
e.g.	EP1P80T, 117		
EP1P	Post		
80	Height		
Т	"T" assembly		
117	Soft Grey trim		

Specification Information

Specify trim color.
Specify fabric color (if post covers are specified).

Application Notes

Used to connect panels of the same height.

Kit includes single height post, post plug, panel connector and base raceway shroud(s) appropriate for the geometry specified.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.



Dual Height Post

	_					
w	D	Н	MODEL#	P1	P2	P3
-	-	28"/40"	EP1DP2840	\$154	N/A	\$168
-	-	28"/48"	EP1DP2848	\$164	N/A	\$179
-	_	28"/53"	EP1DP2853	\$167	N/A	\$187
-	-	28"/60"	EP1DP2860	\$170	N/A	\$190
-	-	28"/65"	EP1DP2865	\$177	N/A	\$193
-	-	28"/80"	EP1DP2880	\$193	N/A	\$215
-	-	40"/48"	EP1DP4048	\$164	N/A	\$179
-	-	40"/53"	EP1DP4053	\$167	N/A	\$187
-	-	40"/60"	EP1DP4060	\$170	N/A	\$190
-	-	40"/65"	EP1DP4065	\$177	N/A	\$193
-	-	40"/80"	EP1DP4080	\$193	N/A	\$215
-	-	48"/53"	EP1DP4853	\$167	N/A	\$187
-	-	48"/60"	EP1DP4860	\$170	N/A	\$190
-	-	48"/65"	EP1DP4865	\$177	N/A	\$193
-	-	48"/80"	EP1DP4880	\$193	N/A	\$215
-	-	53"/60"	EP1DP5360	\$170	N/A	\$190
-	-	53"/65"	EP1DP5365	\$177	N/A	\$193
-	-	53"/80"	EP1DP5380	\$199	N/A	\$219
-	-	60"/65"	EP1DP6065	\$177	N/A	\$193
-	-	60"/80"	EP1DP6080	\$193	N/A	\$215
-	-	65"/80"	EP1DP6580	\$193	N/A	\$215

Order Code			
e.g.	EP1DP4860, 613		
EP1DP	Dual height post		
48	Height one		
60	Height two		
613	Silver		

Specification	

Specify trim color.

Application Notes

Dual height posts are used where panels of two different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

.

Triple Height Post

w	D	н	MODEL#	P1	P2	P3
VV						
-	-	28"/40"/48"	EP1TP284048	\$193	N/A	\$215
-	-	28"/40"/53"	EP1TP284053	\$193	N/A	\$215
-	_	28"/40"/60"	EP1TP284060	\$193	N/A	\$215
-	-	28"/40"/65"	EP1TP284065	\$206	N/A	\$229
-	-	28"/40"/80"	EP1TP284080	\$230	N/A	\$253
-	-	28"/48"/53"	EP1TP284853	\$193	N/A	\$215
-	-	28"/48"/60"	EP1TP284860	\$193	N/A	\$215
-	-	28"/48"/65"	EP1TP284865	\$206	N/A	\$229
-	-	28"/48"/80"	EP1TP284880	\$230	N/A	\$253
-	-	28"/53"/60"	EP1TP285360	\$193	N/A	\$215
-	-	28"/53"/65"	EP1TP285365	\$205	N/A	\$227
-	-	28"/53"/80"	EP1TP285380	\$229	N/A	\$249
-	-	28"/60"/65"	EP1TP286065	\$206	N/A	\$229
-	-	28"/60"/80"	EP1TP286080	\$230	N/A	\$253
-	-	28"/65"/80"	EP1TP286580	\$230	N/A	\$253
-	-	40"/48"/53"	EP1TP404853	\$193	N/A	\$215
-	-	40"/48"/60"	EP1TP404860	\$193	N/A	\$215
-	-	40"/48"/65"	EP1TP404865	\$206	N/A	\$229
-	-	40"/48"/80"	EP1TP404880	\$230	N/A	\$253
-	-	40"/53"/60"	EP1TP405360	\$193	N/A	\$215
-	-	40"/53"/65"	EP1TP405365	\$205	N/A	\$227
-	-	40"/53"/80"	EP1TP405380	\$229	N/A	\$249
-	-	40"/60"/65"	EP1TP406065	\$206	N/A	\$229
_	_	40"/60"/80"	EP1TP406080	\$230	N/A	\$253
_	_	40"/65"/80"	EP1TP406580	\$230	N/A	\$253
_	_	48"/53"/60"	EP1TP485360	\$193	N/A	\$215
_	_	48"/53"/65"	EP1TP485365	\$205	N/A	\$227
_	_	48"/53"/80"	EP1TP485380	\$208	N/A	\$231
_	_	48"/60"/65"	EP1TP486065	\$206	N/A	\$229
_	_	48"/60"/80"	EP1TP486080	\$230	N/A	\$253
_	_	48"/65"/80"	EP1TP486580	\$230	N/A	\$253
_	_	53"/60"/65"	EP1TP536065	\$205	N/A	\$227
_	_	53"/60"/80"	EP1TP536080	\$207	N/A	\$230
_	_	53"/65"/80"	EP1TP536580	\$230	N/A	\$253
_		60"/65"/80"	EP1TP606580	\$230	N/A	\$253
-	-	00 /03 /60	EF I I FUUDOOU	⊋ ∠3U	IN/ A	\$200

Order Co	Order Code			
e.g.	EP1TP406080, 113			
EP1TP Triple height post				
40	Height one			
60	Height two			
80	Height three			
113	Dark Grey trim			

Specification Information

Specify trim color.

Application Notes

Triple height posts are used where 3 or 4 panels of three different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

Single Height Post

W	D	Н	MODEL#	P1	P2	Р3
-	-	28"	EP1P28	\$72	N/A	\$78
-	-	40"	EP1P40	\$73	N/A	\$80
-	-	48"	EP1P48	\$74	N/A	\$83
-	-	53"	EP1P53	\$76	N/A	\$84
-	-	60"	EP1P60	\$77	N/A	\$86
-	-	65"	EP1P65	\$78	N/A	\$87
-	-	80"	EP1P80	\$83	N/A	\$89

Order Code		
e.g.	EP1P48, 177	
EP1P	Post	
48	Height	
117	Soft Grey trim	

Specification I	


Specify trim color.
Panel connectors
and shrouds must be
order separately.

Application Notes

Bottom leveler on posts allow for up to 1½" of vertical adjustment.


Generation 1

Panel connectors and shrouds



Panel Connectors

ТҮРЕ	MODEL#	P1	P2	Р3
End with post	EP1PCEP	\$36	\$38	\$39
End with post (for post covers)	EP1PCEPK	\$36	\$38	\$39
Four-way "X"	EP1PCX	\$52	\$56	\$62
Multi-height filler	EP1PCMF	\$26	\$28	\$29
Post plug (pkg. of 25)	EP1PLUG	\$17	\$23	\$24
Straight	EP1PCS	\$31	\$33	\$35
Three-way "T"	EP1PCT	\$47	\$49	\$52
Three-way "Y" 120°	EP1PCY	\$47	\$49	\$52
Trim filler	EP1PCTF	\$26	\$28	\$29
Two-way "L"	EP1PCL	\$39	\$40	\$41
Two-way "L" (for post covers)	EP1PCLK	\$39	\$40	\$41
Two-way adjustable angle	EP1PCA	\$49	\$56	\$56



Raceway Shrouds

End with post	EP1SEP	\$49	N/A	\$56
End with post (for post covers)	EP1SEPK	\$49	N/A	\$56
Inside 120	EP1SI120	\$17	N/A	\$24
Outside "L"	EP1SL	\$36	N/A	\$39
Outside "L" (for post covers)	EP1SLK	\$36	N/A	\$39
Outside 120	EP1SO120	\$28	N/A	\$31
Outside 135	EP1SO135	\$28	N/A	\$31
Straight	EP1SS	\$26	N/A	\$29

Order Code		
e.g.	EP1SEP	
EP1S	Post shroud	
EP	End with post	

Specification Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

Application Notes

Panel connectors stabilize panel to panel connections.

Panel connectors have painted finish and a quick mount design.


Mounting screws are included. Conical connector screw is included with post.

One Post Plug (OPPC) is included with every connector cap ordered. If additional post plugs are required a bag of 25 may be purchased separately.

The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout. This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.





Panel Extender Kit – 36" Wide

W	D	Н	MODEL#	P1	P2	ADD FOR P3
36"	-	40"	EP1PE3640R	\$352	N/A	\$50
36"	-	48"	EP1PE3648R	\$392	N/A	\$50
36"	-	53"	EP1PE3653R	\$423	N/A	\$50
36"	-	60"	EP1PE3660R	\$451	N/A	\$50
36"	-	65"	EP1PE3665R	\$477	N/A	\$50
36"	-	80"	EP1PE3680R	\$553	N/A	\$50

Panel Extender Kit – 40" Wide

48"	_	40"	EP1PE4840R	\$366	N/A	\$50
48"	-	48"	EP1PE4848R	\$408	N/A	\$50
48"	_	53"	EP1PE4853R	\$435	N/A	\$50
48"	-	60"	EP1PE4860R	\$469	N/A	\$50
48"	-	65"	EP1PE4865R	\$489	N/A	\$50
48"	-	80"	EP1PE4880R	\$569	N/A	\$50

Panel Extender Kit - 60" Wide

_	60"	-	40"	EP1PE6040R	\$387	N/A	\$50
	60"	-	48"	EP1PE6048R	\$423	N/A	\$50
	60"	-	53"	EP1PE6053R	\$452	N/A	\$50
	60"	-	60"	EP1PE6060R	\$485	N/A	\$50
	60"	-	65"	EP1PE6065R	\$507	N/A	\$50
	60"	-	80"	EP1PE6080R	\$582	N/A	\$50

Order Co	Order Code		
e.g.	EP1PE6065R, 117		
EP1PE	Raceway panel extender kit		
60	Width in inches		
65	Height		
R	Raceway		
117	Soft Grey trim		

Specification Information

Specify trim color.


Jumpers to carry power through panel are ordered separately. With panel extender kits, add 3" to jumper length for each panel extender kit used.

A kit designed to be field mounted onto panels to extend the width of the panel by 3" (1½" on each side). This adaption of the panel(s) will allow clearance when positioning existing freestanding equipment, i.e., files and desks, between side panels.

Application Notes

Kit contains two aluminum side extrusions, an extended top cap, extended baseboard covers, an extended communication boot, installation hardware and instructions.


Generation 3 Fabric Panel



									• • • • • • • • • • • • • • • • • • •	•••••••
64 " l	H								PAIN	п
W	MODEL#	A	В	C	D	E	F	G	P2	Р3
12"	EP3FA1264(K/N)	\$660	\$710	\$770	\$850	\$970	\$1,100	\$1,250	+ \$25	+ \$50
18"	EP3FA1864(K/N)	\$710	\$760	\$820	\$900	\$1,020	\$1,150	\$1,300	+ \$25	+ \$50
24"	EP3FA2464(K/N)	\$760	\$810	\$870	\$950	\$1,070	\$1,200	\$1,350	+ \$25	+ \$50
30"	EP3FA3064(K/N)	\$810	\$860	\$920	\$1,000	\$1,120	\$1,250	\$1,400	+ \$25	+ \$50
36"	EP3FA3664(K/N)	\$890	\$1,000	\$1,130	\$1,290	\$1,540	\$1,820	\$2,140	+ \$25	+ \$50
42"	EP3FA4264(K/N)	\$940	\$1,050	\$1,180	\$1,340	\$1,590	\$1,870	\$2,190	+ \$25	+ \$50
48"	EP3FA4864(K/N)	\$990	\$1,100	\$1,230	\$1,390	\$1,640	\$1,920	\$2,240	+ \$25	+ \$50
60"	EP3FA6064(K/N)	\$1,080	\$1,190	\$1,320	\$1,480	\$1,730	\$2,010	\$2,330	+ \$25	+ \$50

			Тор Сар		Panel Type	w	н		Raceway
EP	Equity panel	3 N	Beveled Flat	FA	Fabric panel	36	29	K N	With knockouts Without knockouts
EP		N	:	FA	•	36	29	K	:

Generation 3 Insert Panel



4 411 11			:	•••••••••	:
64" H			į	PAINT	
W	MODEL #	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	Р3
12"	EP3()1264(K/N)	\$797	\$1,147	+ \$25	+ \$50
18"	EP3()1864(K/N)	\$807	\$1,267	+ \$25	+ \$50
24"	EP3()2464(K/N)	\$817	\$1,397	+ \$25	+ \$50
30"	EP3()3064(K/N)	\$837	\$1,497	+ \$25	+ \$50
36"	EP3()3664(K/N)	\$857	\$1,597	+ \$25	+ \$50
42"	EP3()4264(K/N)	\$877	\$1,697	+ \$25	+ \$50
48"	EP3()4864(K/N)	\$897	\$1,797	+ \$25	+ \$50
60"	EP3()6064(K/N)	\$947	\$1,997	+ \$25	+ \$50

	Panel Type	w	Н	Raceway
EP3 Equity panel	OF Open frame PG Plexiglass insert	36	29	K With knockouts N Without knockouts
EP	PG	36	29	К

End Kits



E	nd	w/Post	•	PAINT	
	Н	MODEL#	P1	P2	P3
	64"	EP3P64E	\$186	\$193	\$200



Post	less End		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3ETK64	\$167	\$170	\$173

End w/Post

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

Postless End

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately %" beyond the panel end.

Assembly

Included

- Single height post
- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled





N – Flat

Assembly

Included

- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled

N – Flat





Legacy

Wall Starter/Wall Mounted Channel

P	anel	Wall St	arter				PAINT	
	W	D	Н	H (Actual)	MODEL#	P1	P2	Р3
	1 ½"	1/2"	64"	60"	EP3PWS64	\$52	\$56	\$62

Wall Mounted Channel

2 %"	3/4"	64"	60"	EP3WMC64	\$133	\$144	\$148

Panel Wall Starter

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

N – Flat

Top Cap Styles

3 - Beveled

Assembly

Included

- Panel top & bottom hook
- Panel connector

Not Included

• Fasteners to attach to wall

Ordered Separately

- Post
- Shrouds

Wall Mounted Channel

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly

Included

- Extruded aluminum channel
- Insert which snaps



"E" Series electrical

Dedicated Neutral System components

10 m

Terminal Block

NOMINAL LENGTH	MODEL#	LIST
	EE1TB-(N3/N4)	\$72



Duplex Receptacle (10 pack)

	EE1RIIIN P10	\$437
	EE1RIIN P10	\$437
	EE1RIN P10	\$437
	EE1RIVN P10	\$437



Duplex Receptacle

EE1RIIIN	\$58
EE1RIIN	\$58
EE1RIN	\$58
EE1RIVN	\$58



Base Infeed

54"	EE1BI-(N3/N4)	\$312
72"	EE1BI72-(N3/N4)	\$330



San Francisco Base Infeed

54"	EE1BI-(N3/N4)SF	\$312
72"	EE1BI72-(N3/N4)SF	\$330

Order Code				
e.g.	EE1C30-N3			
EE1C	Conduit jumper			
80	Length			
N3	8-wire dedicated			

Specification Information

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

Application Notes

Jumpers:

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.


To calculate the correct length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.

3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.






36"+24"=60" 60"÷2"=30"


30"+48"=78"

Order EE1C78-N3

Dedicated Neutral System conduit jumper

Jumper





Order Code				
e.g.	EE1C30-N3			
EE1C	Conduit jumper			
80	Length			
N3	8-wire dedicated neutral			

Specification Information

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

Application Notes

Jumpers:

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

To calculate the correct length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.

36 48 -

EEC78-8/10

36"+24"=60" 60"÷2"=30"

30"+48"=78"

Order EE1C78-N3

Legacy

Panel accessories

Cable and Wire Managers

Vertical Wire Manager

W	D	Н	MODEL#	P1	P2	P3
1/2"	3/4"	80"	EC1VWM80	\$29	\$31	\$33



Metal Ceiling Module

4"	1½"	120"	EE1CM40M	\$625	N/A	\$689
4"	1½"	120"	EE1CM48M	\$625	N/A	\$689
4"	1½"	120"	EE1CM53M	\$625	N/A	\$689
4"	1½"	120"	EE1CM60M	\$625	N/A	\$689
4"	1½"	120"	EE1CM65M	\$625	N/A	\$689
4"	1½"	120"	EE1CM80M	\$625	N/A	\$689

Ceiling Infeeds – Generation 3

4"	1 ½"	120"	EE3CM64M	\$625	\$656	\$689

Order Code			
e.g.	EC1VWM80, 177		
EC1VWM	Vertical Wire Manager		
80	Length		
117	Soft Grey trim		

Specification Information

Specify trim color.

Vertical Wire Manager:

A plastic strip designed to hide a cord running down the edge of the panel. Cut to desired length in field.

Ceiling Infeed Modules:

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 35 cables.

Cables/conduit are laid into the lower metal body by removal of the front 1-½" wide access cover and into the upper plastic extrusion by separating the front edge of the pliable tube. Infeed module is attached to an available post location of the appropriate height. The module can not be used for panel support and there are no "hang on' capabilities. Includes escutcheon plate. Plate and plastic tube are white to integrate with standard ceiling color.

No "hang on" capabilities. Module cannot be used for panel support.

Painted metal module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post. Infeed holds 35 cables with electrical harness installed. Cables/conduit are laid into module by removal of two-piece front 1-½" wide vertical access cover which runs the length of the extrusion. Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.

To connect a metal ceiling infeed to a corner or a straight connection you must use an adjustable angle connector or adjustable angle connector with a multi-height panel connector.



EP1 Coat Hook (6/carton)

W	D	Н	MODEL#	P1	P2	Р3
1/2"	3/4"	5"	EP1CH	\$120	N/A	N/A



Coat Hanger

	<u>-</u>					
17"	3/8"	91/4"	EP1CHG	\$15	N/A	N/A



Carpet Gripper (12 pack)

	-	-		
		FD1CC12		
			620	



EP3 Coat Hook Straight (5 pack)

1/6"	13/6"	73/6"	ED3MMCH (R/D)	\$1./11	NI/A	NI/A



EP3 Coat Hook Postless End (5 pack)

			<u> </u>			
13/8"	3/8"	23/8"	EP3MMCHPE (R/L)(B/P)	\$141	N/A	N/A

Order Code				
e.g.	EP1CH, 117			
EP1CH	Coat hook			
117	Soft Grey trim			

Specification Information

Specify trim color.

Coat Hook and Coat Hanger available only in Dark Neutral, Medium Grey, Soft Grey or Taupe.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Application Notes

Coat Hanger

A plastic coat hanger available to hang on coat hook. EP1 Coat hook: Molded plastic hook hangs over EP1 panels to hold coats and hangers.

Coat hook must hang over straight post location if being used w/EP3 panels.

Carpet gripper:12 per package. EP3 Coat hook:

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel. Available in two colors; Black (B) or Matte Aluminum (P).

Counter Caps, Straight Generation 1 and Generation 2 profiles

Straight



NOMINAL W	ACTUAL W	D	Н	MODEL#	P1	P2	Р3
12"	10.5"	15.25"	-	EW(1/2)1215	\$268	\$278	\$284
24"	22.5"	15.25"	-	EW(1/2)2415	\$297	\$303	\$311
30"	28.5"	15.25"	-	EW(1/2)3015	\$323	\$332	\$339
36"	34.5"	15.25"	-	EW(1/2)3615	\$323	\$332	\$339
42"	40.5"	15.25"	-	EW(1/2)4215	\$330	\$336	\$344
48"	46.5"	15.25"	-	EW(1/2)4815	\$333	\$341	\$348
60"	58.5"	15.25"	-	EW(1/2)6015	\$367	\$374	\$382
72"	70.5"	15.25"	-	EW(1/2)7215	\$387	\$392	\$402
84"	82.5"	15.25"	-	EW(1/2)8415	\$419	\$427	\$435
96"	94.5"	15.25"	-	EW(1/2)9615	\$435	\$444	\$451
108"	106.5"	15.25"	-	EW(1/2)10815	\$449	\$456	\$464
120"	118.5"	15.25"	-	EW(1/2)12015	\$500	\$506	\$513

Straight – Extended One End



_								
	12"	12"	15.25"	-	EW(1/2)1215E	\$279	\$286	\$296
	24"	24"	15.25"	-	EW(1/2)2415E	\$305	\$314	\$322
	30"	30"	15.25"	-	EW(1/2)3015E	\$329	\$334	\$342
,	36"	36"	15.25"	-	EW(1/2)3615E	\$329	\$334	\$342
	42"	42"	15.25"	-	EW(1/2)4215E	\$336	\$344	\$351
	48"	48"	15.25"	-	EW(1/2)4815E	\$347	\$353	\$361
	60"	60"	15.25"	-	EW(1/2)6015E	\$373	\$380	\$388
	72"	72"	15.25"	-	EW(1/2)7215E	\$405	\$410	\$418
	84"	84"	15.25"	-	EW(1/2)8415E	\$422	\$430	\$438
	96"	96"	15.25"	-	EW(1/2)9615E	\$441	\$448	\$455
	108"	108"	15.25"	_	EW(1/2)10815E	\$473	\$481	\$489

Straight – Extended Both Ends



12"	13.5"	15.25"	-	EW(1/2)1215EE	\$286	\$296	\$302
24"	25.5"	15.25"	-	EW(1/2)2415EE	\$319	\$325	\$333
30"	31.5"	15.25"	-	EW(1/2)3015EE	\$334	\$342	\$350
36"	37.5"	15.25"	-	EW(1/2)3615EE	\$334	\$342	\$350
42"	43.5"	15.25"	-	EW(1/2)4215EE	\$347	\$353	\$361
48"	49.5"	15.25"	-	EW(1/2)4815EE	\$387	\$392	\$402
60"	61.5"	15.25"	-	EW(1/2)6015EE	\$383	\$390	\$397
72"	73.5"	15.25"	-	EW(1/2)7215EE	\$413	\$420	\$428
84"	85.5"	15.25"	-	EW(1/2)8415EE	\$436	\$445	\$452
96"	97.5"	15.25"	-	EW(1/2)9615EE	\$449	\$456	\$464
108"	109.5"	15.25"	-	EW(1/2)10815EE	\$487	\$494	\$502

Order C	Order Code			
e.g.	EW16015,117, 117, 117			
EW1	Worksurface			
60	Width			
15	Depth			
117	Soft Grey laminate			
117	Soft Grey edge			
117	Soft Grey cantilever trim			

Specification Information

Specify surface, trim and cantilever trim color.

EW1 Counter caps work with all existing counter caps and are for use on Generation 1 or Generation 2 panels only. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only. Steel brackets are provided.

Counter caps are designed for mounting on top of panels.

Straight counter caps overhang both sides of the panel equally.

Counter caps fit between posts, appropriate to fit between two taller panels and a duel/triple height connectors.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Steel mounted brackets are supplied.

Wood Grain and Metal edge bands: When specifying a top with a wood grain edge band add \$26 to the standard list price.

When specifying a top with a metal edge band add \$52 to the standard list price.

NOTE: Add 10% to the list price of any counter cap when specifying a legacy laminate.



Corner

W	D	Н	MODEL#	P1	P2	P3
24"	15.25"	-	EW(1/2)CC2415	\$378	\$392	\$409
30"	15.25"	-	EW(1/2)CC3015	\$406	\$419	\$435
36"	15.25"	-	EW(1/2)CC3615	\$413	\$428	\$445



Corner – Extended Left

24"	15.25"	-	EW(1/2)CC2415LHE	\$387	\$402	\$416
30"	15.25"	-	EW(1/2)CC3015LHE	\$413	\$428	\$445
36"	15.25"	-	EW(1/2)CC3615LHE	\$422	\$438	\$453



Corner – Extended Right

24"	15.25"	-	EW(1/2)CC2415RHE	\$387	\$402	\$416
30"	15.25"	-	EW(1/2)CC3015RHE	\$413	\$428	\$445
36"	15 25"	_	FW(1/2)CC3615RHF	\$422	\$438	\$453



Corner – Extended Both Ends

24"	15.25"	-	EW(1/2)CC2415EE	\$402	\$416	\$432
30"	15.25"	-	EW(1/2)CC3015EE	\$436	\$452	\$466
36"	15.25"	-	EW(1/2)CC3615EE	\$445	\$461	\$474

Order (.ode
e.g.	EW1CC3015, 117, 117, 117
EW1	Worksurface
cc	Curved corner
30	Width
15	Depth
117	Soft Grey laminate
117	Soft Grey edge
117	Soft Grey cantilever trim

Specification Information

Specify surface, trim and cantilever trim color.

EW1 counter caps work with all existing counter caps and are for use with Generation 1 or Generation 2 panels. Plastic cantilevers are supplied.

EW2 counter caps are for use with

Generation 3 panels only.

Application Notes

Counter caps are designed for mounting on top of panels.

Corner counter caps-(E) extended one end, mount on top of 24", 30" or 36" panels at 90° to each other.

They are non-handed and screw

holes for the mounting brackets must be field-drilled.

Steel mounting brackets are supplied.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Wood Grain and Metal edge bands: When specifying a top with a wood grain edge band add \$26 to the standard list price.

When specifying a top with a metal edge band add \$52 to the standard list price.

NOTE: Add 10% to the list price of any counter cap when specifying a legacy laminate.

Freestanding support components



Flat Brackets (black only)

W	D	Н	TOP SIZE	MODEL#	P1	P2	Р3
	15"			EB1F24	\$45	n/a	n/a
	21"			EB1F30	\$52	n/a	n/a



Column Base					
	27¾"	EB1FCOL	\$320	\$348	\$362

Legacy

Tackable Privacy Screens



Tackable Privacy

W	D	Н	MODEL#.	А	В	C	D	E	F	G
36"	3/4"	21"	EF2PS36	\$392	\$426	\$431	\$443	\$451	\$458	\$472
42"	3/4"	21"	EF2PS42	\$411	\$443	\$452	\$467	\$473	\$483	\$495
48"	3/4"	21"	EF2PS48	\$428	\$461	\$472	\$485	\$491	\$499	\$513
60"	3/4"	21"	EF2PS60	\$459	\$497	\$507	\$519	\$529	\$536	\$553
72"	3/4"	21"	EF2PS72	\$491	\$531	\$541	\$556	\$565	\$574	\$592

Order Code				
e.g.	EF2OS60, 117			
EF20S	Equity freestanding privacy screen			
60	Length in inches			
117	Soft Grey trim			

Specification Information

Specify shelf and stanchion trim color where required.

NOTE: Fabric on 72" privacy screens and will be railroaded (turned 90°).

Application Notes

Over-desk storage units build on desk assemblies to form freestanding workstations.

Mounted on freestanding desks, the overall height of an over-desk will line up with a 65" high panel.

Stanchion loads must be carried to the floor by end panel or pedestal directly beneath it.

All freestanding product shipped knocked down (KD). Orchestra load bars will mount on stanchions with or without tack boards.

Task lights for overhead cabinet or shelf less than 60" wide need to be ordered at least 12" less than the width of the cabinet or shelf.

NOTE: Add 10% to the list price when specifying a legacy laminate.

Wall Mounting

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

New Construction

Existing Construction

		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture supplied wall cleat with	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%=" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Key Lock Program

GENERAL INFORMATION

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

SERVICE PARTS

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$18
NAKC	Change Key	\$18
NKM	Master Key	\$18

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify keyalike for a cluster of 10 workstations.

STEP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 4

Then enter the pattern number "NSPEC__" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

EQUITY

In order to specify an Equity locking component with an "H" series core, apply an "A" suffix to the Equity Base pattern number.

All keyed locks in the Equity system are randomly* keyed, as a standard offering. For those requiring all locks within a workstation (or group of workstations) to be keyed alike, Equity also offers a key-alike option.

The same lock core fits all Equity cabinets and pedestals but is different from the "N" series core. Order the lock cores required separately (ALCKE series). Cores are numbered sequentially, with up to 250 different combinations available (ALCKEH6001- ALCKEH6250). Use one line item for each quantity of lock cores to be keyed alike. Series H6001-H6100 are standard lead-time.

LOCK CORES

MASTER KEY

A master key (AKM) is available that will unlock all cabinets and pedestals with the same prefix letter, for

example: H6001, H6002. A single key is supplied and priced, as shown below.

DESCRIPTION	CATALOG NUMBER	LIST
Equity Lock and Keys	ALCKE(H6)	\$22
Change Key	AKC	18.
Master Key	AKM	18.

SHIPMENT

Additional lead time of 2-4 weeks may apply when more than 100 lock sequences are specified for key-alike (contact Sales Support for current lead times).

The key-alike core and keys are shipped separately from the components for field installation in the appropriate workstation components.

EQUITY LOCKING COMPONENTS

Identify the cabinets to be keyed alike by adding the suffix "P" to the standard catalog number (i.e., EC20F36AP indicates a keyalike EC20F36A cabinet). The cabinet will be factory-prepared with the hardware mechanisms excluding the lock core and key. List price will be reduced by \$22.

MULTIPLE KEY-ALIKE PACKAGES

For multiple keys of the same number, specify ALCKE - (number of keys desired, from 2 to 8.) Price is: Number of Keys x \$22. (i.e.: ALCKE-5 Pkg. of five cores with keys = \$110.00)

^{*}Randomly keyed means that no attempt is made to assure that locks have the same number or that they are, in fact, different.



ISO 9001:2008 Approved NeutralPosture.com Made in the U.S.A. 3904 N. Texas Ave.

Bryan, TX 77803



T 979.778.0502

979.778.0408